



FHSIS REPORT for the Month _____ Year _____
Name of Barangay _____
Name of BHS _____
Name of Municipality/City _____
Name of Province _____
Projected Population of the Year _____

M1BRGY

SECTION A. FAMILY PLANNING SERVICES FOR WOMEN OF REPRODUCTIVE AGE																												
Demand Satisfied		Age Group												Total WRA 15-49 yrs old			Remarks											
		10-14 yrs old				15-19 yrs old				20-49 yrs old																		
1. No. of women of reproductive age (WRA) 15-49 years old who have demand for Family Planning (FP) and currently using, or whose partner is currently using, any modern FP methods																												
Modern FP Methods	Current Users (Beginning of the Month)				Acceptors								Drop-outs (Present Month)				Current User (End of the Month)				New Acceptors (Present Month)							
	Age Group			TOTAL	New Acceptors (Previous Month)			Other Acceptors (Present Month)					Age Group			TOTAL	Age Group			TOTAL	Age Group			TOTAL	Age Group			TOTAL
	10-14	15-19	20-49		10-14	15-19	20-49	TOTAL	10-14	15-19	20-49	TOTAL	10-14	15-19	20-49		TOTAL	10-14	15-19		20-49	TOTAL	10-14		15-19	20-49	TOTAL	
	1. BTL																											
2. NSV																												
3. Condom																												
4. Pills																												
a. Pills-POP																												
b. Pills-COC																												
5. Injectables (DMPA/POI)																												
6. Implant																												
a. Implants-Interval																												
b. Implants-PP																												
7. IUD																												
a. IUD-Interval																												
b. IUD-PP																												
8. NFP-LAM																												
9. NFP-BBT																												
10. NFP-CMM																												
11. NFP-STM																												
12. NFP-SDM																												
Total Current Users																												
SECTION B. MATERNAL CARE AND SERVICES																												
Indicators		Age Group			TOTAL	Remarks		Indicators		Age Group			TOTAL	Remarks														
		10-14	15-19	20-49						10-14	15-19	20-49																
PRENATAL CARE SERVICES																												
1a. Women who gave birth with at least 4 prenatal check-ups								3b. Number of Pregnant Women for the 2nd or more times given at least 3 doses of Td vaccination (Td2 Plus)																				
1b. Total No. of Women who delivered and completed at least 8ANC =(a+b)								4. Number of pregnant women who completed the dose of iron with folic acid supplementation																				
a. No. of Women who delivered and Provided 1st to 8th ANC on schedule								5. No. of pregnant women who completed the dose Multiple Micronutrient Supplementation																				
b. No. of Women who delivered and completed at least 8ANC TRANS IN from other LGUs								6. No. of high-risk pregnant women who completed the dose of calcium carbonate																				
1c. Total No. of Women who delivered and were tracked during pregnancy =(a+b)-c								7. No. of pregnant women given one dose of deworming tablet																				

Indicators	Age Group			TOTAL	Remarks	Indicators	Age Group			TOTAL	Remarks
	10-14	15-19	20-49				10-14	15-19	20-49		
a. No. of Women who delivered and who were tracked during pregnancy						8a. No of pregnant women screened for Hepatitis B					
b. No. of TRANS IN from other LGUs who delivered						8b. No of pregnant women screened reactive for Hepatitis B					
c. No. of TRANS OUT (with MOV) before completing 8ANC						9a. No of pregnant women screened for Anemia					
2a. Number of pregnant women seen in the first trimester who have normal BMI						9b. No of pregnant women diagnosed with Anemia					
2b. Number of pregnant women seen in the first trimester who have Low BMI						10a. No of pregnant women screened for Gestational Diabetes Melitus					
2c. Number of pregnant women seen in the first trimester who have High BMI						10b. No of pregnant women tested positive for Gestational Diabetes Melitus					
3a. Number of women pregnant for the first time given at least 2 doses of Tetanus diphtheria (Td) vaccination											
Indicators	Age Group			TOTAL	Remarks	Indicators	Age Group			TOTAL	Remarks
	10-14	15-19	20-49				10-14	15-19	20-49		
INTRAPARTUM AND NEWBORN CARE											
1. Total Deliveries						4. No. of facility based deliveries (FBD)					
2. No. of Livebirths						a. Public facility					
a. Normal birth weight						b. Private facility					
b. Low birth weight						5a. No. of Vaginal deliveires					
c. Unknown birth weight						5b. No. of Cesarean section					
3. No. of deliveries attended by skilled health professionals						5c. No. of Combined Vaginal-Cesarean					
a. Physicians						6a. No. of Full-Term deliveries					
b. Nurses						6b. No. of Pre-Term Deliveries					
c. Midwives						6c. No. of Fetal deaths					
						6d. No. of abortion/miscarriage					
Indicators	Age Group			TOTAL	Remarks	Indicators	Age Group			TOTAL	Remarks
	10-14	15-19	20-49				10-14	15-19	20-49		
POSTPARTUM CARE											
1a. Number and proportion of Postpartum women together with their newborn who completed at least 2PNC						2. Number of postpartum women who completed the dose of iron with folic acid supplementation					
1b. Total No. of women who delivered and completed at least 4PNC =(a+b)						3. Number of postpartum women who completed the dose ofVitamin A supplementation					
a. No. of women who delivered and Provided 1st to 4th PNC on schedule											
b. No. of women who delivered and completed at least 4PNC TRANS IN from other LGUs											
1c. Total No. of women who delivered and who were tracked											
Indicators	Age Group			TOTAL	Remarks						
	10-14	15-19	20-49								
a. No. of women who delivered and who were tracked during pregnancy											

Indicators	Age Group			TOTAL	Remarks								
	10-14	15-19	20-49										
b. No. of TRANS IN from other LGUs													
c. No. of TRANS OUT (with MOV) before completing 4PNC													
Indicators	Sex			Remarks	Indicators	Sex			Remarks				
	Male	Female	Total			Male	Female	Total					
IMMUNIZATION													
A.1. Immunization Services													
1. Children protected at birth (CPAB)					4. Hep B antigen with in 24 hrs after birth								
2. BCG (with in 0-28 days)					5. Hep B antigen more than 24 hrs up to 14 days								
3. BCG (29 days to 1 year old)													
A.2. Immunization Services (0-12 months old)													
1. DPT-HiB-HepB 1					8. IPV 2								
2. DPT-HiB-HepB 2					9. PCV 1								
3. DPT-HiB-HepB 3					10. PCV 2								
4. OPV 1					11. PCV 3								
5. OPV 2					12. MMR 1								
6. OPV 3					13. MMR 2								
7. IPV 1					14. FIC								
A.3. Immunization Services (13-23 months old)													
1. DPT-HiB-HepB 1					8. IPV 2								
2. DPT-HiB-HepB 2					9. PCV 1								
3. DPT-HiB-HepB 3					10. PCV 2								
4. OPV 1					11. PCV 3								
5. OPV 2					12. MMR 1								
6. OPV 3					13. MMR 2								
7. IPV 1					14. CIC								
Indicators	Sex			Remarks	Indicators	Sex			Remarks				
	Male	Female	Total			Male	Female	Total					
A.4. School-Based Immunization													
1. HPV 1st dose (9 years old Female only)					4. Grade 1 learners given MR								
2. HPV 2nd dose (9 years old Female only)					5. Grade 7 learners given Td								
3. Grade 1 learners given Td					6. Grade 7 learners given MR								
Indicators	Sex			Remarks	Indicators	Sex			Remarks				
	Male	Female	Total			Male	Female	Total					
NUTRITION													
1. Newborns who were initiated on breastfeeding within 1 hour after birth					4a. Infants aged 6-11 months old who completed routine MNP supplementation								
2a. Infants born with low birth weight (LBW) given complete Iron supplements					4b. Children aged 12-23 months old who completed routine MNP supplementation								
2b. Infants exclusively breastfed until 5th month and 29 days					5a. Infants aged 6-11 months old who completed routine LNS-SQ supplementation								
2c. Infants who continued breastfeeding and were introduced to complementary feeding beginning at 6 months of age					5b. Children aged 12-23 months old who completed routine LNS-SQ supplementation								

Indicators	Sex			Remarks	Indicators	Sex			Remarks	
	Male	Female	Total			Male	Female	Total		
3a. Infants aged 6-11 months old who received 1 dose of Vitamin A supplementation										
3b. Children aged 12-59 months old who completed 2 doses of Vitamin A Supplementation										
Indicators	Sex			Remarks	Indicators	Sex			Remarks	
	Male	Female	Total			Male	Female	Total		
6. Children 0-59 months old SEEN during the reporting period at health facilities					7d. Died					
6a. Identified MAM					8. SAM without complication admitted to OTC					
6b. Identified SAM					8a. Cured					
7. MAM enrolled to SFP					8b. Non-cured					
7a. Cured					8c. Defaulted					
7b. Non-cured					8d. Died					
7c. Defaulted										
Indicators	Sex			Remarks	Indicators	Sex			Remarks	
	Male	Female	Total			Male	Female	Total		
MANAGEMENT OF SICK										
1. Sick infants aged 6-11 months old who received Vitamin A capsule aside from routine supplementation					3a. 0-59 months old with acute diarrhea who received ORS only					
1a. Sick infants aged 6-11 months old seen					3b. 0-59 months old with acute diarrhea who received ORS and Zinc drops/syrup					
2. Sick infants aged 12-59 months old who received Vitamin A capsule aside from routine supplementation					4. Pneumonia cases 0-59 months old seen					
2a. Sick infants aged 12-59 months old seen					4a. 0-59 months old with pneumonia who received antibiotic treatment					
3. Acute diarrhea cases 0-59 months old seen										
SECTION D. ORAL HEALTH CARE SERVICES										
Indicators	Sex		Total	Remarks	Indicators	Sex		Total	Remarks	
	Male	Female				Male	Female			
1. Children 12-59 months old who are orally fit upon oral examination or after oral rehabilitation					6. Adolescents 10-14 years old who received BOHC					
2. 5 years old and above with cases of Decayed-Missing Filled Teeth (DMFT)					7. Adolescents 15-19 years old who received BOHC					
3. Infants 0-11 months old who received Basic Oral Health Care (BOHC)					8. Adults 20-59 years old who received BOHC					
4. Children 1-4 years old who received BOHC					9. Senior citizens 60 years old and above who received BOHC					
5. Children 5-9 years old who received BOHC					Indicators	Age Group			Total	Remarks
						10-14	15-19	20-49		
					10. Pregnant women who received BOHC					

SECTION E. NON-COMMUNICABLE DISEASES									
Indicators	Sex		Total	Remarks	Indicators	Sex		Total	Remarks
	Male	Female				Male	Female		
E1. Lifestyle Related									
1. Adults 20-59 years old who were risk assessed using the PhilPEN protocol					2. Senior Citizens 60 years old and above who were risk assessed using the PhilPEN protocol				
1a. Current Smoker					2a. With history of smoking				
1b. Binge Drinker					2b. Binge Drinker				
1c. Insufficient physical activities					2c. Insufficient physical activities				
1d. Consumed unhealthy diet					2d. Consumed unhealthy diet				
Indicators	Sex		Total	Remarks	Indicators	Sex		Total	Remarks
	Male	Female				Male	Female		
1e. Overweight					2e. Overweight				
1f. Obese					2f. Obese				
E2. Cardiovascular Disease Prevention and Control					E3. Diabetes Mellitus Prevention and Control				
1. Adults 20-59 years old who were identified as hypertensive using the PhilPEN protocol					1. Adults 20-59 years old who were identified with Type II Diabetes using the PhilPEN protocol				
2. Hypertensives 20-59 years old provided with antihypertensive medications					2. Type II Diabetics 20-59 years old provided with antidiabetic medications				
2a. Provided by facility (100%)					2a. Provided by facility (100%)				
2b. Out of pocket					2b. Out of pocket				
3. Senior Citizens 60 years old and above who were identified as hypertensive using the PhilPEN protocol					3. Senior Citizens 60 years old and above who were identified with Type II Diabetes using the PhilPEN protocol				
4. Hypertensives 60 years old and above provided with antihypertensive medications					4. Type II Diabetics 60 years old and above provided with antidiabetic medications				
4a. Provided by facility (100%)					4a. Provided by facility (100%)				
4b. Out of pocket					4b. Out of pocket				
Indicators	Sex		Total	Remarks	Indicators	Sex		Total	Remarks
	Male	Female				Male	Female		
E4. Blindness Prevention Program					E5. Immunization for Senior Citizens				
1. Senior citizens aged 60 years old and above screened for visual acuity					1. Senior Citizens Seen who had not previously received PPV upon reaching 60 years old				
2. Senior citizens aged 60 years old and above screened for visual acuity and identified with eye disease/s					2. Senior citizens aged 60 years old and above who received one (1) dose of Pneumococcal Polysaccharide Vaccine				
3. Senior citizens identified with eye disease/s and referred to eye care professionals					3. Senior Citizens Seen				
					4. Senior citizens aged 60 years old and above who received one (1) dose of Influenza Vaccine				

[illegible]

SECTION F. ENVIRONMENTAL HEALTH AND SANITATION											
Indicators		Total		Remarks		Indicators		Total		Remarks	
G1. Water						G1. Sanitation					
1. Households (HHs) with access to improved water supply - Total						1. HH with basic sanitation facility - Total					
1a. HH with Level I						1a. HH with pour/flush toilet connected to a septic tank					
1b. HH with Level II						1b. HHs with pour/flush toilet connected to community sewer/sewerage system or any other approved treatment system					
1c. HH with Level III						1c. HH with Ventilated Improved Pit (VIP) Latrine					
2. HH using safely managed drinking water service						2. HH using safely managed sanitation service					
SECTION G. INFECTIOUS DISEASE PREVENTION AND CONTROL SERVICES											
Indicators		Sex		Remarks		Indicators		Sex		Remarks	
		Male	Female					Total	Male		
A. Filariasis						B. Rabies					
1. No. of individual examined for lymphatic filariasis						1. Number of Animal Bites					
2. No. of individual examined found positive for lymphatic filariasis						2. Number of deaths due to Rabies					
3. No. of lymphatic filariasis cases examined with manifestation of either lymphedema, hydrocele, elephantiasis											
Indicators		Sex		Remarks		Indicators		Sex		Remarks	
		Male	Female					Total	Male		
C. Schistosomiasis											
1. No. of patients seen						6. No. confirmed chronic cases					
2. No. of suspected cases seen						7. No. of confirmed cases (acute and chronic)					
3. No. acute clinically diagnosed cases						8. No. of cases treated					
4. No. of confirmed acute cases						9. No. of confirmed chronic cases referred to a hospital facility					
5. No. of chronic clinically diagnosed cases											
Indicators		Sex		Remarks		Indicators		Sex		Remarks	
		Male	Female					Total	Male		
D. Soil-Transmitted Helminthiasis											
1. No. of PSAC, 1-4 years old, who completed 2 doses of deworming tablet						4. No. of WRA, 20-49 years old, who completed 2 doses of deworming tablet					
2. SAC, 5-9 years old, who completed 2 doses of deworming tablet						5. Pregnant women who completed 1 dose of deworming tablet					
3. Adolescent, 10-19 years old, who completed 2 doses of deworming tablet											

Indicators	Sex			Remarks	Indicators	Sex			Remarks	
	Male	Female	Total			Male	Female	Total		
E. Leprosy										
1. No. of Leprosy Cases on treatment during reporting period										
2. No. of newly detected cases during reporting period										
F. HIV-AIDS/STI										
1. No. of pregnant women screened for syphilis - Total					3. No. of pregnant women screened for HIV - Total					
1a. 10-14 years old					3a. 10-14 years old					
1b. 15-19 years old					3b. 15-19 years old					
1c. 20-49 years old					3c. 20-49 years old					
2. No. of pregnant women tested positive for syphilis - Total					4. No. of pregnant women screened reactive for HIV - Total					
2a. 10-14 years old					4a. 10-14 years old					
2b. 15-19 years old					4b. 15-19 years old					
2c. 20-49 years old					4c. 20-49 years old					
SECTION C. VITAL STATISTICS										
Indicators	Age Group				Remarks	Indicators	Sex			Remarks
	10-14	15-19	20-49	TOTAL			Male	Female	Total	
Part I. Mortality						Part II. Natality				
1. Maternal Mortality - Total						1. Live births				
a. Direct						2. Adolescent Birth Rate (ABR)				
a1. Resident						a. <10 years old				
a2. Non-Resident						b. 10-14 years old				
b. Indirect						c. 15-19 years old				
b1. Resident										
b2. Non-Resident										
	Male	Female	Total	Remarks						
2. Total Deaths										
3. Under-five Deaths										
4. Infant Deaths										
5. Neonatal Deaths										
6. Perinatal Deaths - Total										
6a. Fetal Deaths										
6b. Early Neonatal Deaths										