

Agile Methodologies

Thursday, March 24, 2022 5:12 PM

- Day to day process of software development.

PROBLEM STATEMENT (S/W DEV)

- Planning
 - Issues/ Defects/ Bugs ...
 - Effort
 - Resource
 - Timelines
- Tracking
- Visualizing
- Reporting
- Collaborating
- Releases

- These problems leads to introducing agile development.

SOLUTION

- Early 2000s
- small groups s/w industry leaders
- Utah
- Coined - The term - Agile
- Blanket term - new methodologies

- Agile = able to move quickly & easily
- Methodology = a way of doing something
- Agile Methodology = a way of doing something quickly & easily

During breaks we need to review our performance and get back with the new updated plan.

METHODOLOGIES

1. SCRUM


- Series of fixed-length iterations
- Shipping s/w on a regular cadence

2. KANBAN


- Real time communication
- Full transparency of work

- Motivation among the team is necessary at regular intervals. Even we failed sometimes we need to set back with better plan.
- We must have always a backup plan.
- We need a cross functional team, if a person falls then other person should replace him immediately. That person may be some person who already existing in the company.
- SCRUM Master: must do certification on Agile Scrum
- KANBAN: no need to have any certification. He must be work practically.
- Agile is all about appreciation and motivation.
- In agile even we motivate someone for their work , but during success everyone needs to be appreciated because everyone will have their part in that success. Which develops team spirit.

SCRUM CYCLE



- For every three months PI Planning will process, it is nothing but performance index planning. In PI planning all the dependent teams will come together either developer, tester, business analyst .
- We call SPRINT cycle as two weeks. For every two weeks we will have sprint planning.
- Backlog; an ordered list of prioritized features that has been created keeping the product vision in mind.
- For every two weeks one backlog is added into sprint planning.
- For scrum master we need to tell, what we are doing right now, what are we planning to do and what we have done up to now.
- In daily scrum , if we have no work to do. If scrum master ask us, we need to tell openly if we are not having any tasks to do. So , he will give another important task from the product backlog.
- Every Monday we will be having a sprint review, to check on the week's progress.
- The Sprint Retrospective is an opportunity for the Scrum Team to inspect itself and create a plan for improvements to be enacted during the next Sprint. ... The Sprint Retrospective occurs after the Sprint Review and prior to the next Sprint Planning
- **KANBAN:** Continuous improvement
- **SCRUM:** Monthly or weekly reports
- Active sprint mean the task that must be do now as part of sprint plan.
- **Burndown chart** let's scrum master to learn how many tickets or points that developer is closing. Here Burndown chart graph done for each day.



- The contents that we added as we done is called as story
- SPRINT REPORT: done according to the sprint timeline

Loyal Royals Scrum Board

Sprint Report

Switch report

Links Hierarchy

Board

NLS-3334	Loyalty Dashboard - Micro Subscription Implementation-Backend	Story	Medium	ACCEPTED	5
NLS-3345	Dashboard Automation - Data Summary	Story	Medium	ACCEPTED	5
NLS-3346	Dashboard - Weekend Support Monitoring	Story	Medium	ACCEPTED	1
NLS-3347	Job Scheduler - False Failure Alert	Story	Medium	ACCEPTED	1
NLS-3349	CDM Integration - Analysis II	Story	Medium	ACCEPTED	3
NLS-3350	Loyalty Dashboard - Micro Subscription Implementation V2-front-end	Story	Medium	ACCEPTED	5

Issues Not Completed

View in Issue navigator

Key	Summary	Issue Type	Priority	Status	Story Points (5)
NLS-3333	Okta Stage 2 - Implementation	Story	Medium	READY TO START	5

- In Nielsen we are having command data model and hence we are having monthly two releases on the first week and the third week.
- Story point takes 2 days and while task point takes almost 15 to 30 mins
- A tester can raise a ticket as an issue to the developer using agile process. So it will be more effective process between defining priorities.


SCRUM	KANBAN	
Regular fixed length sprints (i.e., 2 weeks)	Continuous flow	Cadence
At the end of each sprint if approved by the product owner	Continuous delivery or at the team's discretion	Release Methodology
Product owner, scrum master, development team	No existing roles. Some teams enlist the help of an agile coach.	Roles
Velocity	Cycle time	Key Metrics
Teams should strive to not make changes to the sprint forecast during the sprint. Doing so compromises learnings around estimation.	Change can happen at any time	Change philosophy

- During sprint planning we define story points using some games using Fibonacci series.

Agile


Agile methods or Agile processes generally promote and encourage frequent **inspection and adaptation**, a leadership philosophy that encourages **teamwork, self-organization and accountability**, a set of engineering best practices intended to allow for **rapid delivery**, and a business approach that aligns development with **customer needs and company goals**.

Not like this....



Traditional Project Delivery

Like this!



Agile Project Delivery

Traditional

Don't build this...



Agile

if all you need is this.




Agile is a Incremental product development approach where each step adds a value

Agile is a methodology that delivers software or value incrementally from the start of the project instead of all at once at the end. It's iterative and time boxed.

It works by breaking projects down into little bits of user functionality called user stories, prioritizing them, and then continuously delivering them in short 2-week cycles called sprints (iterations).

Sprint is also called as iteration cycle.

Analysis, design, coding, and testing are continuous activities.





Scope can vary.

Development is iterative.




- In agile, user can ask adding a feature depends on the sprint cycle





Waterfall vs. Agile



Project execution using Waterfall:

Each phase (Define/Design, Build, Test) of a project must be completed before the next phase can begin. Value is only delivered (released) when the entire project is complete.

Project execution using Agile:

A project is broken down and prioritized into a series of smaller Features that undergo iterative Define/Design, Build, Test and Release cycles. Value is delivered incrementally to the customer until the project is complete.



Key Agile characteristics:

- Just in time (JIT) design
- Superior quality
- Value to the customer
- Faster time to market

User Stories

As a <user> (who) I want... <what> so that... <why>
+ story points + acceptance criteria. Should be independent, negotiable, valuable, estimable, sized appropriately, testable (INVEST).

Story points

Story points are a relative unit of measure to assess whether a user story is big or small. You can use different scales for story points (e.g. 1, 3 or 5 ; t-shirt sizes s, m, l, xl, xxl).

Product Backlog

An ordered list of everything that might be needed in the product (also known as Master Story List).

Sprint Backlog

The set of Backlog items selected to be delivered over a period of time.

Velocity

The number of story points delivered over a sprint.

Swimlanes

A visual representation of stories (y axis) vs. status on the kanban/agile board: To Do; Doing; Done (x axis). Swimlanes let the team see progress on individual stories, while highlighting specific areas that need attention.

Minimum Viable Product (MVP)

The bare minimum product that meets the client's expectations. Includes all must haves and excludes all nice to haves (no bells and whistles).

Release

Comprised of several iterations or sprints.

Sprint

A period of time in which the team will work on a defined set of user stories.

User stories tell all the issues, this is the basic block.

Story points defines the difficulty or the work size of the project.

Product backlog mean a list of tasks that we have to do.

Sprint Backlog mean which are needed to deliver in a short period of time.

Velocity is used for predictability of how long the work going to complete.

Swim lanes are some flags on user stories which tells their status of the story.

Minimum viable product is like the base product that customer will accept at least.

Release is comprised of several iterations or sprints.

Velocity is arranged depends on the team. If we are having experts in it, we will have high velocity.

Or else it will be low if we are having a limited expertise people.

Theme: Business goal that spans multiple stories.


Epic: Logical container of stories that are grouped by function, feature or other common criteria.

Story: Short description of small piece of desired functionality. Stories should use the INVEST acronym. We'll review INVEST on the next slide.

Task: Tasks are individual items of work that must be completed by the Agile Team in order to complete the User Story. Tasks should be sized to be completed in a short amount of time.

- We must take the user stories which doesn't have dependencies because it slows the sprint cycle production level.

User Stories - INVEST model



User Story examples

As a <who>, I want <what> so that <why>

View Training Metrics

As a manager I want to see the training that my team has completed so I can help them with their development goals

Research Reporting Tools

As a report designer, I need to research standard tools, so I can recommend what we'll use to deliver reports to our client

Pass an MRC* Audit

As a member of the MRC we must document changes so we pass MRC audits in order to remain in good standing

When <event> I want <capability> because <Reason>


View a New Loan Application

When a new application comes into our system I want to see an alert so I can review the loan within one business day

*MRC = Media Ratings Council
They ensure the media industry and related audience measurement services are valid, reliable and effective

Common Agile Methodologies: Scrum, Kanban, Extreme Programming (XP)

Agile practices (including Scrum and Kanban methods), can be used for any type of work execution. They do not have to be limited to development projects and technical teams.



What is Scrum?

Scrum (n): A widely used framework within which people can address complex adaptive problems, while productively and creatively delivering products of the highest possible value. Scrum is a subset of Agile.

Scrum places emphasis on software development and is especially effective when work can be prioritized in batches/iterations.

Sprints are the basic unit of work execution (timebox). Finished portions of a product are created in each sprint.

XP Basics

XP is a disciplined approach to delivering high-quality software quickly and continuously.


- It promotes high customer involvement, rapid feedback loops, continuous testing, continuous planning, and close teamwork to deliver working software at very frequent intervals, typically every 1-3 weeks.



What you'll see when working with XP

- The whole team starts together. The product owner is embedded throughout the entire project
- The team embraces change
- Paired programming (strictly an XP practice)
- Continuous integration; small releases
- Coding standards
- Refactoring - improving code without changing the features it implements.


Pros and cons of XP:
(video ~ 7 minutes)



Scrum Basics

The Agile Scrum Framework at a Glance

Inputs from Executives,
Team, Stakeholders,
Customers, Users




Scrum master is typically a servant leader where he manages the team, and checks are the tasks are being achieved or not. And keep track of the progress of the team. And product owner can be a person who can be from the customer's company who has idea about what are the requirements they need as a product to design. Scrum master helps us to prioritize the tasks in designing a completing product. SCRUM Master have connections with different team , which helps us in intergroup communication.

Sprint Planning - Scrum Team takes top priority items from larger “**Product Backlog**” and plans a Sprint iteration (e.g. 2-week period of time when work is executed upon). The “**Sprint Backlog**” is created at this time.

Daily Scrum - Scrum Team meets for 15 minutes each day (aka “Daily Stand Up”) to review progress, align as a team, and also discuss any impediments encountered.

Sprint Review - Scrum Team meets to review (demo) completed work to Product Owner for PO Acceptance (per Acceptance Criteria defined in each Story). Completed stories contribute to a “**Product Increment**”.

Sprint Retrospective - Scrum Team discusses the Agile “process” and determines what the team should continue doing, stop doing and start doing in order to “inspect and adapt” their agile practices and improve upon them.




Backlog Grooming - This meeting and process doesn't occur at a prescribed time. It is periodically performed (as needed) by Product Owner (w/input from team) to refine and prioritize the Product Backlog (Epics/Features, Stories). Development team estimates size of top priority Stories in the backlog (once they are refined).

Kanban Basics

Emphasis is on continuous delivery

Three Key Kanban Principles:

1. Visualize what you are doing by moving between phases of work
2. Concentrate on finishing work not starting work.
3. Inspect and adapt to improve the flow of work. Identify potential bottlenecks in your process and resolve them so work can flow through the phases cost-effectively and at optimal speed.



Kanban can be used in conjunction with another methodology like Scrum, or it can be used on its own

Kanban Boards - JIRA Software Tool

Jira's Kanban Board with lanes to represent different stages/phases of software development

The screenshot shows a JIRA Kanban board for the project 'Experience Nielsen App'. The board is divided into three lanes: '10 Requirement Definition', '7 Requirement Analysis', and '8 Ready for Delivery Team Backlog'. Each lane contains a list of tasks with their IDs and descriptions. For example, in the 'Requirement Definition' lane, tasks include 'XP-150: Modify CSS linked to login screens', 'XP-52: Store user preferences for selected region/country', and 'XP-57: General: iOS video play icon - enable the icon so it is functional'. The 'Ready for Delivery Team Backlog' lane includes tasks like 'XP-88: (R&D) Tracking users', 'XP-233: QA Test preparation (XP-88)', and 'XP-234: QA Test Execution (XP-88)'.

This is a Kanban board used with Scrum by a software development team (Nielsen Enterprise IT), created in Jira

Differences Between Scrum and Kanban

	Scrum	Kanban
Roles	Predefined roles	No prescribed roles
Work in progress	Uses a 'pull system', however, an entire batch is pulled for each iteration. The entire team focuses on what they committed to complete in the sprint (timeboxed). The sprint backlog has a limited set of stories.	Uses a 'pull system' with workflow that allows team members to 'pull' tasks when capacity is available. Limit Work-in- Progress (WIP) so you can focus on completing tasks not just starting them.
Changes	Only happen after a sprint, and strongly discouraged in mid-sprint	Can happen any time

Scaled Agile Framework

The Scaled Agile Framework (abbreviated as SAFe) is designed to provide a structure for building and enhancing IT systems (software and architecture) in a continuous, predictable and Agile way. SAFe takes advantage of the working practices of Agile teams, embedding these into a framework which scales to the enterprise level utilizing [Portfolios, Programs and Teams](#). Here are some examples of [Nielsen Scaled Agile Framework configs](#) that were created for various organizations.



Program is a cross functional and do changes on different products.

Portfolio is the higher version of program. Where we can only see the abstract version of programs.

Example: all the products that serves retailer is a portfolio, all the products that serves consumer is a portfolio

Safe agile is a large scale agile process where agile is not condensed to the teams it will work till the CEO level.

Advanced Analytics	Measurement	Innovation and Activation	Market Verticals	Platform	Training	Release Notes
Assortment and Merchandi...	Embedded Analytics	Revenue Growth Managem...	Route to Market			
Category Management Workshops	Business Drivers	Custom PnP	Forecasting			
Global Innovation Incrementality	Opportunities	Every Day Analytics	Precision Areas			
Market Structure	Enriched Events	NielsenIQ Revenue Optimizer	Store Execution Analytics			
Spaceman Suite		Retail Pricing	Other RTM Solutions			
Shelf Architect		Traditional Trade Analytics	Spectra solutions US			

For example : Market Structure is a team , Assortment and Merchandizing is program and Advanced analytics is a portfolio.

CEO checks the growth of portfolio's.


SAFe Agile Structure: ([SAFe 5 for Lean Enterprises \(scaledagileframework.com\)](#))

Reasons for adopting Agile



The Scaled Agile Framework® (SAFe®)

Synchronizes alignment, collaboration, and delivery for large numbers of teams



Core Values

1. Built-In Quality
2. Program execution
3. Alignment
4. Transparency

	Agile	SAFe Agile
Framework	Agile frameworks are built on Agile principles	SAFe is a scaled-up framework of Agile principles
Role of management	Management plays only a supporting role in everyday functions. They are critical during the transition to Agile.	There are management roles. For example, Portfolio managers are responsible for the enterprise's financial, technical, and business aspects. The Product Manager at the program level is responsible for prioritizing features of the product and making sure they are well-understood.
Team Organisation	Agile teams have no sub-teams or hierarchies. They focus on completing small goals one at a time towards creating the end-product.	SAFe frameworks have ART – Agile Release Trains, which are virtual organizations of Agile teams that plan and work together on the same timeline to achieve the Value Stream goals.
Decision making	Independent decision making is encouraged.	Decisions can be made either at the team level or at the enterprise level, depending on the scope of the issue.
Planning	Planning is done not for the entire project but for shorter durations. The process is not complicated or long	Planning and the development cycle are long processes because of the focus on the 'big picture.'
Ability to change	Agile methods are planned around flexibility and change. Products can be improved after each iteration.	Making changes in a SAFe process is possible but not as easy to execute because of the large scale.
Role of team members	Agile relies on the commitment and expertise of individual team members to work with dedication. It is not always a practical expectation, and project deadlines may be missed due to some weak links in the team.	Since there are established leadership roles, large-scale projects can be completed with the development teams' involvement and top management.
Alignment with business goals	Since this approach is more bottom-up, developers and testers focussed on their tasks can lose sight of business objectives.	The top-down alignment and management involvement in making strategic decisions ensure that business objectives are met.




SAFe application:

Nothing beats an Agile Team

- ▶ Empowered, self-organizing, self-managing, cross-functional
- ▶ Delivers valuable, tested, working system every two weeks
- ▶ Uses a team framework which combines the best of Scrum project management, XP-inspired technical practices and Kanban for flow


- This is the three level program that we are talking (Team , Program , Portfolio)
- Portfolio is observed by the enterprise and other respective layers will be observed by their respective managers and leaders that are mentioned at left of the level of diagram.

'Portfolio SAFe' aligns strategy and execution




Product development life cycle.

Product development life cycle (PDLC)



Product information flow & accountability




Key deliverables - requirements phase

Track	Document	Comments
Product	<u>Initiative</u>	Includes scope and comes from Discovery Phase; high-level epic detail documented in Jira. Links to Theme
Product	<u>Epics</u>	Details out Acceptance Criteria, related stories, dependencies - links to Initiative
Product	Stories	If agreed upfront, tech leads may take responsibility for story breakdown if appropriate.
Product	Prioritization	Prioritized by PL in JIRA at Theme, <u>Initiative</u> , Epic, and Story level
User Experience (UX)	<u>Visual Design</u>	
Program Mgmt	Initial Program Plan (including Cross Team Dependencies)	
Program Mgmt	<u>RAID Log</u>	Risks, Actions, Issues, Dependencies
Program Mgmt	<u>Program Status</u>	Dashboard and any executive level documentation

Dependency	Description
Dependency Scope (i.e. Program, Project, External)	Where the dependency is. Program – if the dependency is between two projects within a program External – if the dependency is with an entity outside the program (i.e. Ops, Commercial, 3rd Party)
Give / Get Project, Work stream	The projects/work streams required to give the dependency and to receive the dependency
Dependency Description	Description of what is to be delivered from the “Give” to the “Get”
Date Needed	Date by which the dependency must be received before it starts to impact the “Get” project’s critical path
Current Schedule	Date by which the “Give” project is scheduled to deliver the dependency to the “Get” project
Status	Calculated based on Date Needed, Scheduled Date, Closed Date (i.e. Red – No slack or past due, Yellow – Less than 3 days slack, Green – at least 3 days slack, Complete – Dependency Delivered & Closed)
Nature of Impact if Dependency Not Met	Describe impact if dependency is delivered late
Fulfilled Date	Date that the dependency was delivered to the “Get” project
Closed Date	Date that the dependency was verified by the “Get” project and closed

Testing phase	Objective	Responsible	Environment	Tools
Code & Unit Testing	Unit test is executed by the developer coding the feature to validate the feature brings back the expected result and meets the acceptance criteria defined in the story / epic	Component Team Engineers	Development	Junit SonarQube
Functional Integration Testing	Once a feature has been tested by the component team, integration testing activities executed against the corresponding component features	Component Team Testing Engineers	System Integration (SI)	Zephyr
Regression Testing / Automation	Regression testing should be executed for each release/sprint for integration of new components to validate that existing features are not broken by the new features and functionality. Perform regression testing with automation scripts as much as possible	Component Team Engineers / E2E Testing Engineers	Development SI UAT	Selenium Katalon Protractor Zephyr
Performance Testing	Testing to validate system performance and stability for non-functional test cases to ensure that load results meet SLAs. Performance testing should be executed in a prod-like environment with necessary datasets	Cloud Ops E2E Testing Engineers Component Team Engineers	Performance	LoadRunner JMeter
End-to-End Testing	E2E Testing executes cross platform back-end and front-end features to validate all required integration features return the expected results to support Release Readiness.	E2E Testing Engineers	UAT	Zephyr Selenium
User Acceptance Testing	Testing performed by Product Leadership and Operations partners to validate the component features returns the expected results and acceptance criteria	PL / Operations	UAT	Manual



Release Management Process Flow- Backend

Platform & Apps: Release every 2 weeks

Factory: Release monthly

T-Days until Release Day


2 Weeks Prior to Release			1 Week Prior to Release						Release Week
T-12 - T-10		T-9	T-6		T-4	T-3		T-2	T-0
UAT Deployment Approval	Finalize Release Scope	Functional Tests Completed	Initial Deployment into UAT	UAT & E2E testing	ROBO Finalized	CAB Approval	Sign off from PL/Ops	RRR/ Alignment Calls	Production Deployment
Final opportunity for Tech lead to approve changes into UAT	Release scope should be finalized today and all items approved	Release items should be tested and ready to go into UAT after today	Deadline to deploy all release items into UAT env + Start of UAT & E2E testing period	UAT deployments should only be for bug fixes of issues found during UAT & E2E testing	Roll-Out / Back-Out plan finalized in the event of deployment GO NO-GO	Cloudops RM team to present Prod env change to Change Advisory Board (CAB) for approval	UAT & E2E testing is complete and release items are ready to go into production	Tech lead to share test results with Tech leadership to receive final approval	Release items deployed into Production
Tuesday-Thursday		Friday	Monday		Wednesday	Thursday		Friday	Sunday Monday

© 2022 Nielsen Consumer LLC. All Rights Reserved.

T-6/T-0 SOS Discussion

Discussion of open issues or risks to sign-off

Issue Standards



Themes (Created by Senior Leadership)

Create Issue

Project: **CONNECT (CNCT)**

Issue Type: **Theme**

Summary:

Description:

Priority: **Medium**

Assignee: **Automatic**

Attachment:

Labels:

Create another **Create** Cancel

- Project** - CONNECT
- Issue Type** - Theme
- Summary** - provide business/technical description of Theme
- Description** - brief description of business/technical objective
- Priority** - select from pulldown menu
- Assignee** - initially Senior Product Leadership and eventually PL assigned
- Attachment** - include related documents for the theme such as Initiative Brief and Requirement Documents
- Labels** - include 'Portfolio_Reportable' if this is to be included on the Leadership Report out board
- Other fields are optional and generally not used

Workflow: (Discovery, Design, Withdrawn, Done)

- Fields above remain the same through the workflow

Initiatives (Created by Product or Technical Leadership)

Create Issue Configure Fields

Project* CONNECT (CNCT)

Issue Type* Initiative

Summary*

Description Style B I U A Color Link Image Table More

Parent Link Choose a parent to assign this issue to.

Priority Medium

Assignee Automatic
Assign to me

Attachment Drop files to attach, or browse.

Labels Begin typing to find and create labels or press down to select a suggested label.

Create another Create Cancel

- **Project** - CONNECT
- **Issue Type** - Initiative
- **Summary** - provide business or technical description of Initiative
- **Description** - brief description of business or technical objective
- **Parent Link** - select Theme
- **Priority** - select from pulldown menu
- **Assignee** - generally PL
- **Attachment** - include related documents for the theme
- **Labels** - include 'Portfolio_Reportable' if this is to be included on the Leadership Report out board
- Other fields are optional and generally not used

Workflow: (Portfolio Intake, Investment Solution, Withdrawn)

- Fields above remain the same through the workflow

Epics Part 1 (Created by PL, Tech, Ops or PMO)

Create Issue Configure Fields

Project* CONNECT (CNCT)

Issue Type* Epic

Epic Name* Provide a short name to identify this epic.

Summary*

Description Style B I U A Color Link Image Table More

Parent Link Choose a parent to assign this issue to.

Priority Medium

Create another Create Cancel

- **Project** - based on team doing the work
- **Issue Type** - Epic
- **Epic Name** - provide business or technical title
- **Summary** - provide business or technical description
- **Description** - brief description of business or technical objective
- **Parent Link** - select Initiative
- **Priority** - select from pulldown menu
- See next slide for other fields

Workflow: (Epic Ready, Epic In Progress, Epic Validation, Withdrawn)

- Fields on this slide do not change during the workflow

Stories/Tasks/Subtasks - part 1 (Created by PL, Tech, Ops or PMO)

The screenshot shows the 'Create Issue' form in JIRA. The 'Project' is set to 'Smart Factory (SF)' and the 'Issue Type' is 'Story'. The 'Summary' field is empty. The 'Description' field has a rich text editor with a toolbar. Below the description, there are tabs for 'Visual' and 'Text'. The 'Epic Link' field is empty with a dropdown arrow. The 'Fix Version/s' field is empty with a dropdown arrow. The 'Team' field is set to 'None' with a dropdown arrow. The 'Story Points' field is empty with a dropdown arrow. The 'Assignee' field is set to 'Automatic' with a dropdown arrow. There is an 'Assign to me' button below the assignee field.

- **Project** - select JIRA Key of team doing the work
- **Issue Type** - Story or Task
- **Summary** - provide business or technical description
- **Description** - brief description of business or technical objective
- **Epic Link** - select Epic
- **Fix Version** - select Release Window when in progress
- **Team** - choose appropriate Tech or Ops team
- **Story Points** - determined during Sprint Grooming or Planning
- **Assignee** - person responsible for executing the story or task
- Additional fields on next slide

Workflow: (Make Story Ready, Story Ready, Story in Progress, Story Done, Story Accepted)

- Fix Version should be filled in by Story Done
- Assignee is generally filled during Story in Progress

SAFe ([SAFe 5 for Lean Enterprises \(scaledagileframework.com\)](https://scaledagileframework.com))

Agile

Monday, April 4, 2022

10:16 PM