BTL Corporate Identity Guideline

BTL Corporate Identity Guideline
Version 2.3 (Beta Release) 20.01.2025

Contents

1. Logo

2. Colors

3. Typography

4. Layout System

5. Graphic Elements

6. Imagery

7. Brand Collaterals



Example of use




Example of use



Examples of use



Example of use



Example of use



Example of use



Example of use

Logo

Our new optimized BTL Logo 2025. The logo has now been optimized for both the physical and digital world.

- The legibility of the letter ‘B’ is improved by increasing the counters’ size by 50%.
- Within the same amount of space, we increased the breathing space between the letters and the boxes by 17%.
- We also increased the optical size of all the letters by 5%.

Apart from digital testing, the new logo has also been tested with 11 technologies currently used in BTL production.

Download
[Temp dead link]



Logo | Protection Area

The BTL logo requires empty space around it. There are various distances that need to be respected. All distances are relative to logo height, where 1 unit is half of the logo height.

Safe Zone:


In distance equal to 1 unit (half the logo height) to all sides there should not be any other graphical element. No text. No lines. No graphic elements.


Distance to Border:

BTL logo should be placed at least 2 units (whole height of the logo) from any noticeable edge(s) of the medium: edge of the paper, edge of the screen, edge of the image, etc.


Distance to Logo:

Keep at least 3 units distance to any other logo. This will allow each logo to be understood separately and not as a part of each other.

















Logo | Colors & Background

The BTL logo should only appear in the following combinations.

White Background
(Enterprise Blue logo)

Sky Blue Background
(Enterprise Blue logo)

Enterprise Blue Background
(White logo)



Image with a plain background similar to our brand colors.
(Enterprise Blue logo)

Black and White (Monochromatic logo)

Logo | Sizes

Minimal size

Bowls of letter B creates the limiting factor for minimal logo size. It’s important to keep logo big enough in respect to technologies and reading.

Minimum size for Print




Minimum size for Screen




Logo size according to Format size


The size of the logo is defined by the size of the shorter side of the material where the logo is placed.




Logo | Don’ts




Don’t recolor the logo




Don’t use incomplete logo




Don’t put any elements in safe zone




Do not distort or deform the logo




Don’t remix the logo




Don’t use effects on logo




Don’t use outlined logo



Don’t crop the logo



Don’t round the edges of logo




Don’t rotate the logo

Logo | Positioning

BTL logo and Product logos should be placed on respectable place

- Avoid placing logo on the areas where leaflets could be held
- Avoid placing logo too low on rollups
- Avoid placing logo on disrespectful background



Logo | Combinations | ProductName

Guidelines for Using ProductNames and Logos

This section and the following pages outline how to properly work with ProductNames.

- **Placement:**
  Ensure that ProductNames are positioned at least one unit away from the BTL logo and have a height equal to 75% of the logo's height.

- **Assets Availability**:
  For most devices, ProductName assets are available on the BTL support page.

- **Font Usage:**
  ProductNames are designed using the Gotham font in two weights: Book and Bold.

If you are creating brand materials for a product that does not yet have prepared assets, and you have specific requirements for the name, use the Gotham font (Book and Bold) to create the required ProductName for your materials.



Examples of Product names

BTL STRESS DEVICES

BTL 8 ECG

TARGETED RADIOFREQUENCY THERAPY

BTL 5000 SERIES

BTL RSWT

RADIAL SHOCKWAVE THERAPY

Logo | Combinations | ProductName in a Layout

Split BTL Logo and ProductName



Suitable for wider formats. If the distance between the BTL Logo and ProductName is 6 Units or more, always put the ProductName on the left and the BTL Logo opposite to it on the right.

Maintain the correct proportion of text height with respect to BTL Logo (x-height 75% of BTL Logo).

Minimum distance BTL Logo and ProductName



Minimum 6 Units between the BTL Logo and ProductName shown here.

Combined BTL Logo and ProductName



Suitable for slim vertical formats OR designs with central alignment. If the distance between the BTL Logo and ProductName is 5 base units or less, switch to the Combination of the BTL Logo + ProductName.

Maintain the correct proportion of text height with respect to BTL Logo (x-height 75% of BTL Logo).

Split BTL Logo and ProductName (With BTL)



There are some special scenarios where the ProductNames have the “BTL” word in it (example: “BTL 8”). Always ensure there is enough distance between such a name and BTL Logo.

Minimum distance BTL Logo and ProductName



Minimum 6 Units between the BTL Logo and ProductName shown here.

Combined BTL Logo and ProductName



Do not combine ProductNames that have the “BTL” word in it, with the BTL Logo infront of it.

Logo | Combinations | Special Examples

In cases when additional text is necessary we allow text and logo combination. Usual use case is branch specification. Use BTL Noto Sans SemiBold with the height of one unit.







Text Logo Combinations:
BTL Noto Sans SemiBold

Colors



Examples of use



Example of use

Colors | Brand Colors

Unifying all the aspects of our story, we bring the “RAL 2506015 Gentle blue” from our physical products and adapt it to print + digital world. To add more contrast, we bring more vibrance to our Enterprise Blue

Enterprise Blue

Pantone: 2955
CMYK: 100/60/0/20
RGB: 0/80/140
HEX: 00508c
RAL: 260 30 35

Sky Blue

Pantone: 291
CMYK: 40/7/0/0
RGB: 150/210/255
HEX: 96d2ff
RAL: 240 80 20

Enterprise Blue

Pantone: 2955
CMYK: 100/60/0/20
RGB: 0/80/140
HEX: 00508c

Enterprise Blue Gradient

Dark Blue

Pantone: -
CMYK: 100/60/0/85
RGB: 0/10/50
HEX: 000a32

White

Pantone: -
CMYK: 0/0/0/0
RGB: 255/255/255
HEX: ffffff


Sky Blue Gradient


Sky Blue

Pantone: 291
CMYK: 40/7/0/0
RGB: 150/210/255
HEX: 96d2ff


Colors | Gradients

The gradient is created as (radial gradient two of brand colors) fill like if the sun is shining on a direct color but the light source is outside the layout in the one of the corner





Other options are a photorealistic background with a gradient, which is created by the same logic as the classic gradient (eg: dark blue room, light shines from a corner outside the layout and falls on a dark back-ground)



Colors | Secondary Colors

ONLY FOR AESTHETIC PRODUCTS

To strongly differentiate between BTL Aesthetic products, we will use an additional “product specific” secondary color globally. The secondary Color choice for any given BTL Aesthetic product, will be communicated by BTL Headquarters.

- The amount of secondary color should be 10% or less of the visual. Any BTL graphic material must be mainly in our chosen blue to ensure brand consistency.
- There cannot be more than one secondary Color in one material.
- When using secondary colors, always check legibility. Colors that work well with the Enterprise Blue may not have enough contrast against Sky Blue.





Example of use

Typography



Examples of use

Typography | Fonts

Noto Family

Noto is a font family comprising over 100 individual computer fonts. The Noto family is designed with the goal of achieving visual harmony across multiple languages/scripts.

Noto Family helps BTL to bring all languages across the globe under one single font family.

BTL Noto Sans Download [Temp dead link]

BTL Noto Sans is our main typeface. It supports Latin, Cyrillic, Devanagari, and Greek scripts, covering 866 languages.

BTL Noto Sans Thin

BTL Noto Sans Light

BTL Noto Sans SemiBold

Primary weight

BTL Noto Sans Light

Aa Bb Cc Dd Ee Ff Gg
Hh Ii Jj Kk Ll Mm Nn
Oo Pp Qq Rr Ss Tt Uu
Vv Ww Xx Yy Zz

0123456789

`@#$€£¥%^&*
+-=/(){}[]!?”

Other Languages

Noto is a font family comprising over 100 individual computer fonts. The Noto family is designed with the goal of achieving visual harmony across multiple languages/scripts.

Noto Sans Kufi Arabic Download

ارج دلوي ناسنإ لك

Noto Sans Simplified Chinese Download

每个人生来都是自由的

Noto Sans Traditional Chinese Download

每個人生來都是自由的

Noto Sans Japanese Download

すべての人間は自由に生

Noto Sans Korean Download

誰もが自由に生まれる

Noto Sans Thai Download

มนุษย์ทุกคนเกิดมามีอิสระ

Typography | General Rules

Text Alignment

Left alignment is used for all text with only exception of scripts that reads right to left, there use right align.

Center alignment is acceptable only for text under the pictograms or special cases.

Use of capital letters

Sentence case is recommended for general use in paragraphs as well in headlines.

Title Case could be used for headlines but only in areas where it is common practice.

CAPITAL CASE shouldn't be used anywhere but in registered names and Short statements (see page #).

Highlighting & Hierarchy

Don't highlight inner parts of any texts. Formulate the text the way that it could be naturally read from important texts to supplementary.

Don't use italics. Not even for direct speech.

Underline and color changes are strictly forbidden.

EXAMPLES

Icaeperovit cendani unt ✓

Laturiorro voles excerio. Faccaep elique voles eate nisciet quam voluptatquod qui tem experiate lam

Icaeperovit endani unt inciisit ✗

Laturiorro voles excerio. Faccaep elique voles eate nisciet quam voluptatquod

Lorem ipsum ✓
Consectetuer adipiscing elit, sed diam nonummy nibh

Lorem Ipsum ✓
Consectetuer Adipiscing Elit, Sed Diam Nonummy Nibh

LOREM IPSUM ✗
CONSECTETUER ADIPISCING ELIT, SED DIAM NONUMMY NIBH

Icaeperovit endani unt inciisit ✓

Laturiorro voles excerio. Faccaep elique voles eate nisciet quam voluptatquod qui tem.

Experiate lam doloriam. Sitati se doluptatur sit laborecae nonsequi commolo eumque consequ iatecusam, omnimporro delenim peratio. Et plicatis ad quis consequi tem incit autem fuga. Am, ut arcietum ut volorat empossit que et magnam dignis maionecte parum fuga. Evelendis ex es adi comnis nosto et, volorepudae

Icaeperovit endani unt **inciisit** ✗

Laturiorro voles excerio. Faccaep **elique** voles eate nisciet quam voluptatquod qui tem experiate lam doloriam, sita- ti se **doluptatur** sit laborecae nonsequi **commolo** eumque consequ iatecusam, omnimporro delenim peratio. Et **plicatis** ad quis consequi tem incit autem fuga.

Evelendis ex es adi comnis nosto et.

Am, ut arcietum ut volorat empossit que et magnam **dignis** maionecte parum fuga. volorepudae. Evelendis ex es adi comnis nosto et, volorepudae

Typography | Size

When setting up new project always start with body text appropriate for the format (e.g print catalogue, billboard etc.) from there scale up for the headlines.



Headline H1 (4S)
Topmost headline

Sub-Headline H2 (2S)
Secondary headline

Paragraph Text (S)

Suggested Body text size for variety of formats:

Name	Approx. Dimensions	Paragraph Text Size (S)
Leaflet / A4 / Letter	< 200 × 300 mm	10 pt
Small posters A3	ca. 300 × 400 mm	12 pt
Medium posters A2	ca. 400 × 600 mm	18 pt
Large posters A1	ca. 600 × 900 mm	36 pt
Extra Large Posters A0	ca. 900 × 1200 mm	48 pt

Small text T (2/3S)


The proportion of the font sizes




Typography | Positioning

Our text is always alligned to the side from which is the language read.

For positioning of the text on the pages we use safe zones defined by the logo. In case of text being placed within a box we keep the margins from the border of the box.







Example of use

Typography | Short Statement

For special scenarios we can use a strong large short statment consisting of 4 to 10 letters centrally alligned in the upper part of the page. Size can be up to the border line of the page.

If you use a Short Statement, remove the Headline.

Border line set up by the logo placement





Example of use

Layout System




Layout | Box system

Here you can be inspired by the possibilities of creating a layout using the box layout system.


The basic criterion for creating a box layout is the use of two brand colors or photos and not breaking the rules of typographic positioning

Download
[Temp dead link]



Don’ts

Do not use more than 2 boxes in one composition






Layout | Other Options

More layout options.

Download
[Temp dead link]




Graphic Elements

Graphic Elements | Icons

To ensure consistency, we use the Google Material Design icon system, aligning icons with the BTL logo's geometric style, proportions, and sharp details. Wherever possible, stick to this system.

Go to Google Material Design
Set the parameters to the following values:
- Weight: 100
- Sharp
- Optical Size: 48pt
- Grade: Normal
- Fill: Off (Optional)

Still haven't found what you need for your materials?
Please ask your marketing contact person from Prague HQ for support.



Graphic Elements | Infographics

Our infographics should clearly present information.
Simplification is the key. Don’t use gradients.

Standard Infographics shall use brand colors with addition of white.
Always check readability on chosen background.

ONLY FOR AESTHETIC PRODUCTS


We allow use of one additional color. It is prohibitied to use more than one highlight color in one set of infographics.
For Color selection refer to chapter Color | Secondary Colors

Standard infographics in Brand Colors



Example with one of secondary colors on a dark and light background









Layout | Infographics | Spacing


To place infographics into a layout always use a grid system to align single elements. Use a single Unit for spacing.


Always have enough space for the elements. Keep at least one unit around the block as a safe zone.

Grid Examples









Graphic Elements | Tables

Use primary colors with addition of white.
Simplification is the key. Don’t use gradients

Text	Lorem	Ipsum	Sedis	Abor	Velibus
Text	Lorem	Ipsum	■	■■■■	35%
Text	Lorem	Ipsum	■	■■■■	58%
Text	Lorem	Ipsum	■	■■■■	74%
Text	Lorem	Ipsum	■	■■■■	20%
Text	Lorem	Ipsum	■	■■■■	36%
Text	Lorem	Ipsum	■	■■■■	46%

Text	Lorem	Ipsum	Sedis	Abor	Velibus
Text	Lorem	Ipsum	■	■■■■	35%
Text	Lorem	Ipsum	■	■■■■	58%
Text	Lorem	Ipsum	■	■■■■	74%
Text	Lorem	Ipsum	■	■■■■	20%
Text	Lorem	Ipsum	■	■■■■	36%
Text	Lorem	Ipsum	■	■■■■	46%

Text	Lorem	Ipsum	Sedis	Abor	Velibus
Text	Lorem	Ipsum	■	■■■■	35%
Text	Lorem	Ipsum	■	■■■■	58%
Text	Lorem	Ipsum	■	■■■■	74%
Text	Lorem	Ipsum	■	■■■■	20%
Text	Lorem	Ipsum	■	■■■■	36%
Text	Lorem	Ipsum	■	■■■■	46%



Imagery

Imagery | Product Pictures

- Clean Backgrounds.
- Source of lighting should match background
- Choose the most attractive angles for the product
- Show off important features of the device (LED lights, Display etc)










Imagery | Mood

- Focus on positive emotion.
- Focus on one to two people maximum.
- Ensure contextually balanced mix of gender, age, and race.
- Artificial Background: Clean. White OR Gradient in brand colors.
- Interior Background: Premium. Cozy. Neutral. Preferably home or clinic.
- Outdoor Background: Natural. Clean. Sunny.







Brand Collaterals



Example of use


Brand Collaterals | Presentation Template


[Download]
[Temp dead link]

















Brand Collaterals | Work in progress

Letterhead

Business Card

Envelopes

Folder

Event Nametag & Logo Pin

Visitor Pass

Corporate Flag

Email Signature

Thank You