







processOrders(orders)

launch(CoroutineName("barista-1"))

measureTimeMillis

processOrders(orders)

runBlocking


launch(CoroutineName("barista-2"))

listOf(...)



10a(time:

aer

















pullEspressoShot(groundBeans)

```
grindCoffeeBeans(it.beans())
```

List<Menu.Cappuccino>)

processOrders(orders:

```
steamMilk(it.milk())
```

\$cappuccino")

makeCappuccino(it,

steamedMilk)

orders.forEach

cappuccino

espresso,





groundBeans

log(" "serve:











CoffeeBean.GroundBeans):

pullEspressoShot(groundBeans:

grindCoffeeBeans(beans:

CoffeeBean. GroundBeans

Menu.Cappuccino,

Milk.SteamedMilk):

makeCappuccino(order:

Beverage.Cappuccino

Milk.SteamedMilk

steamedMilk:

steamMilk(milk:

CoffeeBean):

espresso:

inre



r 2







https://jagstalk.page.link/examples



processOrders(orders)

```
launch(CoroutineName("barista-1"))
```

measureTimeMillis

processOrders(orders)

runBlocking

```
launch(CoroutineName("barista-2"))
```

listOf(...)



Toa(tıme:

7 %

pullEspressoShot(groundBeans)

```
grindCoffeeBeans(it.beans())
```

List<Menu.Cappuccino>)

processOrders(orders:

```
steamMilk(it.milk())
```

\$cappuccino")

makeCappuccino(it,

steamedMilk)

orders.forEach

cappuccino

espresso,





groundBeans

log("serve:

CoffeeBean.GroundBeans):

pullEspressoShot(groundBeans:

grindCoffeeBeans(beans:

CoffeeBean. GroundBeans

Menu.Cappuccino,

Milk.SteamedMilk):

makeCappuccino(order:

Beverage.Cappuccino

Milk.SteamedMilk

steamedMilk:

steamMilk(milk:

CoffeeBean):

espresso:

Espress



sn



