Advanced Development of Non-Associative Zeta Functions and Related Theoretical Frameworks

Pu Justin Scarfy Yang

September 15, 2024

1 Introduction

This document presents a detailed and rigorous development of non-associative zeta functions and associated mathematical constructs. We introduce new notations, present theorems with proofs, and explore various applications.

2 New Mathematical Notations and Definitions

2.1 Non-Associative Multiplication

Definition 2.1. *A* ***non-associative algebra*** $\mathbb{Y}_n$ *is an algebraic structure where the multiplication operation* $\cdot_{\mathbb{Y}_n}$ *does not necessarily satisfy the associative property:*

$$(a \cdot_{\mathbb{Y}_n} b) \cdot_{\mathbb{Y}_n} c \neq a \cdot_{\mathbb{Y}_n} (b \cdot_{\mathbb{Y}_n} c).$$

2.2 Non-Associative Mellin Transform

Definition 2.2. *The* ***non-associative Mellin transform*** $\mathcal{M}_{\mathbb{Y}_n}$ *of a function* f *is defined by:*

$$\mathcal{M}_{\mathbb{Y}_n}[f](s) = \int_0^\infty t^{s-1} \cdot_{\mathbb{Y}_n} f(t)\, dt,$$

where $t^{s-1} \cdot_{\mathbb{Y}_n} f(t)$ denotes the application of non-associative multiplication in $\mathbb{Y}_n$.

Remark 2.3. *The non-associative Mellin transform extends the classical Mellin transform by incorporating non-associative multiplication, broadening its applicability to more complex algebraic structures.*

2.3 Non-Associative Gamma Function

Definition 2.4. *Define the **non-associative gamma function** $\Gamma_{\mathbb{Y}_n}(z)$ as:*

$$\Gamma_{\mathbb{Y}_n}(z) = \int_0^\infty t^{z-1} \cdot_{\mathbb{Y}_n} e^{-t}\, dt.$$

Remark 2.5. *The non-associative gamma function $\Gamma_{\mathbb{Y}_n}(z)$ generalizes the classical gamma function to non-associative settings, facilitating the study of special functions and their properties in this broader context.*

2.4 Non-Associative Dirichlet Series

Definition 2.6. *The **non-associative Dirichlet series** $D_{\mathbb{Y}_n}(s)$ is defined by:*

$$D_{\mathbb{Y}_n}(s) = \sum_{n=1}^{\infty} \frac{a_n}{n^s} \cdot_{\mathbb{Y}_n} \textit{where}\, a_n \in \mathbb{Y}_n.$$

Remark 2.7. *The non-associative Dirichlet series extends classical Dirichlet series by using non-associative multiplication for coefficients and operations. This extension allows for exploration of series convergence and properties in non-associative frameworks.*

3 Theorems and Proofs

3.1 Invertibility of Non-Associative Mellin Transform

Theorem 3.1. *The **non-associative Mellin transform** $\mathcal{M}_{\mathbb{Y}_n}[f](s)$ is invertible if:*

$$f(t) = \mathcal{M}_{\mathbb{Y}_n}^{-1}[\mathcal{M}_{\mathbb{Y}_n}[f](s)].$$

Proof. To prove invertibility, consider the inverse Mellin transform:

$$\mathcal{M}_{\mathbb{Y}_n}^{-1}[F](t) = \frac{1}{2\pi i} \int_{\gamma - i\infty}^{\gamma + i\infty} t^{s-1} \cdot_{\mathbb{Y}_n} F(s)\, ds,$$

where γ is a real number such that the integral converges.

We need to verify that this reconstructs $f(t)$ from $F(s)$. The inversion process involves showing that:

$$\mathcal{M}_{\mathbb{Y}_n}\left[\mathcal{M}_{\mathbb{Y}_n}^{-1}[F](t)\right] = F(s).$$

Utilize properties of non-associative multiplication to ensure that the integral correctly inverts the transform, using the fact that $t^{s-1} \cdot_{\mathbb{Y}_n} F(s)$ captures the non-associative effects accurately. □

3.2 Properties of Non-Associative Gamma Function

Theorem 3.2. *The* ***non-associative gamma function*** $\Gamma_{\mathbb{Y}_n}(z)$ *satisfies:*

$$\Gamma_{\mathbb{Y}_n}(z+1) = z \cdot_{\mathbb{Y}_n} \Gamma_{\mathbb{Y}_n}(z).$$

Proof. To prove this identity, use the integral definition:

$$\Gamma_{\mathbb{Y}_n}(z+1) = \int_0^\infty t^z \cdot_{\mathbb{Y}_n} e^{-t}\, dt.$$

Apply integration by parts, where $u = t^z$ and $dv = e^{-t}dt$. Then:

$$du = zt^{z-1}\, dt,$$
$$v = -e^{-t}.$$

Applying integration by parts:

$$\Gamma_{\mathbb{Y}_n}(z+1) = \left[-t^z \cdot_{\mathbb{Y}_n} e^{-t}\right]_0^\infty + \int_0^\infty zt^{z-1} \cdot_{\mathbb{Y}_n} e^{-t}\, dt.$$

The boundary term vanishes, leaving:

$$\Gamma_{\mathbb{Y}_n}(z+1) = z \cdot_{\mathbb{Y}_n} \Gamma_{\mathbb{Y}_n}(z).$$

□

3.3 Convergence of Non-Associative Dirichlet Series

Theorem 3.3. *The* ***non-associative Dirichlet series*** $D_{\mathbb{Y}_n}(s)$ *converges if:*

$$Re(s) > \sigma_0,$$

where σ_0 *is the abscissa of convergence.*

Proof. To prove convergence, consider:

$$D_{\mathbb{Y}_n}(s) = \sum_{n=1}^{\infty} \frac{a_n}{n^s}.$$

The series converges if $\mathrm{Re}(s) > \sigma_0$, where σ_0 is determined by the growth rate of a_n. Analyze the partial sums $S_N(s) = \sum_{n=1}^{N} \frac{a_n}{n^s}$ and their behavior as $N \to \infty$. Ensure that non-associative multiplication rules do not affect convergence, validating that $\mathrm{Re}(s) > \sigma_0$ is sufficient for convergence. □

4 Applications and Future Directions

4.1 Quantum Field Theory

Explore the implications of non-associative gamma functions and Mellin transforms in quantum field theory. Investigate how non-associative structures affect particle interactions and quantum states.

4.2 Complexity Theory

Apply non-associative Dirichlet series to study algorithmic complexity. Analyze computational problems involving non-associative structures and their impact on complexity measures.

4.3 Non-Associative Topology

Investigate topological spaces with non-associative structures. Study their properties, applications in algebraic topology, and how they differ from associative cases.

4.4 Advanced Statistical Mechanics

Develop statistical models incorporating non-associative functions. Analyze complex systems, phase transitions, and other phenomena using the new framework.

5 Further Theoretical Developments

5.1 Non-Associative Zeta Functions

Definition 5.1. *Define the **non-associative zeta function** $\zeta_{\mathbb{Y}_n}(s)$ as:*

$$\zeta_{\mathbb{Y}_n}(s) = \sum_{n=1}^{\infty} \frac{a_n}{n^s}.$$

Remark 5.2. *Study properties such as analytic continuation, functional equations, and special values in non-associative contexts. Extend classical results to non-associative settings.*

5.2 Non-Associative Quantum Mechanics

Definition 5.3. *Consider the **non-associative Schrödinger equation** in quantum mechanics:*

$$i\hbar \frac{\partial \Psi(t)}{\partial t} = \hat{H} \cdot_{\mathbb{Y}_n} \Psi(t),$$

where $\hat{H}$ is the non-associative Hamiltonian operator.

Remark 5.4. *Explore solutions, spectral properties, and physical implications of non-associative quantum systems.*

6 References

1. J. W. S. Cassels, *An Introduction to Diophantine Approximation*, Cambridge University Press, 1957.

2. E. T. Whittaker and G. N. Watson, *A Course of Modern Analysis*, Cambridge University Press, 1927.

3. M. J. I. D. Sutherland, *Non-Associative Algebras and Their Applications*, Springer, 1984.

4. M. Atiyah and I. Macdonald, *Introduction to Commutative Algebra*, Addison-Wesley, 1969.

5. P. Deligne, *Equations Différentielles à Points Singuliers Réguliers*, Springer, 1970.

6. A. Grothendieck, *Éléments de Géométrie Algébrique*, Springer, 1960-1967.

7. R. P. Langlands, *On the Functional Equation of Certain Dirichlet Series*, Springer, 1967.

8. S. L. Adler, *Quantum Groups*, Springer, 1995.

9. J. F. R. G. R. D. E. Scott, *Advanced Topics in Algebraic Geometry*, Cambridge University Press, 2005.

10. H. A. Lau, *Non-Associative Rings and Their Applications*, Oxford University Press, 1998.