




Condition: Manual
Number Adjustments:996




Condition: Manual
Number Adjustments:996




Condition: Automatic
Number Adjustments:993




Condition: Automatic
Number Adjustments:993




Condition: Manual
Number Adjustments:983




Condition: Manual
Number Adjustments:983



Condition: Manual
Number Adjustments:983




Condition: Manual
Number Adjustments:983




Trial Number


Condition: Manual
Number Adjustments:931




Condition: Manual
Number Adjustments:931




Condition: Manual
Number Adjustments:917




Condition: Manual
Number Adjustments:917




Condition: Manual
Number Adjustments:908




Condition: Manual
Number Adjustments:908



Condition: Manual
Number Adjustments:882




Condition: Manual
Number Adjustments:882




Bernoulli Parameter

Trial Number


Condition: Manual
Number Adjustments:877




Condition: Manual
Number Adjustments:877




Condition: Manual
Number Adjustments:868




Condition: Manual
Number Adjustments:868




Condition: Manual
Number Adjustments:859




Condition: Manual
Number Adjustments:859



Condition: Manual
Number Adjustments:854




Condition: Manual
Number Adjustments:854




Bernoulli Parameter

Trial Number


Condition: Manual
Number Adjustments:851




Condition: Manual
Number Adjustments:851




Condition: Automatic
Number Adjustments:844




Condition: Automatic
Number Adjustments:844




Condition: Manual
Number Adjustments:805




Condition: Manual
Number Adjustments:805



Condition: Automatic
Number Adjustments:801




Condition: Automatic
Number Adjustments:801




Trial Number


Condition: Manual
Number Adjustments:798




Condition: Manual
Number Adjustments:798




Condition: Manual
Number Adjustments:797




Condition: Manual
Number Adjustments:797




Condition: Manual
Number Adjustments:792




Condition: Manual
Number Adjustments:792



Condition: Automatic
Number Adjustments:785




Condition: Automatic
Number Adjustments:785




Trial Number


Condition: Automatic
Number Adjustments:777




Condition: Automatic
Number Adjustments:777




Condition: Manual
Number Adjustments:769




Condition: Manual
Number Adjustments:769




Condition: Automatic
Number Adjustments:756




Condition: Automatic
Number Adjustments:756



Condition: Manual
Number Adjustments:752




Condition: Manual
Number Adjustments:752




Bernoulli Parameter

Trial Number


Condition: Manual
Number Adjustments:751




Condition: Manual
Number Adjustments:751




Condition: Automatic
Number Adjustments:749




Condition: Automatic
Number Adjustments:749




Condition: Manual
Number Adjustments:742




Condition: Manual
Number Adjustments:742



Condition: Manual
Number Adjustments:734




Condition: Manual
Number Adjustments:734




Trial Number


Condition: Automatic
Number Adjustments:731




Condition: Automatic
Number Adjustments:731




Condition: Manual
Number Adjustments:731




Condition: Manual
Number Adjustments:731




Condition: Manual
Number Adjustments:712




Condition: Manual
Number Adjustments:712



Condition: Manual
Number Adjustments:712




Condition: Manual
Number Adjustments:712




Trial Number


Condition: Manual
Number Adjustments:691




Condition: Manual
Number Adjustments:691




Condition: Manual
Number Adjustments:623




Condition: Manual
Number Adjustments:623




Condition: Automatic
Number Adjustments:620




Condition: Automatic
Number Adjustments:620



Condition: Automatic
Number Adjustments:594




Condition: Automatic
Number Adjustments:594




Bernoulli Parameter

Trial Number


Condition: Automatic
Number Adjustments:563




Condition: Automatic
Number Adjustments:563




Condition: Manual
Number Adjustments:562




Condition: Manual
Number Adjustments:562




Condition: Manual
Number Adjustments:537




Condition: Manual
Number Adjustments:537



Condition: Manual
Number Adjustments:533




Condition: Manual
Number Adjustments:533




Trial Number


Condition: Manual
Number Adjustments:525




Condition: Manual
Number Adjustments:525




Condition: Automatic
Number Adjustments:522




Condition: Automatic
Number Adjustments:522




Condition: Manual
Number Adjustments:518




Condition: Manual
Number Adjustments:518



Condition: Automatic
Number Adjustments:517




Condition: Automatic
Number Adjustments:517




Trial Number


Condition: Automatic
Number Adjustments:513




Condition: Automatic
Number Adjustments:513




Condition: Manual
Number Adjustments:510




Condition: Manual
Number Adjustments:510




Condition: Manual
Number Adjustments:495




Condition: Manual
Number Adjustments:495



Condition: Automatic
Number Adjustments:485




Condition: Automatic
Number Adjustments:485




Bernoulli Parameter

Trial Number


Condition: Manual
Number Adjustments:478




Condition: Manual
Number Adjustments:478




Condition: Automatic
Number Adjustments:409




Condition: Automatic
Number Adjustments:409




Condition: Automatic
Number Adjustments:366




Condition: Automatic
Number Adjustments:366



Condition: Manual
Number Adjustments:342




Condition: Manual
Number Adjustments:342




Bernoulli Parameter

Trial Number


Condition: Automatic
Number Adjustments:297




Condition: Automatic
Number Adjustments:297




Condition: Automatic
Number Adjustments:273




Condition: Automatic
Number Adjustments:273



Condition: Automatic
Number Adjustments:273




Condition: Automatic
Number Adjustments:273



Condition: Automatic
Number Adjustments:271




Condition: Automatic
Number Adjustments:271




Trial Number


Condition: Automatic
Number Adjustments:230




Condition: Automatic
Number Adjustments:230




Condition: Automatic
Number Adjustments:224




Condition: Automatic
Number Adjustments:224




Condition: Automatic
Number Adjustments:220




Condition: Automatic
Number Adjustments:220



Condition: Manual
Number Adjustments:214




Condition: Manual
Number Adjustments:214




Bernoulli Parameter

Trial Number


Condition: Automatic
Number Adjustments:199




Condition: Automatic
Number Adjustments:199




Condition: Automatic
Number Adjustments:192




Condition: Automatic
Number Adjustments:192




Condition: Automatic
Number Adjustments:180




Condition: Automatic
Number Adjustments:180



Condition: Automatic
Number Adjustments:176




Condition: Automatic
Number Adjustments:176




Trial Number


Condition: Automatic
Number Adjustments:175




Condition: Automatic
Number Adjustments:175




Condition: Manual
Number Adjustments:173




Condition: Manual
Number Adjustments:173




Condition: Automatic
Number Adjustments:171




Condition: Automatic
Number Adjustments:171



Condition: Automatic
Number Adjustments:169




Condition: Automatic
Number Adjustments:169




Bernoulli Parameter

Trial Number


Condition: Automatic
Number Adjustments:157




Condition: Automatic
Number Adjustments:157




Condition: Automatic
Number Adjustments:155




Condition: Automatic
Number Adjustments:155




Condition: Automatic
Number Adjustments:139




Condition: Automatic
Number Adjustments:139



Condition: Automatic
Number Adjustments:135




Condition: Automatic
Number Adjustments:135




Trial Number


Condition: Automatic
Number Adjustments:135




Condition: Automatic
Number Adjustments:135




Condition: Automatic
Number Adjustments:132




Condition: Automatic
Number Adjustments:132




Condition: Automatic
Number Adjustments:123




Condition: Automatic
Number Adjustments:123



Condition: Automatic
Number Adjustments:112




Condition: Automatic
Number Adjustments:112




Trial Number


Condition: Automatic
Number Adjustments:104




Condition: Automatic
Number Adjustments:104




Condition: Automatic
Number Adjustments:104




Condition: Automatic
Number Adjustments:104




Condition: Automatic
Number Adjustments:90




Condition: Automatic
Number Adjustments:90



Condition: Automatic
Number Adjustments:84




Condition: Automatic
Number Adjustments:84




Bernoulli Parameter

Trial Number


Condition: Automatic
Number Adjustments:74




Condition: Automatic
Number Adjustments:74




Condition: Automatic
Number Adjustments:67




Condition: Automatic
Number Adjustments:67




Condition: Automatic
Number Adjustments:64




Condition: Automatic
Number Adjustments:64



Condition: Automatic
Number Adjustments:53



Condition: Automatic
Number Adjustments:53



Bernoulli Parameter

Trial Number