

Problem 2 – Chess Moves KQ

You are given a chess board with size RxC (R rows and C columns). Each square (cell) of the chessboard is identified by a unique coordinate pair - a letter and a number. The vertical columns of squares from left to right are labeled a, b, c and so on. The horizontal rows of squares are numbered 1, 2, 3 and so on, starting from bottom to top. Thus each square has a unique identification of letter followed by number.


Example of board with size 5x8 is given in the picture. Moves are given by two square (cell) identifications separated by a single space. Examples: "a1 e3", "d1

5	a5	ъ5	c5	d 5	e5	f5	g5	h5
4	a4	b4	c4	d4	e4	f4	g4	h4
3	a3	ъ3	с3	d3	e3	f3	g3	h3
2	a 2	ъ2	c2	d2	e2	f2	g2	h2
1	a1	b1	c1	d1	e1	fl	g1	h1

h

f2", "h5 h1", "a1 z9", etc. All given moves will be in this format and **in the range** of the board.

Also you are given 2 types of chess pieces: knight and queen as explained bellow.



Pieces do not capture other pieces. Move is valid if the figure will be placed on an empty cell.

Input

On the first line there will be the number **R** (number of rows). On the second line there will be the number **C** (number of columns). On each of the next **R** lines there will be **C** characters representing one cell (square) of the board. Empty cell are denoted with dash ('-'), Knights with `K` and Queens with `Q`. See examples for clarification.

On the next line there will be the number **T** representing the number of moves to be checked for validity. At each of the next **T** lines there will be a move. All moves will be in the range of the board.

The input data will always be valid and in the format described. There is no need to check it explicitly.

Output

For each of the given moves output either 'yes' or 'no' whether the move is valid or not. Invalid moves are those which are not possible because of the given restrictions. See examples for clarification.

Sample solution code (in JavaScript)

Constraints

- R will be between 1 and 9, inclusive. C will be between 1 and 26, inclusive.
- T will be between 5 and 12, inclusive.
- The board will contain only '-', 'K' and 'Q' characters
- The list of moves will contain only strings with 5 characters in the format described above.
- Some of the test cases are designed to test only specific invalid move types, so partial solutions may also earn points
- Allowed working time for your program: 0.25 seconds. Allowed memory: 32 MB.

Hints

The **charCodeAt()** method returns the Unicode integer code value of the character at the specified index in a string. The code of the character 'a' is 97, the code of the character 'b' is 98, and so on.

The String.fromCharCode(97) method returns 'a', String.fromCharCode(98) returns 'b' and so on.

Examples

Input	Output	Explanation		
3		Do not output empty lines!		
4				
K-				
KK				
QQ				
12				
d1 b3	yes	Valid move for queen		
a1 a3	no	Non-empty cell on the path (on a2)		
c3 b2	no	Knights cannot move diagonally		
a1 c1	yes	Valid move for queen		
a1 b2	yes	Valid move for queen		
a1 c3	no	c3 is not a vacant square		
a2 c1	yes	Valid move for knight		
d2 b1	yes	Valid move for knight		
b1 b2	no	b1 is an empty square (no piece there)		
c3 a3	no	Not a valid move for the knight		
a2 a3	no	Not a valid move for the knight		
d1 d3	no	Another figure in between		

Input	Output
5	
5	
QQ	
-K	
K	
QQ	
10	
a1 a1	no
a1 d4	yes
e1 b4	yes
a5 d2	yes
e5 b2	yes
b3 d4	yes
b3 c1	yes
b3 d1	no
c2 a3	yes
c2 b4	yes