Height

Head circumference

SRS

SCQ

A
Non-carrier controls (n = 5713)
BMI ≥ 70th centile
BMI ≤ 30th centile
Height (SD)
Age (years)

A'
BMI effect by age (95% CI)
Non-carriers
Height per +1 SD BMI (SD)
Age (years)

F
Non-carrier controls (n = 3925)
BMI ≥ 70th centile
BMI ≤ 30th centile
Head circumference (SD)
Age (years)

F'
BMI effect by age (95% CI)
Non-carriers
Head circ. per +1 SD BMI (SD)
Age (years)

K
Unaffected (n = 5469)
ASD, no CNV (n = 2065)
controls: slope = +0.01
ASD (no CNV): slope = +0.03
p-value vs controls = 0.42
ASD
controls (siblings and parents)
SRS total (Z vs SSC unaffected) age-adjusted
BMI (Z)

P
Unaffected (n = 1134)
ASD, no CNV (n = 1503)
controls: slope = +0.01
ASD (no CNV): slope = +0.03
p-value vs controls = 0.79
ASD
controls (siblings and parents)
SCQ lifetime (Z vs SSC siblings) age-adjusted
BMI (Z)

B
16p11.2 del (n = 409)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.8
Height (SD)
Age (years)

B'
BMI effect by age (95% CI)
Non-carriers
Carriers
Height per +1 SD BMI (SD)
Age (years)

G
16p11.2 del (n = 189)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 6.6e-05
Head circumference (SD)
Age (years)

G'
BMI effect by age (95% CI)
Non-carriers
Carriers
Head circ. per +1 SD BMI (SD)
Age (years)

L
16p11.2 del (n = 79)
slope = +0.18
p-value vs controls = 0.047
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SRS total (Z vs SSC unaffected) age-adjusted
BMI (Z)

Q
16p11.2 del (n = 60)
slope = +0.44
p-value vs controls = 0.034
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SCQ lifetime (Z vs SSC siblings) age-adjusted
BMI (Z)

C
16p11.2 dup (n = 247)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.0028
Height (SD)
Age (years)

C'
BMI effect by age (95% CI)
Non-carriers
Carriers
Height per +1 SD BMI (SD)
Age (years)

H
16p11.2 dup (n = 103)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.23
Head circumference (SD)
Age (years)

H'
BMI effect by age (95% CI)
Non-carriers
Carriers
Head circ. per +1 SD BMI (SD)
Age (years)

M
16p11.2 dup (n = 34)
slope = +0.53
p-value vs controls = 3.1e-05
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SRS total (Z vs SSC unaffected) age-adjusted
BMI (Z)

R
16p11.2 dup (n = 21)
slope = +0.33
p-value vs controls = 0.0039
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SCQ lifetime (Z vs SSC siblings) age-adjusted
BMI (Z)

D
22q11.2 del (n = 404)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.016
Height (SD)
Age (years)

D'
BMI effect by age (95% CI)
Non-carriers
Carriers
Height per +1 SD BMI (SD)
Age (years)

I
22q11.2 del (n = 252)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.26
Head circumference (SD)
Age (years)

I'
BMI effect by age (95% CI)
Non-carriers
Carriers
Head circ. per +1 SD BMI (SD)
Age (years)

N
22q11.2 del (n = 207)
slope = +0.26
p-value vs controls = 4.7e-06
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SRS total (Z vs SSC unaffected) age-adjusted
BMI (Z)

S
22q11.2 del (n = 169)
slope = +0.29
p-value vs controls = 0.001
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SCQ lifetime (Z vs SSC siblings) age-adjusted
BMI (Z)

E
22q11.2 dup (n = 270)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.28
Height (SD)
Age (years)

E'
BMI effect by age (95% CI)
Non-carriers
Carriers
Height per +1 SD BMI (SD)
Age (years)

J
22q11.2 dup (n = 76)
BMI ≥ 70th centile
BMI ≤ 30th centile
CNV × BMI p = 0.33
Head circumference (SD)
Age (years)

J'
BMI effect by age (95% CI)
Non-carriers
Carriers
Head circ. per +1 SD BMI (SD)
Age (years)

O
22q11.2 dup (n = 66)
slope = +0.08
p-value vs controls = 0.58
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SRS total (Z vs SSC unaffected) age-adjusted
BMI (Z)

T
22q11.2 dup (n = 50)
slope = +0.45
p-value vs controls = 0.0033
BMI ≥ 70th centile
BMI 30th-70th centile
BMI ≤ 30th centile
SCQ lifetime (Z vs SSC siblings) age-adjusted
BMI (Z)