

Simulink Design Verifier Report

ControllerStateModel_Harness1

MBD_PRO

Simulink Design Verifier Report: ControllerStateModel_Harness1

MBD_PRO

Publication date 11-Nov-2025 16:31:13

Table of Contents

1. Summary	1
2. Analysis Information	2
Model Information	2
Analysis Options	2
3. Proof Objectives Status	3
Objectives Falsified with Counterexamples	3
4. Properties	4
Assertion	4

Chapter 1. Summary

Analysis Information.

Model: ControllerStateModel_Harness1
Release: R2024b Update 3
Replacement Model: D:\ControllerModel\Report\sldv_output\ControllerStateModel_Harness1\ControllerStateModel_Harness1_replacement.slx
Checksum: 607208001 2714700428 2345234198 4121004105
Mode: Property proving
Model Representation: Built on 11-Nov-2025 16:27:44
Status: Completed normally
PreProcessing Time: 23.2588s
Analysis Time: 176s

Objectives Status.

Number of Objectives:	1	
Objectives Falsified with Counterexamples:	1	(100%)

Chapter 2. Analysis Information

Table of Contents

Model Information	2
Analysis Options	2

Model Information

File:	ControllerStateModel_Harness1
Version:	1.61
Time Stamp:	Tue Nov 11 16:27:20 2025
Author:	MBD_PRO

Analysis Options

Mode:	PropertyProving
Rebuild Model Representation:	IfChangeIsDetected
Proving Strategy:	Prove
Proof Assumptions:	UseLocalSettings
Test Objectives:	UseLocalSettings
Assertions:	UseLocalSettings
Maximum Analysis Time:	300s
Block Replacement:	off
Parameters Analysis:	off
Include expected output values:	off
Randomize data that do not affect the outcome:	off
Additional analysis to reduce instances of rational approximation:	on
Save Harness:	off
Save Report:	off

Chapter 3. Proof Objectives Status

Table of Contents

Objectives Falsified with Counterexamples	3
---	---

Objectives Falsified with Counterexamples

#	Type	Model Item	Description	Analysis Time (sec)	Counterexample
1	Assert	Assertion	Assert	175	1 [0]

Chapter 4. Properties

Table of Contents

Assertion	4
-----------------	---

Assertion

Summary.

Model Item: Assertion

Property: Assert

Status: Falsified

Counterexample.

Time	0	0.01-0.09	0.1-0.11	0.12	0.13-0.22
Step	1	2-10	11-12	13	14-23
Actual_Alt_In	0	-35	0	-35	-140
Ref_Alti- tude_In	0	3.8085e-12	0	3.8085e-12	1.5234e-11
Ac- tual_Speed_I n	0	0	0	24	24
Ref_Speed_In	0	0	0	0	0