



Master on Foundations of Data Science  
Recommender Systems

# Deep Neural Networks for YouTube Recommendations

Paul Covington, Jay Adams, Emre Sargin  
Google  
Mountain View, CA  
{pcovington, jka, msargin}@google.com

March 14<sup>th</sup>, 2024

David Íñiguez & Jaume Sánchez

# *Introduction*

To recommend Youtube videos by  
implementing NN

**Scale**

Small ✓  
Big ✗

**Freshness**



**Noise**



Why NN?

- Widely used in other recommendation systems
- Different metrics.
- Continuous and categorical features can be easily added to the model.

# Introduction

To recommend Youtube videos by implementing NN

**Scale**

Small ✓  
Big ✗

**Freshness**




**Noise**



Why NN?


- Widely used in other recommendation systems
- Different metrics.
- Continuous and categorical features can be easily added to the model.

# System overview




## *Common properties*

- Numeric variables
- Categorical variables
  - Embeddings




## *Candidate Generator*

- Classification problem, reduced to KNN search.
- Positive if user completed a video.
- Age of the video removes inherent bias.
- Detect non-linear searching patterns




# Ranking

- Predict watch time
- Weighted logistic regression
  - Positive  $\longrightarrow \omega = \text{watch time}$
  - Negative  $\longrightarrow \omega = 1$



# Conclusions



**You Tube**

