

WMO Core Metadata Profile 1.3, Key Performance Indicators

World Meteorological Organization

Date: YYYY-MM-DD

Version: issue-69

Document location: <https://github.com/wmo-im/tree/issue-69/kpi/wcmp-1.3-kpi.html>

Task Team on WIS Metadata (TT-WISMD)

Expert Team on Metadata Standards (ET-Metadata)

Standing Committee on Information Management and Technology (SC-IMT)

Commission for Observation, Infrastructures and Information Systems (INFCOM)

Copyright © 2021 World Meteorological Organization (WMO)

Table of Contents

1. Overview	5
1.1. Purpose	5
1.2. Scope	5
1.3. Audience	5
1.4. How to use	5
1.5. Scoring	5
1.6. Reference implementation	6
1.7. Codelists rules	6
1.8. Conventions	6
2. KPI-1: WCMP 1.3, Part 2 Compliance	8
2.1. Status	8
2.2. WCMP element(s)	8
2.3. What is being measured	8
2.4. Rational for measurement	8
2.5. Rules for implementation	8
2.6. Guidance to score well on this assessment	10
3. KPI-2: Good quality title	11
3.1. Status	11
3.2. WCMP element(s)	11
3.3. What is being measured	11
3.4. Rationale for measurement	11
3.5. Rules for implementation	11
3.6. Guidance to score well on this assessment	12
4. KPI-3: Good quality abstract	13
4.1. Status	13
4.2. WCMP element(s)	13
4.3. What is being measured	13
4.4. Rationale for measurement	13
4.5. Rules for implementation	13
4.6. Guidance to score well on this assessment	13
5. KPI-4: Temporal information	15
5.1. Status	15
5.2. WCMP Element(s)	15
5.3. What is being measured	15
5.4. Rationale for measurement	15
5.5. Rules for implementation	15
5.6. Guidance to score well on this assessment	18
6. KPI-5: WMOEssential data links	19

6.1. Status	19
6.2. WCMP element(s)	19
6.3. What is being measured	19
6.4. Rationale for measurement	19
6.5. Rules for implementation	19
6.6. Guidance to score well on this assessment	20
7. KPI-6: Keywords	21
7.1. Status	21
7.2. WCMP element(s)	21
7.3. What is being measured	21
7.4. Rationale for measurement	21
7.5. Rules for implementation	21
7.6. Guidance to score well on this assessment	24
8. KPI-7: Graphic overview for non bulletins metadata records	26
8.1. WCMP element(s)	26
8.2. What is being measured	26
8.3. Rationale for measurement	26
8.4. Rules for implementation	26
8.5. Guidance to score well on this assessment	26
9. KPI-8: Links health	28
9.1. Status	28
9.2. WCMP element(s)	28
9.3. What is being measured	29
9.4. Rationale for measurement	29
9.5. Rules for implementation	29
9.6. Guidance to score well on this assessment	29
10. KPI-9: Data policy	30
10.1. Status	30
10.2. WCMP element(s)	30
10.3. What is being measured	30
10.4. Rationale for measurement	30
10.5. Rules for implementation	30
10.6. Guidance to score well on this assessment	36
11. KPI-10: Distribution information	37
11.1. Status	37
11.2. WCMP element(s)	37
11.3. What is being measured	39
11.4. Rationale for measurement	39
11.5. Rules for implementation	39
11.6. Guidance to score well on this assessment	40
12. KPI-11: Codelists validation	41

12.1. WCMP element(s)	41
12.2. What is being measured	41
12.3. Rationale for measurement	41
12.4. Rules for implementation	41
12.5. Guidance to score well on this assessment	42
13. KPI-12: DOI citation	43
13.1. Status	43
13.2. WCMP element(s)	43
13.3. What is being measured	43
13.4. Rationale for measurement	43
13.5. Rules for implementation	43
13.6. Guidance to score well on this assessment	44

Chapter 1. Overview

1.1. Purpose

This document is intended to define Key Performance Indicators (KPIs) in support of the WMO Core Metadata Profile (WCMP). KPIs provide measurable, value added quality assessment rules over and above syntactic and schematic rulesets put forth by WCMP and ISO 19115:2003/19139:2007.

The core driver of WCMP KPIs is continuous improvement and useability of discovery metadata as part of the [WMO Information System \(WIS\)](#).

1.2. Scope

This document is bound to the WCMP 1.3 specification and codelists. All other metadata specifications or representations are not in scope.

1.3. Audience

The target stakeholder audiences for this document include (but are not limited to):

- Metadata providers (NCs, DCPCs)
- Metadata consumers (GISCs)
- WMO World Data Centres (WDCs)
- GAW World Data Centres (WDCs)
- WMO WIS Operations and Monitoring
- Metadata implementors (generation, ingest)

1.4. How to use

The KPIs in this document are designed to help metadata providers in the curation of discovery metadata, as well as GISCs to measure the quality of metadata from NCs and DCPCs.

In order to improve quality:

- providers should use the KPIs to build into their metadata generation
- consumers should use the KPIs in order to quality assess discovery metadata and provide subsequent feedback to providers

1.5. Scoring

Each KPI assesses a number of criteria associated with metadata quality, resulting in a raw score, as well as a percentage. This approach is implemented so as to apply weighted scoring as required by a scoring rubric.

1.6. Reference implementation

The TT-WISMD maintains [pywcmp](#), as the reference WCMP validation utility which includes:

- validation against WMO Core Metadata Profile 1.3, specifically Part 2, Section 2
- validation against the KPIs described in this document

Documentation on installation, configuration and usage can be found on the [pywcmp](#) website.

[pywcmp](#) is provided as a resource to the community, under continuous improvement. Contributions are welcome and can be facilitated via TT-WISMD.

1.7. Codelists rules

WMO and ISO codelists currently exist in numerous locations on the Internet. The authoritative code locations that should be used when validating shall be:

- WMO codelists: <https://wis.wmo.int/2012/codelists/WMOCodeLists.xml>
- ISO codelists: <https://standards.iso.org/iso/19139/resources/gmxCodelists.xml>

1.8. Conventions

1.8.1. Symbols and abbreviated terms

Table 1. Symbols and abbreviated terms

Abbreviation	Term
AJAX	Asynchronous JavaScript and XML
CSV	Comma-separated values
DCPC	Data Collection and Production Centres
DOI	Digital Object Identifier
GAW	Global Atmospheric Watch
GISC	Global Information System Centre
GML	Geography Markup Language
GTS	Global Telecommunication System
HTML	Hypertext Markup Language
HTTP	Hypertext Transfer Protocol
HTTPS	Hypertext Transfer Protocol Secure
INSPIRE	Infrastructure for Spatial Information in the European Community
ISO	International Organization for Standardization
MIME	Multipurpose Internet Mail Extensions

Abbreviation	Term
NC	National Centre
OGC	Open Geospatial Consortium
pywcmp	WMO implementation of WCMP validation
URL	Uniform Resource Locator
WCMP	WMO Core Metadata Profile
WDC	World Data Centre
WIS	WMO Information System
WMO	World Meteorological Organization
XHR	XMLHttpRequest
XML	eXtensible Markup Language

Chapter 2. KPI-1: WCMP 1.3, Part 2 Compliance

2.1. Status

Approved

2.2. WCMP element(s)

All WCMP elements specified in [WCMP 1.3, Part 2 – Abstract Test Suite, Data Dictionary and Code Lists](#).

2.3. What is being measured

All requirements specified in WCMP 1.3, Part 2.

2.4. Rational for measurement

WCMP 1.3, Part 2 forms the basis of all KPIs.

2.5. Rules for implementation

1. WCMP 1.3, Part 2 Compliance implementation rules

Rule	Score
Requirement 6.1.1: Each WIS Discovery Metadata record shall validate without error against the XML schemas defined in ISO/TS 19139:2007	1
Requirement 6.1.2: Each WIS Discovery Metadata record shall validate without error against the rule-based constraints listed in ISO/TS 19139:2007 Annex A (Table A.1)	1
Requirement 6.2.1: Each WIS Discovery Metadata record shall explicitly name all namespaces used within the record; use of default namespaces is prohibited	1
Requirement 6.3.1: Each WIS Discovery Metadata record shall declare the following XML namespace for GML: http://www.opengis.net/gml/3.2	1

Rule	Score
Requirement 8.1.1: Each WIS Discovery Metadata record shall include one <code>gmd:MD_Metadata/gmd:fileIdentifier</code> attribute	1
Requirement 8.2.1: Each WIS Discovery Metadata record shall include at least one keyword from the <code>WMO_CategoryCode</code> code list	1
Requirement 8.2.2: Keywords from <code>WMO_CategoryCode</code> code list shall be defined as keyword type <code>theme</code>	1
Requirement 8.2.3: All keywords sourced from a particular keyword thesaurus shall be grouped into a single instance of the <code>MD_Keywords</code> class	1
Requirement 8.2.4: Each WIS Discovery Metadata record describing geographic data shall include the description of at least one geographic bounding box defining the spatial extent of the data	1
Requirement 9.1.1: A WIS Discovery Metadata record describing data for global exchange via the WIS shall indicate the scope of distribution using the keyword <code>GlobalExchange</code> of type <code>dataCenter</code> from thesaurus <code>WMO_DistributionScopeCode</code>	1
Requirement 9.2.1: A WIS Discovery Metadata record describing data for global exchange via the WIS shall have a <code>gmd:MD_Metadata/gmd:fileIdentifier</code> attribute formatted as follows (where <code>{uid}</code> is a unique identifier derived from the GTS bulletin or file name): <code>urn:x-wmo:md:int.wmo.wis::{uid}</code>	1
Requirement 9.3.1: A WIS Discovery Metadata record describing data for global exchange via the WIS shall indicate the WMO Data License as Legal Constraint (type: <code>gmd:otherConstraints</code>) using one and only one term from the <code>WMO_DataLicenseCode</code> code list	1

Rule	Score
Requirement 9.3.2: A WIS Discovery Metadata record describing data for global exchange via the WIS shall indicate the GTS Priority as Legal Constraint (type: gmd:otherConstraints) using one and only one term from the WMO_GTSProductCategoryCode code list	1

Total possible score: 13 (100%)

2.6. Guidance to score well on this assessment

Use WCMP templates and/or tools to generate the metadata record (e.g. Excel to WIS).

Chapter 3. KPI-2: Good quality title

3.1. Status

Approved

3.2. WCMP element(s)

- `/gmd:MD_Metadata/gmd:identificationInfo//gmd:citation/gmd:CI_Citation/gmd:title`

3.3. What is being measured

The title field shall always be populated and follow the principles of WCMP guidance. The length shall not be too short or too long, contain less than 3 acronyms and represented in title case. Spelling and grammar are correct.

3.4. Rationale for measurement

Title is the first element of metadata information displayed and helps with initial identification. Meaningful and relevant information makes it easier for users to understand the resource.

3.5. Rules for implementation

Table 2. Good quality title implementation rules

Rule	Score
title exists	1
title has 3 words or more	1
title has 150 characters or less	1
title only has printable characters (numbers and letters)	1
words in title are represented in "Title Case"	1
title contains less than 3 acronyms (words with all upper case)	1
title does not contain bulletin header (regular expression: <code>[A-Z]{4}\d{2}[\s_]*[A-Z]{4}</code>)	1
title passes a basic spellcheck	1

Total possible score: 8 (100%)

3.6. Guidance to score well on this assessment

In the context of WIS Product catalogues, the product title and abstract are the two most relevant elements in the WCMP metadata record. These two elements are presented to the users in search results as well as the product description page, and need to focus on highlighting the product's key characteristics to assist users with relevant product search results.

The title should be as specific about the product as possible. For example, if the product only contains one parameter, this can be stated in the title; however, if the product contains numerous parameters, then a more general term should be used in the title, and the parameters stated elsewhere in the metadata record (abstract, keywords, etc.).

For a satellite product offering one main data parameter, the title will typically define which parameter is contained in the product, and from which instrument or instrument type it originates. For example, "AMSR-2 Sea Surface Temperature" or "SLSTR L1B radiances and brightness temperatures".^[1]

[1] WCMP Guidance (<https://wis.wmo.int/file=3291>)

Chapter 4. KPI-3: Good quality abstract

4.1. Status

Approved

4.2. WCMP element(s)

- `/gmd:MD_Metadata/gmd:identificationInfo//gmd:abstract`

4.3. What is being measured

The abstract field length shall not be too short or too long and contain no HTML markup. Spelling and grammar are correct. Bulletin templates should not be used to populate the abstract.

4.4. Rationale for measurement

To facilitate ease of understanding and discovery.

Abstract is a key element of metadata information displayed as part of search results. Fulsome and meaningful abstract information allows for users to both understand and properly evaluate a metadata record and its respective resource in support of data access, visualization and exploitation.

4.5. Rules for implementation

Table 3. Good quality abstract implementation rules

Rule	Score
abstract has between 16 and 2048 characters	1
abstract contains no markup (HTML)	1
abstract passes a basic spellcheck	1
abstract contains bulletin template	-1

Total possible score: 3 (100%)

4.6. Guidance to score well on this assessment

4.6.1. WCMP 1.3 Part 1 Guidance

The abstract should provide a clear and concise statement that enables the reader to understand the content of the dataset. For guidance when completing the abstract, consider the following recommendations:

- State what the 'things' are that are recorded
- State the key aspects recorded about these things
- State what form the data takes
- State any other limiting information, such as time period of validity of the data
- Add purpose of data resource where relevant (e.g. for survey data)
- Aim to be understood by non-experts
- Do not include general background information
- Avoid jargon and unexplained abbreviations

4.6.2. Relevant recommendations

- Avoid adding a scientific abstract
- Limit information in the abstract to the specific resource that is being described
- Describe the contents of the resource and the key aspects and/or attributes that are represented
- Explain briefly what is unique about this resource and, if appropriate, how it differs from similar resources
- Avoid citing external sources to this resource
- Avoid spelling out commonly used acronym which are already understood by the general public
- Spell out uncommon acronyms only once
- Avoid including HTML/CSV tables, extra spaces or other markup to control display of text. Use simple paragraph(s) only
- Avoid copying text from a journal article verbatim. This can lead to copyright violation concerns. Additionally, abstracts for journal articles are not intended to describe the provided resource and do not meet the metadata requirements. Related papers can be referenced from and/or tied to the metadata
- Avoid using future verb tense when possible. Write using present or past tenses

4.6.3. Spell checking recommendations

- [Dictionary by Merriam-Webster: America's most-trusted online dictionary](#)
- [Cambridge Dictionary | English Dictionary, Translations & Thesaurus](#)

4.6.4. WMO Guidelines

References of good abstract examples can be found in the [Guide to WMO Information System \(WMO No. 1061, Section 5.8.1.2\)](#), product abstract.

Chapter 5. KPI-4: Temporal information

5.1. Status

Approved

5.2. WCMP Element(s)

- `/gmd:MD_Metadata/gmd:identification//gmd:temporalElement/gmd:EX_TemporalExtent/gmd:extent`
- `/gmd:MD_Metadata/gmd:identification//gmd:resourceMaintenance//gmd:maintenanceAndUpdateFrequency`

5.3. What is being measured

- Temporal extent: This element describes the period of time that the available product covers
- Data update frequency: The temporal frequency at which the data is updated (i.e. every x hours, days, etc.)

5.4. Rationale for measurement

Temporal information is a significant characteristic of weather/climate/water data and as such is critical for users to know which period(s) of time is/are covered by products and how often new products are received.

5.5. Rules for implementation

The TemporalExtent is defined in `gmd:temporalElement`:

```
<gmd:identificationInfo>
...
<gmd:temporalElement>
  <gmd:EX_TemporalExtent id="boundingTemporalExtent">
    <gmd:extent>
      <gml:TimePeriod gml:id="boundingTemporalExtentPeriod">
        <gml:beginPosition>2005-10-01</gml:beginPosition>
        <gml:endPosition>2014-10-20</gml:endPosition>
      </gml:TimePeriod>
    </gmd:extent>
  </gmd:EX_TemporalExtent>
</gmd:temporalElement>
...
</gmd:identificationInfo>
```

In the case of an ongoing dataset with a known start date, but no known end date can be defined, the end date must be defined as **now**. For instance, where a dataset is from 2005-10-01 onwards:


```

<gmd:identificationInfo>
  ...
  <gmd:temporalElement>
    <gmd:EX_TemporalExtent id="temporalExtent">
      <gmd:extent>
        <gml:TimePeriod gml:id="boundingTemporalExtentPeriod">
          <gml:beginPosition>2005-10-01</gml:beginPosition>
          <gml:endPosition indeterminatePosition="now"/>
        </gml:TimePeriod>
      </gmd:extent>
    </gmd:EX_TemporalExtent>
  </gmd:temporalElement>
</gmd:temporalElement>

```

It is also recommended to identify a dataset status / progress using the **gmd:MD_ProgressCode** codelist. The following example provides an ongoing dataset progress/status:

```

<gmd:identificationInfo>
  ...
  <gmd:status>
    <gmd:MD_ProgressCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodelists.xml#MD_ProgressCo
de" codeSpace="ISOTC211/19115" codeListValue="onGoing">onGoing</gmd:MD_ProgressCode>
  </gmd:status>
</gmd:identificationInfo>

```

The Data Update Frequency is defined in **gmd:maintenanceAndUpdateFrequency**:

Below is an example of a GTS bulletin which is updated every 6 hours.

```

<gmd:identificationInfo>
  ...
  <gmd:resourceMaintenance>
    <gmd:MD_MaintenanceInformation>
      <gmd:maintenanceAndUpdateFrequency>
        <gmd:MD_MaintenanceFrequencyCode codeListValue="irregular"
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#MD_Maintenanc
eFrequencyCode"/>
      </gmd:maintenanceAndUpdateFrequency>
      <gmd:userDefinedMaintenanceFrequency>
        <gts:TM_PeriodDuration>PT6H</gts:TM_PeriodDuration>
      </gmd:userDefinedMaintenanceFrequency>
      <gmd:maintenanceNote>
        <!-- DRAFT □ Guidance on WIS Discovery Metadata (following CBS-16), p38 -->
        <gco:CharacterString>Instances of bulletin SIKB20NGTT are available every 6
hours starting at 03 UTC.</gco:CharacterString>
      </gmd:maintenanceNote>
    </gmd:MD_MaintenanceInformation>
  </gmd:resourceMaintenance>
  ...
</gmd:identificationInfo>

```

If it is not relevant or necessary to provide information regarding the data update frequency, `gmd:MD_MaintenanceFrequencyCode` can be set to `asNeeded`:

```

<gmd:identificationInfo>
  ...
  <gmd:resourceMaintenance>
    <gmd:MD_MaintenanceInformation>
      <gmd:maintenanceAndUpdateFrequency>
        <gmd:MD_MaintenanceFrequencyCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#MD_Maintenanc
eFrequencyCode" codeListValue="asNeeded"/>
      </gmd:maintenanceAndUpdateFrequency>
    </gmd:MD_MaintenanceInformation>
  </gmd:resourceMaintenance>
  ...
</gmd:identificationInfo>

```

Table 4. Temporal information implementation rules

Rule	Score
The Temporal Extent is defined	1
The Temporal Extent contains begin and end components	1
The begin date time is less than or equal to the end date time	1

Rule	Score
The Data Update Frequency is defined	1
The Data Status is defined	1

Total possible score: 5 (100%)

5.6. Guidance to score well on this assessment

Ensure that the Temporal Extent and the Update Frequency is defined in the metadata record.

Chapter 6. KPI-5: WMOEssential data links

6.1. Status

Approved

6.2. WCMP element(s)

- /gmd:MD_Metadata/gmd:identificationInfo//gmd:resourceConstraints/gmd:MD_LegalConstaints/gmd:otherConstraints
- /gmd:MD_Metadata/gmd:distributionInfo/gmd:MD_Distribution/gmd:transferOptions/gmd:MD_DigitalTransferOptions/gmd:onLine/gmd:CI_OnlineResource/gmd:linkage

6.3. What is being measured

Whether the DataLicenseCode of **WMOEssential** is provided as a constraint as part of data identification, if yes then ensure that distribution URLs are provided.

6.4. Rationale for measurement

All **WMOEssential** data should have 1..n distribution links to the data.

6.5. Rules for implementation

```
<gmd:resourceConstraints>
  <gmd:MD_LegalConstraints>
    <gmd:otherConstraints>
      <gmx:Anchor
xlink:href="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#WMO_DataLicenseCode_WM
OEssential">WMOEssential</gmx:Anchor>
    </gmd:otherConstraints>
  </gmd:MD_LegalConstraints>
</gmd:resourceConstraints>
```

```

<gmd:MD_DigitalTransferOptions>
  <gmd:onLine>
    <gmd:CI_OnlineResource>
      <gmd:linkage>
        <gmd:URL>https://opendata.dwd.de/weather/wmc/icon-eps/data/grib</gmd:URL>
      </gmd:linkage>
      <gmd:protocol>
        <gco:CharacterString>http</gco:CharacterString>
      </gmd:protocol>
      <gmd:name>
        <gco:CharacterString>GISC Offenbach, Deutscher
Wetterdienst</gco:CharacterString>
      </gmd:name>
      <gmd:description>
        <gco:CharacterString>WMO Information System, download products/data through
GISC Offenbach, Deutscher Wetterdienst</gco:CharacterString>
      </gmd:description>
    </gmd:CI_OnlineResource>
  </gmd:onLine>
</gmd:MD_DigitalTransferOptions>

```

Table 5. WMOEssential data links implementation rules

Rule	Score
DataLicenseCode is WMOEssential and 1..n distribution links are provided	1

Total possible score: 1 (100%)

6.6. Guidance to score well on this assessment

If the data described is categorized as **WMOEssential**, provide a link to the data.

Chapter 7. KPI-6: Keywords

7.1. Status

Approved

7.2. WCMP element(s)

- `//gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:keyword`
- `//gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:type`
- `//gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:thesaurusName`

7.3. What is being measured

- presence of keywords, the level of definition and reference to controlled vocabularies
- level of definition of a keyword will improve the searchability of a dataset

In addition to measure well defined references to dictionaries and keyword types, compliance to WCMP 1.3 defines a set of rules that apply to different sets of keywords.

7.4. Rationale for measurement

Encouraging metadata providers to make use of keywords that are published in controlled vocabularies will ultimately help the end user to search for well-known domain related terms.

Keywords are indexed by search engines to narrow down full text searches, adding to the user experience and making datasets easier to discover. Keywords can be user-defined or specified from controlled vocabularies.

7.5. Rules for implementation

7.5.1. Well defined keywords examples

If keyword is present then check if keyword term references a thesaurus using the Anchor with a resolvable HTTP URL.

```
<gmd:descriptiveKeywords>
  <gmd:MD_Keywords>
    <gmd:keyword>
      <gmx:Anchor xlink:href="https://codes.wmo.int/grib2/codeflag/4.2/_0-0-6">Dewpoint Temperature</gmx:Anchor>
    </gmd:keyword>
  </gmd:MD_Keywords>
</gmd:descriptiveKeywords>
```

Check if keyword term is user defined.

```
<gmd:descriptiveKeywords>
  <gmd:MD_Keywords>
    <gmd:keyword>
      <gco:CharacterString>Dewpoint Temperature</gco:CharacterString>
    </gmd:keyword>
  </gmd:MD_Keywords>
</gmd:descriptiveKeywords>
```

Check for presence of WMO **MD_KeywordTypeCode**, check for permitted codelist values against https://wis.wmo.int/2012/codelists/WMOCodeLists#MD_KeywordTypeCode

```
<gmd:descriptiveKeywords>
  <gmd:MD_Keywords>
    <gmd:type>
      <gmd:MD_KeywordTypeCode
        codelist="https://wis.wmo.int/2012/codelists/WMOCodeLists#MD_KeywordTypeCode"
        codelistValue="dataParam">dataParam</gmd:MD_KeywordTypeCode>
      </gmd:type>
    </gmd:MD_Keywords>
  </gmd:descriptiveKeywords>
```

Check for well referenced thesaurus using the Anchor with a resolvable HTTP URL.

```

<gmd:descriptiveKeywords>
  <gmd:MD_Keywords>
    <gmd:thesaurusName>
      <gmd:CI_Citation>
        <gmd:title>
          <gmx:Anchor xlink:href="https://codes.wmo.int/grib2/codeflag/_4.2">WMO Codes
Registry GRIB edition 2</gmx:Anchor>
        </gmd:title>
        <gmd:date>
          <gmd:CI_Date>
            <gmd:date>
              <gco>Date>2016-06-25</gco>Date>
            </gmd:date>
            <gmd:dateType>
              <gmd:CI_DateTypeCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodelists.xml#CI_DateTypeCo
de" codeListValue="publication">publication</gmd:CI_DateTypeCode>
            </gmd:dateType>
          </gmd:CI_Date>
        </gmd:date>
      </gmd:CI_Citation>
    </gmd:thesaurusName>
  </gmd:MD_Keywords>
</gmd:descriptiveKeywords>

```

Check for referenced thesaurus via `gco:CharacterString` elements (use of a URL within `gco:CharacterString` is not recommended, `gmx:Anchor` should be used instead).


```

<gmd:descriptiveKeywords>
  <gmd:MD_Keywords>
    <gmd:thesaurusName>
      <gmd:CI_Citation>
        <gmd:title>
          <gco:CharacterString>WMO Codes Registry - GRIB edition
2</gco:CharacterString>
        </gmd:title>
        <gmd:date>
          <gmd:CI_Date>
            <gmd:date>
              <gco>Date>2016-06-25</gco>Date>
            </gmd:date>
            <gmd:dateType>
              <gmd:CI_DateTypeCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#CI_DateTypeCo
de" codeListValue="publication">publication</gmd:CI_DateTypeCode>
              </gmd:dateType>
            </gmd:CI_Date>
          </gmd:date>
        </gmd:CI_Citation>
      </gmd:thesaurusName>
    </gmd:MD_Keywords>
  </gmd:descriptiveKeywords>

```

Table 6. Keywords implementation rules

Rule	Score
gmd:keywords is present	1
gmd:type is present	1
gmd:thesaurusName is present	1
Keywords terms and thesaurus are referred to with gmx:Anchor	1

Total possible score: 4 per keyword set (100%)

To assess how many keywords are defined and provide a total percentage based on the number of keywords and individual scoring.

7.6. Guidance to score well on this assessment

A high score will be provided for full referenced term, keyword type and thesaurus. Additional recommendations for keywords implementation are found at the [Guide to WMO Information System \(WMO- No. 1061,Section 5.8.1.8\)](#)

Examples of controlled vocabularies:

- [WMO Codes Registry](#)
- [WMO Codelists](#)
- [General Multilingual Environmental Thesaurus \(GEMET\) - INSPIRE Spatial Data Themes](#)
- [Global Change Master Directory \(GCMD\)](#)
- [Climate and Forecast \(CF\) Standard Names](#)
- [Government of Canada Core Subject Thesaurus \(CST\)](#)

Chapter 8. KPI-7: Graphic overview for non bulletins metadata records

8.1. WCMP element(s)

- `//gmd:identificationInfo/gmd:MD_DataIdentification/gmd:graphicOverview/gmd:MD_BrowseGraphic/gmd:fileName/gmx:Anchor/@xlink:href`

```
<gmd:graphicOverview>
  <gmd:MD_BrowseGraphic>
    <gmd:fileName>
      <gmx:Anchor xlink:href="https://navigator.eumetsat.int/preview/meteosat-
msg_naturalenhcd.jpg">Meteosat MSG Natural Enhanced Color</gmx:Anchor>
    </gmd:fileName>
  </gmd:MD_BrowseGraphic>
</gmd:graphicOverview>
```

8.2. What is being measured

The presence of `gmd:graphicOverview` is checked that it contains a URL to a common web image file type.^[2]

8.3. Rationale for measurement

Product graphic overviews provide the user with a high level preview of the product which can assist in a high level assessment and/or evaluation as part of search results presentation.

8.4. Rules for implementation

Table 7. Graphic overview for non bulletins metadata records implementation rules

Rule	Score
graphic overview element exists	1
graphic overview URL resolves successfully	1
graphic overview URL content is a common web image file type (check MIME type, content header/magic number)	1

Total possible score: 3 (100%)

8.5. Guidance to score well on this assessment

In addition to the presence of the graphic overview image it would also be valuable to provide consistent image dimensions (e.g. 800x800 pixels) such that all images are normalized and

scaling/alignment of overview images can be applied consistently by web applications rendering search results.

Examples of catalogues using such information are here:

- [GISC DWD](#)
- [EUMETSAT Product Navigator](#)

[2] https://developer.mozilla.org/en-US/docs/Web/Media/Formats/Image_types#Common_image_file_types

Chapter 9. KPI-8: Links health

9.1. Status

Approved

9.2. WCMP element(s)

Any element or attribute content with linked information (URLs).

- `//gmd:URL`
- `//gmd:graphicOverview`
- `//gmx:Anchor/@xlink:href`
- `//@codeList` TODO: should we really check code lists link health or treat as a plain old value?

```
<gmd:CI_OnlineResource>
  <gmd:linkage>

  <gmd:URL>https://eumetview.eumetsat.int/mapviewer/?product=E0:EUM:DAT:MSG:SNOW</gmd:UR
  L>
    </gmd:linkage>
  </gmd:CI_OnlineResource>
```

```
<gmd:graphicOverview>
  <gmd:MD_BrowseGraphic>
    <gmd:fileName>
      <gco:CharacterString>https://navigator.eumetsat.int/preview/0deg-
      snow.jpg</gco:CharacterString>
    </gmd:fileName>
  </gmd:MD_BrowseGraphic>
</gmd:graphicOverview>
```

```
<gmd:MD_Identifier>
  <gmd:code>
    <gmx:Anchor xlink:actuate="onRequest"
    xlink:href="https://dx.doi.org/10.14287/100000004"
    xlink:title="DOI">doi:10.14287/100000004</gmx:Anchor>
  </gmd:code>
</gmd:MD_Identifier>
```

```
<gmd:dateType>
  <gmd:CI_DateTypeCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#CI_DateTypeCo
de" codeListValue="revision" codeSpace="ISOTC211/19115">revision</gmd:CI_DateTypeCode>
</gmd:dateType>
```

9.3. What is being measured

The number of broken links in each individual metadata record. Broken links include links which, when accessed, result in a 4xx or 5xx HTTP error.^[3]

Also being measured is the use of HTTPS (with a valid SSL certificate) as the link protocol throughout WIS Metadata.

9.4. Rationale for measurement

Broken links damage the user experience and gives the impression to users that a website is not maintained (88% of the online consumers are less likely to return to a site after a bad experience.^[4]). In addition, having numerous broken links affects the reputation and rank of your website when indexed by mass market search engines.

HTTPS is increasingly becoming a requirement for numerous agencies as well as the suggested protocol vs. HTTP. Having non-HTTPS links in a WCMP document often leads to mixed content errors in web applications deployed via HTTPS for example, and using AJAX/XHR design patterns. HTTPS supports secure, authoritative and trustworthy links as part of WIS Metadata.

9.5. Rules for implementation

Table 8. Links health implementation rules

Rule	Score
Each valid link provided	1
Each valid HTTPS link provided	1

Total possible score: (valid links + valid HTTPS links) / (total links * 2) (100%)

9.6. Guidance to score well on this assessment

Ensure that all links resolve and are accessible via HTTPS.

[3] <https://httpstatuses.com>

[4] <https://review42.com/web-design-statistics>

Chapter 10. KPI-9: Data policy

10.1. Status

Approved

10.2. WCMP element(s)

Data policy

- `//gmd:MD_Metadata/gmd:identificationInfo//gmd:resourceConstraints`

Distribution scope

- `//gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:keyword`
- `//gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:type`
- `//gmd:MD_DataIdentification/gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:thesaurusName`

10.3. What is being measured

- Definition of data policy encoded with `WMO_DataLicenceCode` in `gmd:otherConstraints`
- Definition of `gmd:accessConstraints` with `MD_RestrictionCode = gmd:otherConstraints`
- Definition of `gmd:useConstraints` with `MD_RestrictionCode = gmd:otherConstraints`
- Definition of a scope of distribution added as keyword from controlled vocabulary `WMO_DistributionScopeCode` and `KeywordTypeCode` dataCentre
- Presence of GTS priority if data is marked for `GlobalExchange` or `RegionalExchange`

10.4. Rationale for measurement

Data policy provides information to the users about how the data should be handled. Data providers also have the obligation to define the scope of the distribution of the data within WIS and when applicable the GTS priority.

Data policy Information is expressed via `gmd:resourceConstraints/gmd:MD_LegalConstraints`

10.5. Rules for implementation

The following table summarises the relevant elements to define data policy

Element	Description
<code>gmd:useLimitation</code>	Free text. limitations regarding usage of the resource (e.g. this data set is not to be used for navigation)

Element	Description
<code>gmd:accessConstraints</code>	Controlled vocabulary. <code>MD_RestrictionCode</code> , access constraints applied to assure the protection of privacy or intellectual property, and any special restrictions or limitations on obtaining the resource
<code>gmd:useConstraints</code>	Controlled vocabulary. <code>MD_RestrictionCode</code> , restrictions on the use of a resource
<code>gmd:otherRestrictions</code>	Free text

The Manual and Guide to WIS (No. 1060/1061) recommendations for data policy implementation are as follows:

Element	Description
<code>gmd:useLimitation</code>	Free text Description
<code>gmd:accessConstraints</code>	<code>gmd:MD_RestrictionCode = otherRestrictions</code>
<code>gmd:useConstraints</code>	<code>gmd:MD_RestrictionCode = otherRestrictions</code>
<code>gmd:otherRestrictions</code>	Vocabulary controlled: <code>WMO_DataLicenceCode</code> (<code>WMOEssential</code> , <code>WMOAdditional</code> , <code>WMOOther</code> , <code>NoLimitation</code>)

Additional descriptions to explain the referred `WMO_DataLicenceCode` could be added in separate `otherRestrictions` blocks.

10.5.1. Well defined policies examples

If the record is encoding `WMO_DataLicenseCode` with `gmx:Anchor`, then check for permitted values in the corresponding codelist: https://github.com/wmo-im/wcmp-codelists/blob/main/codelists/WMO_DataLicenseCode.csv

```
<gmd:resourceConstraints>
  <gmd:MD_LegalConstraints>
    <gmd:otherConstraints>
      <gmx:Anchor
xlink:href="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#WMO_DataLicenseCode_WM
OAdditional">WMOAdditional</gmx:Anchor>
    </gmd:otherConstraints>
  </gmd:MD_LegalConstraints>
</gmd:resourceConstraints>
```


Check if the **WMO_DataLicenseCode** is implemented as **gco:CharacterString** (instead of **gmx:Anchor**)

```
<gmd:resourceConstraints>
  <gmd:MD_LegalConstraints>
    <gmd:otherConstraints>
      <gco:CharacterString>WMOAdditional</gco:CharacterString>
    </gmd:otherConstraints>
  </gmd:MD_LegalConstraints>
</gmd:resourceConstraints>
```

Check for **gmd:accessConstraints** with **gmd:MD_RestrictionCode = otherRestrictions**

```
<gmd:resourceConstraints>
  <gmd:MD_LegalConstraints>
    <gmd:accessConstraints>
      <gmd:MD_RestrictionCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#MD_RestrictionCode" codeListValue="otherRestrictions">otherRestrictions</gmd:MD_RestrictionCode>
    </gmd:accessConstraints>
  </gmd:MD_LegalConstraints>
</gmd:resourceConstraints>
```

Check for **gmd:useConstraints** with **gmd:MD_RestrictionCode = otherRestrictions**

```
<gmd:resourceConstraints>
  <gmd:MD_LegalConstraints>
    <gmd:useConstraints>
      <gmd:MD_RestrictionCode
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#MD_RestrictionCode" codeListValue="otherRestrictions">otherRestrictions</gmd:MD_RestrictionCode>
    </gmd:useConstraints>
  </gmd:MD_LegalConstraints>
</gmd:resourceConstraints>
```

Check for scope of distribution keyword from controlled vocabulary **WMO_DistributionScopeCode** and **gmd:KeywordTypeCode = dataCentre** with **gmx:Anchor**

```

<gmd:MD_Keywords>
  <gmd:keyword>
    <gmx:Anchor
xlink:href="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#WMO_DistributionScopeC
ode_GlobalExchange">GlobalExchange</gmx:Anchor>
    </gmd:keyword>
    <gmd:type>
      <gmd:MD_KeywordTypeCode
codeList="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#MD_KeywordTypeCode"
codeListValue="dataCenter">dataCenter</gmd:MD_KeywordTypeCode>
    </gmd:type>
    <gmd:thesaurusName>
      <gmd:CI_Citation>
        <gmd:title>
          <gmx:Anchor
xlink:href="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#WMO_DistributionScopeC
ode">WMO_DistributionScopeCode</gmx:Anchor>
        </gmd:title>
        <gmd:date>
          <gmd:CI_Date>
            <gmd:date>
              <gco:Date>2012-06-27</gco:Date>
            </gmd:date>
            <gmd:dateType>
              <gmd:CI_DateTypeCode
codeList="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#CI_DateTypeCode"
codeListValue="revision">revision</gmd:CI_DateTypeCode>
            </gmd:dateType>
          </gmd:CI_Date>
        </gmd:date>
      </gmd:CI_Citation>
    </gmd:thesaurusName>
  </gmd:MD_Keywords>

```

Check for scope of distribution keyword from controlled vocabulary **WMO_DistributionScopeCode** and **KeywordTypeCode = dataCentre** with **gco:CharacterString**

```

<gmd:MD_Keywords>
  <gmd:keyword>
    <gco:CharacterString>GlobalExchange</gco:CharacterString>
  </gmd:keyword>
  <gmd:type>
    <gmd:MD_KeywordTypeCode
codeList="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#MD_KeywordTypeCode"
codeListValue="dataCenter">dataCenter</gmd:MD_KeywordTypeCode>
    </gmd:type>
  <gmd:thesaurusName>
    <gmd:CI_Citation>
      <gmd:title>
        <gco:CharacterString>WMO_DistributionScopeCode</gco:CharacterString>
      </gmd:title>
      <gmd:date>
        <gmd:CI_Date>
          <gmd:date>
            <gco>Date>2012-06-27</gco>Date>
          </gmd:date>
          <gmd:dateType>
            <gmd:CI_DateTypeCode
codeList="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#CI_DateTypeCode"
codeListValue="revision">revision</gmd:CI_DateTypeCode>
            </gmd:dateType>
          </gmd:CI_Date>
        </gmd:date>
      </gmd:CI_Citation>
    </gmd:thesaurusName>
  </gmd:MD_Keywords>

```

Check for presence of GTS priority if data is marked for **GlobalExchange** or **RegionalExchange**

```

<gmd:MD_Keywords>
  <gmd:keyword>
    <gmx:Anchor
xlink:href="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#WMO_DistributionScopeC
ode_GlobalExchange">GlobalExchange</gmx:Anchor>
    </gmd:keyword>
    [...]
  </gmd:MD_Keywords>

<gmd:resourceConstraints>
  <gmd:MD_LegalConstraints>
    <gmd:otherConstraints>
      <gmx:Anchor
xlink:href="https://wis.wmo.int/2012/codelists/WMOCodeLists.xml#WMO_GTSPriority3">GTSPriority3</gmx:Anchor>
    </gmd:otherConstraints>
  </gmd:MD_LegalConstraints>
</gmd:resourceConstraints>

```

Table 9. Data policy implementation rules

Rule	Score
<code>gmd:resourceConstraints</code> are present and there is a <code>WMO_DataLicenceCode</code> term in <code>gmd:otherRestrictions</code> .	1
<code>gmd:accessConstraints</code> , <code>gmd:useConstraints</code> are vocabulary controlled by <code>gmd:MD_RestrictionCode</code> - <code>otherRestrictions</code>	1
<code>gmd:Keywords</code> are present with definition of <code>WMO_DistributionScopeCode</code> keyword term and a <code>gmd:type</code> of vocabulary controlled <code>gmd:MD_KeywordTypeCode = dataCenter</code>	1
<code>gmd:otherConstraints</code> and vocabulary controlled <code>WMO_GTSPriorityCode</code> if <code>gmd:keyword</code> is present with terms from <code>WMO_DistributionScopeCode</code> (<code>GlobalExchange</code> , <code>RegionalExchange</code>)	1
<code>gmx:Anchor</code> implemented versus <code>gco:CharacterString</code> when referencing <code>WMO_DataLicenseCode</code> (in <code>gmd:otherConstraints</code>), <code>WMO_GTSPriorityCode</code> (in <code>gmd:otherConstraints</code>), <code>WMO_DistributionScopeCode</code> (in <code>Keywords</code>), <code>WMO_DistributionScopeCode</code> (in <code>Thesaurus</code> title)	1

Total possible score: 5 (100%)

Note: Other possible `gmd:resourceConstraints` elements may exist and not comply to these rules. The score should check that there is one `gmd:resourceConstraints` element that complies to the rules.

10.6. Guidance to score well on this assessment

In addition to programmatic checks which will provide an score, it should be clear to the user what are the conditions of use for the resource published. If the codelist implementation is not clear there should be additional free text explanations `gmd:otherConstraints` or `gmd:useLimitation`.

Further guidance on data policy implementation can be found in the [Guide to WMO Information System \(WMO No. 1061, Section 5.8.1.10\)](#).

Chapter 11. KPI-10: Distribution information

Metadata records should contain information regarding how to access the data which it is describing.

11.1. Status

Approved

11.2. WCMP element(s)

- `//gmd:distributionInfo//gmd:distributionFormat/gmd:MD_Format`
- `//gmd:distributionInfo//gmd:MD_DigitalTransferOptions//gmd:onLine//gmd:URL`
- `//gmd:distributionInfo//gmd:MD_Distributor//gmd:organisationName`
- `//gmd:distributionInfo//gmd:MD_Distributor//gmd:contactInfo//gmd:electronicMailAddress/gco:CharacterString`

```
<gmd:distributionInfo>
  <gmd:MD_Distribution>
    <gmd:distributionFormat>
      <gmd:MD_Format>
        <gmd:name>
          <gco:CharacterString>FM 94 (BUFR)</gco:CharacterString>
        </gmd:name>
        <gmd:version>
          <gco:CharacterString>XII EXT.</gco:CharacterString>
        </gmd:version>
        <gmd:specification>
          <gmx:Anchor xlink:title="FM 94 (BUFR)"
xlink:href="https://www.wmo.int/pages/prog/www/WMOCodes.html">FM 94
(BUFR)</gmx:Anchor>
        </gmd:specification>
      </gmd:MD_Format>
    </gmd:distributionFormat>
    <gmd:distributor>
      <gmd:MD_Distributor>
        <gmd:distributorContact>
          <gmd:CI_ResponsibleParty>
            <gmd:individualName>
              <gco:CharacterString>DT/DSI/OP/TEL</gco:CharacterString>
            </gmd:individualName>
            <gmd:organisationName>
              <gco:CharacterString>NMC FRANCE - Météo-France</gco:CharacterString>
            </gmd:organisationName>
            <gmd:contactInfo>
              <gmd:CI_Contact>
                <gmd:phone/>
```

```

    <gmd:address>
      <gmd:CI_Address>
        <gmd:deliveryPoint>
          <gco:CharacterString>Direction des Systèmes d'Information, 42
avenue Gaspard CORIOLIS</gco:CharacterString>
        </gmd:deliveryPoint>
        <gmd:city>
          <gco:CharacterString>TOULOUSE</gco:CharacterString>
        </gmd:city>
        <gmd:postalCode>
          <gco:CharacterString>31057</gco:CharacterString>
        </gmd:postalCode>
        <gmd:country>
          <gco:CharacterString>France</gco:CharacterString>
        </gmd:country>
        <gmd:electronicMailAddress>
          <gco:CharacterString>gisc_support@meteo.fr</gco:CharacterString>
        </gmd:electronicMailAddress>
      </gmd:CI_Address>
    </gmd:address>
    <gmd:onlineResource>
      <gmd:CI_OnlineResource>
        <gmd:linkage>
          <gmd:URL>https://meteofrance.com</gmd:URL>
        </gmd:linkage>
      </gmd:CI_OnlineResource>
    </gmd:onlineResource>
  </gmd:CI_Contact>
</gmd:contactInfo>
<gmd:role>
  <gmd:CI_RoleCode codeListValue="pointOfContact"
codeList="https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml#CI_RoleCode">
pointOfContact</gmd:CI_RoleCode>
</gmd:role>
</gmd:CI_ResponsibleParty>
</gmd:distributorContact>
</gmd:MD_Distributor>
</gmd:distributor>
<gmd:transferOptions>
  <gmd:MD_DigitalTransferOptions>
    <gmd:onLine>
      <gmd:CI_OnlineResource>
        <gmd:linkage>
          <gmd:URL>http://wispi.meteo.fr/openwis-user-
portal/srv/en/main.home?urn=urn:x-wmo:md:int.wmo.wis::ISMN10LFPW</gmd:URL>
        </gmd:linkage>
        <gmd:protocol>
          <gco:CharacterString>WWW:LINK-1.0-http--link</gco:CharacterString>
        </gmd:protocol>
        <gmd:name>
          <gco:CharacterString>Permanent link</gco:CharacterString>
        </gmd:name>
      </gmd:CI_OnlineResource>
    </gmd:onLine>
  </gmd:MD_DigitalTransferOptions>
</gmd:transferOptions>

```

```

    </gmd:name>
    <gmd:description>
      <gco:CharacterString>GISC Toulouse</gco:CharacterString>
    </gmd:description>
    </gmd:CI_OnlineResource>
  </gmd:onLine>
</gmd:MD_DigitalTransferOptions>
</gmd:transferOptions>
</gmd:MD_Distribution>
</gmd:distributionInfo>

```

11.3. What is being measured

The presence of distribution information and supporting elements.

- format (`//gmd:distributionInfo//gmd:distributionFormat/gmd:MD_Format`) That can rely on existing WMO supported formats
- 1..n `gmd:transferOptions` (`//gmd:distributionInfo//gmd:transferOptions//gmd:onLine`), including a `gmd:linkage` with a URL to access the data
- distributor contact information (organization, email)

11.4. Rationale for measurement

Distribution information provides the necessary information for accessing the data, supported formats, and contact information for the data distributor.

11.5. Rules for implementation

By detecting the presence of the distribution format and transferOptions (multiple options are possible). See page 35 of the WMO Core Profile Metadata Guidance.

Table 10. Distribution information implementation rules

Rule	Score
<code>gmd:MD_Format</code> is defined	1
format specification has an Anchor with a resolvable HTTP URL	1
distributor contact organization is defined	1
distributor contact email is defined	1

Rule	Score
1..n transfer options are defined	1

Total possible score: 5 (100%)

11.6. Guidance to score well on this assessment

- Specify format/medium information and a link to the format specification
- Specify 1..n transfer options as well as a distributor contact. Note that a distributor contact does not have to be the same as the main point of contact, principal investigator
- Specify an email for the distributor

Chapter 12. KPI-11: Codelists validation

12.1. WCMP element(s)

WCMP elements will vary depending on whether they are:

- ISO Codelists ([gmxCodeLists.xml](#))
- WMO Codelists / ISO extensions ([WMOCodeLists.xml](#))

Authoritative codelists are defined at the following locations:

- ISO: <https://standards.iso.org/iso/19139/resources/gmxCodeLists.xml>
- WMO: <https://wis.wmo.int/2012/codelists/WMOCodeLists.xml>

12.2. What is being measured

Presence of valid terms from the referred codelist element.

12.3. Rationale for measurement

WCMP records can reference codelists from a number of locations (e.g. online copies of the authoritative sources).

To ensure that the terms themselves are always consistent with the official sources, this KPI will validate that the terms referred to in WCMP records are consistent with the authoritative codelists referred in this KPI.

In many cases terms are included but are not identical to the official definitions on the codelists (e.g. spelling mistakes, case sensitivity errors, etc.).

Software applications may look for exact matches to codelists and handle metadata incorrectly if not properly referenced.

12.4. Rules for implementation

WMO/ISO Codelists referenced in WCMP

codelist	WCMP Element	Authoritative list
CI_DateTypeCode	//gmd:date/gmd:CI_Date/gmd:dateType/gmd:CI_DateTypeCode	WMOCodeLists (ISO Extended)
CI_RoleCode	//gmd:CI_ResponsibleParty/gmd:role/gmd:CI_RoleCode	gmxCodeLists (ISO)
MD_KeywordTypeCode	//gmd:MD_Keywords/gmd:type/gmd:MD_KeywordTypeCode	WMOCodeLists (ISO Extended)

codelist	WCMP Element	Authoritative list
MD_RestrictionCode	//gmd:resourceConstraints//gmd:MD_RestrictionCode	gmxCodelists (ISO)
MD_ScopeCode	//gmd:scope/gmd:MD_ScopeCode	gmxCodelists (ISO)
MD_TopicCategoryCode	//gmd:topicCategory/gmd:MD_TopicCategoryCode	gmxCodelists (ISO)
WMO_DataLicenseCode	//gmd:resourceConstraints//gmd:otherConstraints/[gco:CharacterString gmx:Anchor]	WMOCodeLists
WMO_GTSPProductCategoryCode	//gmd:resourceConstraints//gmd:otherConstraints/[gco:CharacterString gmx:Anchor]	WMOCodeLists
WMO_CategoryCode	//gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:keyword/[gco:CharacterString gmx:Anchor]	WMOCodeLists
WMO_DistributionScopeCode	//gmd:descriptiveKeywords/gmd:MD_Keywords/gmd:keyword/[gco:CharacterString gmx:Anchor]	WMOCodeLists

Table 11. Codelists validation implementation rules

Rule	Score
codelist referred terms are checked against authoritative sources with an exact match	1

Total possible score: 1 per valid codelist value (100%)

To assess how many valid codelist values are defined and provide a total percentage based on the total number of codelist values.

12.5. Guidance to score well on this assessment

Ensure that codelists referenced terms are well defined across the whole record and from authoritative sources.

Chapter 13. KPI-12: DOI citation

13.1. Status

Approved

13.2. WCMP element(s)

- `/gmd:MD_Metadata/gmd:identificationInfo//gmd:citation//gmd:identifier//gmd:code/gmx:Anchor/@xlink:href`
- `/gmd:MD_Metadata/gmd:identificationInfo//gmd:citation//gmd:identifier//gmd:code/gmx:Anchor/@xlink:title`
- `/gmd:MD_Metadata/gmd:identificationInfo//gmd:resourceConstraints//gmd:otherConstraints/gco:CharacterString`

13.3. What is being measured

Whether DOI information is available, can be successfully identified, and provides citation instructions.

13.4. Rationale for measurement

DOIs are persistent identifiers that allow data to be accessible and citable. They make research data easier to access, reuse and verify, thereby making it easier to build on previous work, conduct new research and avoid duplicating already existing work.

13.5. Rules for implementation

```
<gmd:identificationInfo>
...
  <gmd:identifier>
    <gmd:MD_Identifier>
      <gmd:code>
        <gmx:Anchor xlink:actuate="onRequest"
xlink:href="https://dx.doi.org/10.14287/100000004"
xlink:title="DOI">doi:10.14287/100000004</gmx:Anchor>
      </gmd:code>
    </gmd:MD_Identifier>
  </gmd:identifier>
</gmd:identificationInfo>
```

```

<gmd:MD_LegalConstraints>
...
  <gmd:otherConstraints>
    <gco:CharacterString>Cite as: WMO/GAW Ozone Monitoring Community, World
    Meteorological Organization-Global Atmosphere Watch Program (WMO-GAW)/World Ozone and
    Ultraviolet Radiation Data Centre (WOUDC) [Data]. Retrieved [YYYY-MM-DD], from
    https://woudc.org. A list of all contributors is available on the website.
    doi:10.14287/100000004</gco:CharacterString>
  </gmd:otherConstraints>
...
</gmd:MD_LegalConstraints>

```

Table 12. DOI citation implementation rules

Rule	Score
if DOI anchor exists	1
title is equal to 'DOI'	1
if DOI citation exists as a constraint and includes the same DOI in the anchor	1

Total possible score: 3 (100%)

13.6. Guidance to score well on this assessment

- Provide the DOI identifier with a **doi:** prefix (e.g. **doi:<doi-identifier>**)
- Provide a 'Cite as' template in **gmd:otherConstraints**