

AI Orchestration



for AIOps

Home

Content

Management

Upload

Data Curation

AI Orchestration

Management > Create content group

Filter

Clear all

Title of content group

커스텀 콘텐츠 그룹

Schema

키보드사진

Image

인사정보

CSV, TSV

첨부파일

Other files

마우스사진

Image

테이블예시

Table

태그

Text

+ Add column

마우스 사진

Image

File name

Text

File size

Text

Created

Text

Modified

Text

Owner

Text

Endpoint

Text

Dimensions

Number

Resolution

Number

Camera Model

Number

Exposure Time

Number

ISO

Number

Date/Time

Text

GPS Coordinates

Number

+ Add column

Save content group

Presets

Tip

To start, choose a.....

Image

File system metadata...

Dimensions

Resolution

Camera Model

Exposure Time

ISO

Date/Time

GPS Coordinates

CSV, TSV

File system metadata...

Number of Schema

Number of Rows

Delimiter

Encoding

Other files

File system metadata...

Table

P

100,379,264

Zone / Acount

EZ PLANET
for AIOps

Home

Content Operation

Content Group

Collector

Data Curation

AI Orchestration

P

100,379,264

Zone / Acount

Management > 키보드 검사 데이터

Information

This content group is currently in the process of uploading content.

☐		키보드 사진	반응 속도	성능 분석 보고서	불량률	테스터 의견
☐	1	108	108 rows	1	1	1
☐	2	108	108 rows	1	1	1



Home

Content

Management

Collector

Data Curation

AI Orchestration

P

100,379,264

Zone / Account

Scheduler

< 1 / 1 >

↑₂ Modified

20

Items per page

Filter

Clear all

Collector

Scheduler

Information

History

2025. 12. 01. 15:30:00

Done: 1, Fail: 1

마우스 데이터 수집

Done

키보드 데이터 수집

Fail

2025. 12. 01. 14:30:00

Done: 1, Fail: 1

마우스 데이터 수집

Done

키보드 데이터 수집

Fail

Test-Scheduler--01

Running

Collector 3

Start Date 2025. 11. 19.

End Date Not Set

Time 12:00:00

Cycle 1 day(s)

This area is for displaying the Description. This Scheduler is for testing.

키보드 데이터 수집 스케줄러

Stop

Collector 1

Start Date 2025. 12. 01.

End Date Not Set

Time 14:30:00

Cycle 1 hour(s)

키보드 데이터를 수집하기 위한 스케줄러. 화면 리뷰를 위해 임시로 생성함. ★★ 일의 삭제 금지 ★★

+ Scheduler



Home

Content

Management

Collector

Data Curation

AI Orchestration

P

100,379,264

Zone / Account

Collector < Create Collector

Collector name

Collector name

Tag

Add up to 5 tags, each up to 20 characters.

Storage Location

External Data Repository

Schema

키보드

Connections

키보드 보고서

SourceMINIO

TargetMINIO / MYSQL

Collection filter

Pairing Pathkeyboard-bucket/* / ...

키보드 소개자료

SourceMINIO

TargetMINIO / MYSQL

Collection filter

Pairing Pathkeyboard-bucket/* / ...

측정장비 데이터

SourceMINIO

TargetMYSQL

Schema mapping

Pairing Columnfolder_path

키보드 이미지

Source키보드

TargetMINIO / MYSQL

Extraction settings

Pairing Pathkeyboard-bucket/* / ...

키보드 데이터

Settings

키보드 공정 로그

Settings

Save Collector



Home

Content

Data Curation

Dataset

Policy

Labeling

AI Orchestration

P100,379,264

Zone / Acount

Labeling

1Dataset

키보드 검사 데이터

Latest2.0.1

Record2

2Policy

키캡 이미지용0.01

Classes3

Normal, Scratched, Damaged

추세 분석0.26

Classes4

Decrease, Increase, Pass, Reject

작업자 확인1.01

Classes2

Person name, Part name

불량 확인0.01

Classes2

Normal, Defective

+ Policy

Remove

Import Label Data

Start Labeling

키보드 사진

108

In Progress

108

rows

반응 속도

성능 분석 보고서

불량률

테스터 의견

1

108

rows

1

0.01

장시간 반복 타건(50만 회) 후 일부 스위...

2

Labeled

108

rows

1

0.06

LED 백라이트 균일도는 양호하나, F열...

키보드 사진

Image

Required | Size108X

		File name	Endpoint	Dimensions	Resolution	Camera Model	Exposure Time	ISO	Date, T
	1	key-0001-a.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Canon	1/1000	100	20
	2	Labeled	key-0002-b.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Sony	1/1000	20
	3	Labeled	key-0003-c.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Canon	1/1000	20
	4	Labeled	key-0004-d.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Canon	1/1000	20

Labeling

< 키보드 검사 데이터 Record 1 : 키보드 사진 key-0001-a.jpg (1/108)

Image

Text

Numeric

Validation Mode

+ 100% -

Issues

< Save >

Damaged

Damaged

Navigation

키보드 사진

108

in Progress

	File name	Endpoint	Dimensions	Resolution	Camera Model	Exposure Time	ISO	Date/Time	GPS Coordinates
1	key-0001-a.jpg	http://10.101.0.80:5000/oo/...	3000 × 3000	360	Canon	1/1000	100	2025.08.29.	37° 33' 59.4" N 126° 58' 4...
2	Labeled key-0002-b.jpg	http://10.101.0.80:5000/oo/...	3000 × 3000	360	Sony	1/1000	100	2025.08.29.	37° 33' 59.4" N 126° 58' 4...
3	Labeled key-0003-c.jpg	http://10.101.0.80:5000/oo/...	3000 × 3000	360	Canon	1/1000	100	2025.08.29.	37° 33' 59.4" N 126° 58' 4...

Classes

Elements

키캡 이미지용

Normal

1

Scratched

2

Damaged

3

Labels

1

Damaged

2

Damaged

Level 5

3

Damaged

Automated Labeling



Home

Content Operation

Data Curation

AI Orchestration

Model

Experiment

Analytics

P

100,379,264

Zone / Account

Experiment

< 1 / 1 >

↑₂ Modified

20 ▾

Items per page

≡ Filter

× Clear all

TestTraining

Commercial

Classification

Model

multimodal-test-model

Policy

이미지 분석용

Training Dataset

학습용 데이터셋

Test Dataset

테스트용 데이터셋

Training Accuracy

2

Test Accuracy

0.938

📄 키보드 사진 [108]

📊 반응 속도 [1]

📄 성능 분석 보고서 [1]

Training

Done 2

Error 1

Test

Done 1

Running 1

Information

Result

2025. 12. 12. 09:24:03

★ 1.01

Train Accuracy

0.938

Train Loss

0.417

Val Loss

0.292

Test Average Accuracy

0.938

Test Best Accuracy

0.981

2025. 12. 15. 10:07:22

Train Accuracy

0.938

Train Loss

0.417

Val Loss

0.292

Test Average Accuracy

-

Test Best Accuracy

-

+ Training



for AIOps

Home

Content Operation

Data Curation

AI Orchestration

Model

Experiment

Analytics

Experiment > TestTraining

Algorithm TypeCommercial

Inference TypeClassification

Modelmultimodal-test-model

Policy이미지 분석용

Training Set학습용 데이터셋

Test Set테스트용 데이터셋

2025. 12. 12. 09:24:03

Deployed 1.01

Training

Done▶

Set Versionv1

Accuracy0.938

Train Loss0.417

Val Loss0.292

100%

Test

Done▶

Set Versionv2

Accuracy0.938

Mean Confidence0.292

100%

Parameter

Name	Type	Value
batch_size	INT	50
imageSize	OBJECT	[256,256]

AugmentationNot Set

Hide Detail

2025. 12. 15. 15:39:21



Training

Error▶

Set Versionv1

Accuracy-

Train Loss-

Val Loss-

0%

Test

Set Version-

Accuracy-

Mean Confidence-

0%

View Detail

2025. 12. 11. 09:12:51

 0.01

Training

Run New Training



Running

TrainingTestDeployment

2025. 12. 12. 09:24:03

Training Result


Start Time2025. 12. 12. 09:24:03

Run byadmin

Training Summary

	Metric	Value
	 Accuracy	0.938
	 Train Loss	0.417
	 Val Loss	0.292

Training Progression



Error Message

Error Message Error Message Error Message

Import Records from Content Group

Select Content Group

Records Import

Filter

Clear all

Schema Mapping Overview

커스텀 콘텐츠 그룹

키보드사진

인사정보

첨부파일

마우스사진

태그

Test Dataset

키보드사진

인사정보

첨부파일

태그

A total of 2 records will be imported.

Import

Cancel

InputPicker

- Default
- With Title
- With Icon
- Disabled

LabeledField

- Default
- Vertical
- Required

Loader

- Default
- Primary Large

Progress

- Default
- With Value
- With Percent

Radio

- Default
- Checked
- Disabled

Select

- Default
- Disabled Option

SquaredLetter

- Default
- Square
- White

Stepper

- Default**
- Vertical

Switch

- Default
- Checked

↶ ⏏ 🖼 📄 🗑 📋

✓ Start — 2 Details — 3 Confirm — 4 Done

Controls 4 Actions Interactions

Name	Control
totalSteps*	4
currentStep*	2
labels	labels : [0 : "Start" 1 : "Detail" 2 : "Confirm" 3 : "Done"]
direction	horizontal vertical

Date

- Default
- With Value
- Full Width

Folder

- Default
- With Thumbnails
- Skeleton**

Icon

- Default
- Accent Large

Image

- Default
- Broken Link

Input

- Default
- Number Input
- Full Width
- Underline

InputPicker

- Default
- With Title
- With Icon
- Disabled

LabeledField

- Default
- Vertical
- Required

Loader

- Default
- Primary Large

Progress

- Default

↶ ⏏ 🖼 📄 🗑 📋

Controls 12 Actions Interactions

Name	Control
title*	Loading...
isSkeleton	False True
titleIcon	Set object
indicator	Set object
minItemsPerRow	Set number
gap	Set number

[Iris] Input Validation Specification

개요

담당자

내용

공통 사항

1. Name

2. Tag

3. Option

4. Description

5. Class

6. Element

7. Version

8. Range

개요

UI에서 입력 받는 모든 부분의 Frontend 스펙을 정리합니다.

담당자

@최동호 @김아람 @김준영 @손진식

내용

공통 사항

- 최소 입력이 있는 경우: (최소)-(최대) chars
- 최소 입력이 없는 경우: max (최대) chars

1. Name

- 범위
 - Content Group, Dataset, Policy 등 각 서비스의 메인 Content
- 스펙
 - 2-30자

- 허용 문자: 한글, 영문, 숫자, 공백, - , _
- 그 외 특수문자 금지
- Placeholder
 - 2-30 chars, -, _ allowed

2. Tag

- 범위
 - Tag
- 스펙
 - 1-10자
 - 최대 5개 입력 가능
 - 허용 문자: 한글, 영문, 숫자
 - 특수문자 및 공백 금지
 - 중복 불가
- Placeholder
 - max 5 tags, 1-10 chars, comma sep.

3. Option

- 범위
 - Select, Checkbox, Radio
- 스펙
 - 1-30자
 - 허용 문자: 한글, 영문, 숫자
 - 특수문자 금지
- Placeholder
 - 1-30 chars, comma sep.

4. Description

- 범위
 - Description(Text area)
- 스펙

[Iris] Content Management UI

- 담당자
- 정책
 - Filter 범위
 - 명칭
 - 기타
- 기능
 - Content group
 - Records
- 추가 기획 및 개발
 - 기획
 - 개발

담당자

- @손진식 @김나래 @정윤영 @최동호

정책

Filter 범위

1. Content group list
 - a. Name : Content Group Name
 - i. LIKE
 - b. Schema
 - i. Schema Name
 1. LIKE
 - ii. Schema Length
 1. 스키마 갯수
 2. GTE, LTE, EQ
 - iii. Schema Size (ERD에서 contentType로 결정했으므로 contentType로 합니다)
 1. 스키마에 선언된 가변/고정 사이즈 속성
 2. EQ
 - a. 가변 타입을 검색하려면 = 0 ?? → BE에서 분기 처리 해줘야 함
 - iv. Schema Type (ERD에서 contentType으로 결정했으므로 contentType로 합니다)
 1. content type 검색(IMAGE, TABULAR...)
 2. EQ

- v. Count: <=>
 - vi. Include: Schema type (1 depth only)
- c. Record → BE 구조상 불가
 - i. 해당 Content Group 안에 있는 레코드 수
 - d. Created Date
 - e. Modified Date
 - f. Created By
 - i. 생성자명
 - ii. LIKE
 - g. Tag
 - i. ALL


2. Record list
 - a. Record의 Length 필터링
 - i. Dataset 쪽에서 Content Group을 선택하고, 50개만/100개만 필터링해서 넣는다
 - b. Custom schema (e.g. Tag)
 - i. Schema의 content type이 custom속성일 경우 해당 값에 대한 검색
 - ii. 어떤 검색이 가능한지 검토해봐야 함
 - c. Schema size
 - i. 스키마에 선언된 가변/고정 사이즈 속성
 - ii. 검토

명칭

1. Schema size
 - a. Array의 Length를 의미하는 바.
 - i. 지금 퍼블리싱은 Number of Items... 작성 요청
 - b. Content group이나 Dataset의 용량 표기인 Size와 중복

기타

1. Tag
 - a. Content group에서 Tag 사용 여부 (Dataset에서 사용 예정)
 - i. 사용하기(List<String>)
 - ii. \$all operation 사용(리스트 안에 요소값을 and로 검색)



테스트용

Inspector

Dashboard

Inspection

Management

Inspector

Dashboard

Inspection

Management

Line group A 33

Line group B 999+

Line group C

All lines

All solutions

All models

All status

1/1

Filter

None

Image group ID	Single map ID	Target	Inspection progress	Line
L38EILLD3	01	9	0/9	Line 002
KG4BP1UX	01	4	1/4	Line 001

Single unique ID	Score	Solution	Model	Status
☐ P39SEDK9D004	0.48	vSolution-A	Model-01	In Inspection
☐ P39SEDK9D004	0.52	vSolution-A	Model-02	Incomplete
☐ P39SEDK9D101	0.49	vSolution-B	Model-03	Complete
☐ P39SEDK9D101	0.49	vSolution-A	Model-02	Incomplete

KG4BP1UX	02	21	1/21	Line 001
L38EILLD3	02	43	43/43	Line 002
L38EILLD3	03	32	32/32	Line 001
J3U78KL90	01	45	45/45	Line 002
J3U78KL90	03	30	30/30	Line 002
KG4BP1UX	02	45	45/45	Line 001
KG4BP1UX	05	30	30/30	Line 001

P39SEDK9D004


Score 0.48

Solution vSolution-A

Model Model-01

Image name groupA_line01_004.jpg

Status Complete



Defect

Accept

불량인 부분을 점으로 표시합니다.

영역이 큰 경우 여러 개의 점으로 표시합니다.

PASS P

FAIL F

NA N

테스트용

Inspector

Dashboard

Inspection

Management

100,379,264

Solution

Line group

Search by All

All status

Register solution

Filter

None

Solution	Inspection area	Creator	Created	Staus
vSolution-A	2	admin	2025/05/02 00:00:00	Not ready
vSolution-B	1	admin	2025/05/02 00:00:00	Ready
test	2	admin	2025/05/03 12:00:00	Not ready
testtest	1	admin	2025/05/03 12:00:00	Ready

vSolution-A

Area 2

Creator

admin

Created

2025/05/02 00:00:00

Used by

Line group A

Status

Not ready

areaName_01

Model

Model-A

Version

0.1

Criteria

0.6

Collection option

by Criteria

Training

Pipeline: test_pip...

Run

Update

No updates available

areaName_02

Model

Model-B

Version

1.0.1

Criteria

0.8

Collection option

All

Training

Schedule: Model A 배포 스케줄

Update

Failed to load


Add new area


A

ADC System

Event Storming

10. Context 매핑 (동기 방식 - Orchestration) : ver1.추론서버 있음





Icon

Domain

 Home  Material  Machine Learning  Ecosystem  Finance  Member  CS

Service

 Content  Dataset  Labeling  Model  Training  Test  Provision  Pipeline  Schedule  Usage  Payment  User  Account

 Permission  Report

Function

 Tagging  Create  Copy  Paste  Edit  Link / Modal  Pause  Run  Stop  Preprocess  Files  Folder  Deprecated

 Previous  Next  Up  Down  History  Export  Upload  Download  Save  Add  Remove  Cancel  Search

 Enlarge  View  Delete  Clear / Init  Check  Validated  Expand  Shrink  Reload  View mode  Fold  Unfold  Undo

 Redo  Guide  Points  Information  Cancel-sm  Up-sm  Down-sm  Plus  Minus

Labeling

 Selection  Bordered R.  Filled R.  Filled P.  Brush  P. Editing  Superpixel  S. Anything  Magic Wand  Eraser  Show All  Show Image  Show Labeling

 Brush S. Small  Brush S. Medium  Brush S. Large  Brush R. Small  Brush R. Medium  Brush R. Large

Pipeline

 Branch  Webhook  workflow  Default

<Dev>

1. fillRule="evenodd"

2. clipRule="evenodd"

Button

Function




`.btn` width: 2.5rem;
height: 2.5rem;
padding: 0.5rem;
border: 1px solid;
border-radius: 0.25rem;
font-size: 1rem;
line-height: 1.334rem;



`.btn.btn-w-auto` width: auto;
padding: 0.5rem 0.75rem;

Size



`.btn.btn-lg` width: 3rem;
height: 3rem;




`.btn.btn-sm` width: 2rem;
height: 2rem;
padding: 0.25rem;



`.btn .btn-xs` width: 1.334rem;
height: 1.334rem;
padding: 0.25rem;

Circle



`.btn-circle` border-radius: 9999px;

SVG



`.btn-svg`

Link



`.link-text`

Form

Text

Placeholder

Text

.form-input

Placeholder

Placeholder

.form-area

Select

.form-select

Text*

Text*

.form-p

Check / Radio / Switch / Range

☒ Checkbox

☐ Checkbox

☐ Checkbox

.pretty,p-svg,p-curve

☒ Radio

☐ Radio

☐ Radio

.pretty,p-default,p-round

☒ Switch

☐ Switch

.form-switch

.form-range

Tag

Tag

.form-tag

Title Text

Tag

Tag

.form-item-group

Progress

.form-progress

80%

100%


.progress-wrap .progress.completed

Color

.color-picker

.form-palette

.form-legend





Administrator Information

Please enter member information to manage the organization.

Organization Name

Up to 20 characters of English and numeric characters

✓

Only English and numbers can be entered.
Please enter an organization name similar to the company name.

Administrator Email (ID)

Email to be used as ID

✓

Email (ID) Authentication Number

Enter the verification number sent to your email

✓

Job Group

Please select your position

Password

At least 8 characters including numbers and special characters

Confirm Password

At least 8 characters including numbers and special characters

Administrator Name

Please enter your organization administrator name

Administrator Information

Please enter your department or title

- ☒ Agree to EZ Planet [Service Terms of Use](#)
- ☒ Agree to [Personal Information Collection and Usage](#)

Previous

Next

Report Template

Template

Content Setting

Section Type

Image

Image

-

Image Position

Fill

Fit

Caption

Caption

Content Type: Image

Status: Not Saved

Preview

Save

T

Section Type

Title

Section Type

Title

Report Test 2024. 12. 31

Section Type

Category

Metric Configuration

Chart

GPU Memory by Resource Type

Configuration Test Daily

Section Type

Image

Image Position

Image

IMG_2452.jpg

Fill

Section Type

Image


Caption

Image

-

-

브레인스토밍



포지셔닝 맵



사용자 분석 (Alice)



1.
Alice가 일하는곳은 정신없고
복잡하다. 여기서 여유로운
찾을수가 없다. 짧은 시간내에 낯선
사람들 앞에서 일을 하고 나면 쉬고
싶은 생각이 간절하다.



3. 멀리 가기엔 뭐지도 잘 모르고, 집 근처에서 가볍게 자주 이용할만한 곳이 필요하다. 지하철역에서 멀리 않은 곳을 찾아 보기로 한다.



2.
편하게 책도 읽고, 커피도 마시며
친구를 만나서 수다를 떨면서
스트레스 해소를 하고 싶다. 누구나
이용할 수 있는 자유로운 공간을
찾는다.



4. 시험도서관은 답답하고 좁다.
책카페는 눈치 보이고 비싸다. 책을
보다가 지겨우면 쇼핑도 하고
사람구경도 할수 있는곳이 있으면
좋겠다는 생각을 하곤 한다.

무드보드

