

Son Jinsik

Portfolio

dsmonitor — UI Health Monitoring Framework

측정 레이어 3단 흐름도 — 2026-05-07 기준





DSMonitor 리뷰

portal-gateway-web · UI 건강 상태 스냅샷

Summary

Code

8 섹션

Lighthouse

10 URL

Figma

6 섹션

LAYER 01 / CODE

측정 2026-05-07

소스코드 정적 분석

SCSS · TS · DS 사용 규칙이 코드에 어느 정도 반영되어 있나

DS 커버리지

• 기준 미달

72.4 %

DS 사용 441 / 전체 소비자 609

목표 ≥ 80%

DS 컴포넌트를 import 하는 파일 비율. 높을수록 좋음.

추세



↑ 상승 필요

금지 CSS 클래스 개수

• 기준 미달

984 건

bootstrap-utilities

982

tailwind-classes

2

↓ 감소 필요 · 기준 0 건. 파일별 Top 20 은 Code 탭에서 확인.

추세



↓ 감소 필요

TYPESCRIPT 마이그레이션

• 기준 미달

18.2 %

170 ts / 936 전체

목표 ≥ 90%

↑ 상승 필요 — 대부분 JS. 디렉토리별 분포는 Code 탭에서 확인 (Top: apps/ecosystem · apps/material · store).

추세



↑ 상승 필요

LAYER 02 / LIGHTHOUSE

측정 2026-05-06

런타임 품질

10개 관리자 페이지 · 각 3회 측정 median

PERFORMANCE 평균

• 기준 도달

90.4 / 100

10 URL · 3-run median · 범위 89.0 – 91.0

목표 ≥ 90

전체적으로 안정. 회귀 감시 용도로 관찰.

추세



N=1 · 다음 측정 대기

ACCESSIBILITY 평균

• 기준 미달

73.4 / 100

10 URL · 3-run median · 범위 66.0 – 81.0

목표 ≥ 90

최저 · material/content/management

66.0

↑ 컴포넌트 교체가 label · aria 개선으로 이어질 것으로 예상.

추세



↑ 상승 필요

BEST PRACTICES · SEO

• 기준 도달

Best Practices

96.0 / 100

10 URL · 3-run median

범위 96.0

SEO

99.2 / 100

10 URL · 3-run median

범위 92.0 – 100.0

두 지표 모두 임계치 이상. 직접 개선 대상 아님.

추세



N=1 · 다음 측정 대기

LAYER 03 / FIGMA

측정 2026-05-07

디자인 시스템 일치성

토론 · 컴포넌트 instance 가 코드에 얼마나 반영되어 있나

n8n 콘텐츠 자동화 파이프라인

워크플로우 4단계 흐름 — 2026.05 기준




AUTOMATED PUBLISHING

자동 발행 누적 결과

약 60건 자동 발행 · 4개월 안정 가동 (2026.02~)
초기 LLM 부하 오류를 크롤링·가공 단계 분리로 안정화

본 다이어그램 안내
본 다이어그램 = n8n 워크플로우 4단계 개념도.
각 단계의 실제 노드 흐름은 별도 시스템 흐름 다이어그램에서 자세히 안내.







for AIOps

Home

Content

Management

Upload

Data Curation

AI Orchestration

100,379,264

Zone / Acount

Management > Create content group

Filter

Clear all

Title of content group

커스텀 콘텐츠 그룹

Schema

키보드사진

Image

인사정보

CSV, TSV

첨부파일

Other files

마우스사진

Image

테이블예시

Table

태그

Text

+ Add column

마우스 사진

Image

File name

Text

File size

Text

Created

Text

Modified

Text

Owner

Text

Endpoint

Text

Dimensions

Number

Resolution

Number

Camera Model

Number

Exposure Time

Number

ISO

Number

Date/Time

Text

GPS Coordinates

Number

+ Add column

Required

Max

No limit

Save content group

Presets

Tip

To start, choose a.....

Image

File system metadata...

Dimensions

Resolution

Camera Model

Exposure Time

ISO

Date/Time

GPS Coordinates

CSV, TSV

File system metadata...

Number of Schema

Number of Rows

Delimiter

Encoding

Other files

File system metadata...

Table



for AIOps

Home

Content Operation

Content Group

Collector

Data Curation

AI Orchestration

P

100,379,264

Zone / Account

Management > 키보드 검사 데이터

Information

This content group is currently in the process of uploading content.

		키보드 사진	반응 속도	성능 분석 보고서	불량률	테스터 의견
	1	108	108 rows	1	1	1
	2	108	108 rows	1	1	1

Upload

Download

Filter

Delete



Home

Content

Management

Collector

Data Curation

AI Orchestration

P

100,379,264

Zone / Account

Scheduler

< 1 / 1 > ↑₂ Modified 20 ▾ Items per page

Filter × Clear all

Test-Scheduler--01

Running

Collector 3 Start Date 2025. 11. 19. End Date Not Set Time 12:00:00 Cycle 1 day(s)

This area is for displaying the Description. This Scheduler is for testing.

키보드 데이터 수집 스케줄러

Stop

Collector 1 Start Date 2025. 12. 01. End Date Not Set Time 14:30:00 Cycle 1 hour(s)

키보드 데이터를 수집하기 위한 스케줄러. 화면 리뷰를 위해 임시로 생성함. ★★ 일의 삭제 금지 ★★

+ Scheduler

Information

History

2025. 12. 01. 15:30:00 Done: 1, Fail: 1

마우스 데이터 수집 Done

키보드 데이터 수집 Fail

2025. 12. 01. 14:30:00 Done: 1, Fail: 1

마우스 데이터 수집 Done

키보드 데이터 수집 Fail



for AIOps

Home

Content

Management

Collector

Data Curation

AI Orchestration

P

100,379,264

Zone / Account



Collector < Create Collector

?

🔔

👤

Collector name

Collector name

Tag

Add up to 5 tags, each up to 20 characters.

Storage Location

External Data Repository

Schema

키보드

Connections

📄 키보드 보고서*

SourceMINIO

TargetMINIO / MYSQL

Collection filter

Pairing Pathkeyboard-bucket/* /...

📄 키보드 소개자료*

SourceMINIO

TargetMINIO / MYSQL

Collection filter

Pairing Pathkeyboard-bucket/* /...

📄 측정장비 데이터*

SourceMINIO

TargetMYSQL

Schema mapping

Pairing Columnfolder_path

📄 키보드 이미지*

Source키보드

TargetMINIO / MYSQL

Extraction settings

Pairing Pathkeyboard-bucket/* /...

📄 키보드 데이터*

Settings

📄 키보드 공정 로그

Settings

Save Collector



for AIOps

Home

Content

Data Curation

Dataset

Policy

Labeling

AI Orchestration

P

100,379,264

Zone / Account

1Dataset

키보드 검사 데이터

Latest2.0.1

Record2



2Policy

키캡 이미지용0.01

Classes3

Normal, Scratched, Damaged

추세 분석0.26

Classes4

Decrease, Increase, Pass, Reject

작업자 확인1.01

Classes2

Person name, Part name

불량 확인0.01

Classes2

Normal, Defective

+ Policy

Remove

Import Label Data

Start Labeling

키보드 사진

반응 속도

성능 분석 보고서

불량률

테스터 의견

1

108

In Progress

108 rows

1

0.01

장시간 반복 타건(50만 회) 후 일부 스위...

2

Labeled

108

108 rows

1

0.06

LED 백라이트 균일도는 양호하나, F열...

키보드 사진

Image

Required

Size108

X

		File name	Endpoint	Dimensions	Resolution	Camera Model	Exposure Time	ISO	Date, T
	1	key-0001-a.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Canon	1/1000	100	20
	2	Labeled	key-0002-b.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Sony	1/1000	20
	3	Labeled	key-0003-c.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Canon	1/1000	20
	4	Labeled	key-0004-d.jpg	http://10.101.0.80:5000/...	3000 × 3000	360	Canon	1/1000	20


Labeling < 키보드 검사 데이터 Record 1 : 키보드 사진 key-0001-a.jpg (1/108)

ImageTextNumericValidation Mode

+ 100% - Issues Save >

Damaged

Damaged



Navigation

키보드 사진

108in Progress

	File name	Endpoint	Dimensions	Resolution	Camera Model	Exposure Time	ISO	Date/Time	GPS Coordinates
1	key-0001-a.jpg	http://10.101.0.80:5000/oo/...	3000 × 3000	360	Canon	1/1000	100	2025.08.29.	37° 33' 59.4" N 126° 58' 4...
2	Labeled key-0002-b.jpg	http://10.101.0.80:5000/oo/...	3000 × 3000	360	Sony	1/1000	100	2025.08.29.	37° 33' 59.4" N 126° 58' 4...
3	Labeled key-0003-c.jpg	http://10.101.0.80:5000/oo/...	3000 × 3000	360	Canon	1/1000	100	2025.08.29.	37° 33' 59.4" N 126° 58' 4...

ClassesElements

키캡 이미지용

Normal1

Scratched2

Damaged3

Labels

1 Damaged

2 Damaged

Level 5

3 Damaged

Automated Labeling



Home

Content Operation

Data Curation

AI Orchestration

Model

Experiment

Analytics

P100,379,264

Zone / Account

Experiment

<1 / 1>

↑₂ Modified

20 Items per page

Filter

Clear all

TestTraining

CommercialClassification

Modelmultimodal-test-modelPolicy이미지 분석용Training Dataset학습용 데이터셋Test Dataset테스트용 데이터셋

Training Accuracy2Test Accuracy0.938

키보드 사진 [108]반응 속도 [1]성능 분석 보고서 [1]

TrainingDone 2Error 1TestDone 1Running 1

+ Training

InformationResult

2025. 12. 12. 09:24:031.01

Train Accuracy0.938

Train Loss0.417

Val Loss0.292

Test Average Accuracy0.938

Test Best Accuracy0.981

2025. 12. 15. 10:07:22

Train Accuracy0.938

Train Loss0.417

Val Loss0.292

Test Average Accuracy-

Test Best Accuracy-



for AIOps

Home

Content Operation

Data Curation

AI Orchestration

Model

Experiment

Analytics

100,379,264

Zone / Account

Experiment > TestTraining

Algorithm TypeCommercial

Inference TypeClassification

Modelmultimodal-test-model

Policy이미지 분석용

Training Set학습용 데이터셋

Test Set테스트용 데이터셋

2025. 12. 12. 09:24:03

Deployed 1.01

Training

Done▶

Test

Done▶

Set Versionv1

Set Versionv2

Accuracy0.938Train Loss0.417Val Loss0.292

Accuracy0.938Mean Confidence0.292

100%

100%

Parameter

Name	Type	Value
batch_size	INT	50
imageSize	OBJECT	[256,256]

AugmentationNot Set

Hide Detail

2025. 12. 15. 15:39:21

Training

Error▶

Test

Set Versionv1

Set Version-

Accuracy-Train Loss-Val Loss-

Accuracy-Mean Confidence-

0%

0%

View Detail

2025. 12. 11. 09:12:51

0.01

Training

Run New Training

Running

TrainingTestDeployment

2025. 12. 12. 09:24:03

Training Result

Start Time2025. 12. 12. 09:24:03

Run byadmin

Training Summary

	Metric	Value
	Accuracy	0.938
	Train Loss	0.417
	Val Loss	0.292

Training Progression

Error Message

Error Message Error Message Error Message

Import Records from Content Group

Select Content Group

Records Import

Filter

Clear all

Schema Mapping Overview

커스텀 콘텐츠 그룹

키보드사진

인사정보

첨부파일

마우스사진

태그

키보드사진

인사정보

첨부파일

태그

A total of 2 records will be imported.

Import

Cancel

InputPicker

- Default
- With Title
- With Icon
- Disabled

LabeledField

- Default
- Vertical
- Required

Loader

- Default
- Primary Large

Progress

- Default
- With Value
- With Percent

Radio

- Default
- Checked
- Disabled

Select

- Default
- Disabled Option

SquaredLetter

- Default
- Square
- White

Stepper

- Default**
- Vertical

Switch

- Default
- Checked

Start

2Details

3Confirm

4Done

Controls4

Actions

Interactions

Name	Control
totalSteps*	4
currentStep*	2
labels	labels : [0 : "Start" 1 : "Detail" 2 : "Confirm" 3 : "Done"]
direction	horizontal vertical

Date

- Default
- With Value
- Full Width

Folder

- Default
- With Thumbnails
- Skeleton**

Icon

- Default
- Accent Large

Image

- Default
- Broken Link

Input

- Default
- Number Input
- Full Width
- Underline

InputPicker

- Default
- With Title
- With Icon
- Disabled

LabeledField


- Default
- Vertical
- Required

Loader

- Default
- Primary Large

Progress

- Default



Controls12

Actions

Interactions

Name	Control
title*	Loading...
isSkeleton	False True
titleIcon	Set object
indicator	Set object
minItemsPerRow	Set number
gap	Set number

[Iris] Input Validation Specification

개요

담당자

내용

공통 사항

1. Name

2. Tag

3. Option

4. Description

5. Class

6. Element

7. Version

8. Range

개요

UI에서 입력 받는 모든 부분의 Frontend 스펙을 정리합니다.

담당자

@최동호 @김아람 @김준영 @손진식

내용

공통 사항

- 최소 입력이 있는 경우: (최소)-(최대) chars
- 최소 입력이 없는 경우: max (최대) chars

1. Name

- 범위
 - Content Group, Dataset, Policy 등 각 서비스의 메인 Content
- 스펙
 - 2-30자

- 허용 문자: 한글, 영문, 숫자, 공백, -, _
- 그 외 특수문자 금지
- Placeholder
 - 2-30 chars, -, _ allowed

2. Tag

- 범위
 - Tag
- 스펙
 - 1-10자
 - 최대 5개 입력 가능
 - 허용 문자: 한글, 영문, 숫자
 - 특수문자 및 공백 금지
 - 중복 불가
- Placeholder
 - max 5 tags, 1-10 chars, comma sep.

3. Option

- 범위
 - Select, Checkbox, Radio
- 스펙
 - 1-30자
 - 허용 문자: 한글, 영문, 숫자
 - 특수문자 금지
- Placeholder
 - 1-30 chars, comma sep.

4. Description

- 범위
 - Description(Text area)
- 스펙

[Iris] Content Management UI

- 담당자
- 정책
 - Filter 범위
 - 명칭
 - 기타
- 기능
 - Content group
 - Records
- 추가 기획 및 개발
 - 기획
 - 개발

담당자

- @손진식 @김나래 @정윤영 @최동호

정책

Filter 범위

1. Content group list
 - a. Name : Content Group Name
 - i. LIKE
 - b. Schema
 - i. Schema Name
 1. LIKE
 - ii. Schema Length
 1. 스키마 갯수
 2. GTE, LTE, EQ
 - iii. Schema Size (ERD에서 contentType로 결정했으므로 contentType로 합니다)
 1. 스키마에 선언된 가변/고정 사이즈 속성
 2. EQ
 - a. 가변 타입을 검색하려면 = 0 ?? → BE에서 분기 처리 해줘야 함
 - iv. Schema Type (ERD에서 contentType으로 결정했으므로 contentType로 합니다)
 1. content type 검색(IMAGE, TABULAR...)
 2. EQ

- v. Count: <=>
 - vi. Include: Schema type (1 depth only)
- c. Record → BE 구조상 불가
 - i. 해당 Content Group 안에 있는 레코드 수
 - d. Created Date
 - e. Modified Date
 - f. Created By
 - i. 생성자명
 - ii. LIKE
 - g. Tag
 - i. ALL


2. Record list
 - a. Record의 Length 필터링
 - i. Dataset 쪽에서 Content Group을 선택하고, 50개만/100개만 필터링해서 넣는다
 - b. Custom schema (e.g. Tag)
 - i. Schema의 content type이 custom속성일 경우 해당 값에 대한 검색
 - ii. 어떤 검색이 가능한지 검토해봐야 함
 - c. Schema size
 - i. 스키마에 선언된 가변/고정 사이즈 속성
 - ii. 검토

명칭

1. Schema size
 - a. Array의 Length를 의미하는 바.
 - i. 지금 퍼블리싱은 Number of Items... 작명 요청
 - b. Content group이나 Dataset의 용량 표기인 Size와 중복

기타

1. Tag
 - a. Content group에서 Tag 사용 여부 (Dataset에서 사용 예정)
 - i. 사용하기(List<String>)
 - ii. \$all operation 사용(리스트 안에 요소값을 and로 검색)



테스트용

Inspector

Dashboard

Inspection

Management

Inspector

Dashboard

Inspection

Management

Line group A 33

Line group B 999+

Line group C

All lines

All solutions

All models

All status

◀

1/1

▶

Filter

None

Image group ID	Single map ID	Target	Inspection progress	Line
L38EILLD3	01	9	0/9	Line 002
KG4BP1UX	01	4	1/4	Line 001

Single unique ID	Score	Solution	Model	Status
☐ P39SEDK9D004	0.48	vSolution-A	Model-01	In Inspection
☐ P39SEDK9D004	0.52	vSolution-A	Model-02	Incomplete
☐ P39SEDK9D101	0.49	vSolution-B	Model-03	Complete
☐ P39SEDK9D101	0.49	vSolution-A	Model-02	Incomplete

KG4BP1UX	02	21	1/21	Line 001
L38EILLD3	02	43	43/43	Line 002
L38EILLD3	03	32	32/32	Line 001
J3U78KL90	01	45	45/45	Line 002
J3U78KL90	03	30	30/30	Line 002
KG4BP1UX	02	45	45/45	Line 001
KG4BP1UX	05	30	30/30	Line 001

P39SEDK9D004


Score 0.48

Solution vSolution-A

Model Model-01

Image name groupA_line01_004.jpg

Status Complete



☐ Defect

☒ Accept

불량인 부분을 점으로 표시합니다.

영역이 큰 경우 여러 개의 점으로 표시합니다.

PASS P

FAIL F

NA N

The image displays a web application interface for managing solutions and inspection areas. The interface is divided into a left sidebar, a main content area, and a right sidebar.

Left Sidebar: Contains navigation icons and a menu with the following items: Inspector, Dashboard, Inspection, and Management.

Main Content Area:


- Top Navigation:** Two tabs, "Solution" (active) and "Line group".
- Search and Filter:** A search bar with "Search by All" and a dropdown menu for "All status". A "Register solution" button is also present.
- Table:** A table listing solutions with the following columns: Solution, Inspection area, Creator, Created, and Staus (Status).


Solution	Inspection area	Creator	Created	Staus
vSolution-A	2	admin	2025/05/02 00:00:00	Not ready
vSolution-B	1	admin	2025/05/02 00:00:00	Ready
test	2	admin	2025/05/03 12:00:00	Not ready
testtest	1	admin	2025/05/03 12:00:00	Ready

Right Sidebar:

- vSolution-A:** Details for the selected solution, including Creator (admin), Created (2025/05/02 00:00:00), Used by (Line group A), and Status (Not ready).
- Area 2:** A list of inspection areas for vSolution-A.
 - areaName_01:** Model-A, Version 0.1, Criteria 0.6, Collection option by Criteria, Training Pipeline: test_pip..., Update No updates available.
 - areaName_02:** Model-B, Version 1.0.1, Criteria 0.8, Collection option All, Training Schedule: Model A 배포 스케줄, Update Failed to load.
- Add new area:** A button to add a new inspection area.

10. Context 제팅 (동기 방식 - Orchestration) : var1, 추론서버 있음





Icon

Domain

-  Home
-  Material
-  Machine Learning
-  Ecosystem
-  Finance
-  Member
-  CS

Service

-  Content
-  Dataset
-  Labeling
-  Model
-  Training
-  Test
-  Provision
-  Pipeline
-  Schedule
-  Usage
-  Payment
-  User
-  Account
-  Permission
-  Report

Function

-  Tagging
-  Create
-  Copy
-  Paste
-  Edit
-  Link / Modal
-  Pause
-  Run
-  Stop
-  Preprocess
-  Files
-  Folder
-  Deprecated
-  Previous
-  Next
-  Up
-  Down
-  History
-  Export
-  Upload
-  Download
-  Save
-  Add
-  Remove
-  Cancel
-  Search
-  Enlarge
-  View
-  Delete
-  Clear / Init
-  Check
-  Validated
-  Expand
-  Shrink
-  Reload
-  View mode
-  Fold
-  Unfold
-  Undo
-  Redo
-  Guide
-  Points
-  Information
-  Cancel-sm
-  Up-sm
-  Down-sm
-  Plus
-  Minus

Labeling

-  Selection
-  Bordered R.
-  Filled R.
-  Filled P.
-  Brush
-  P. Editing
-  Superpixel
-  S. Anything
-  Magic Wand
-  Eraser
-  Show All
-  Show Image
-  Show Labeling
-  Brush S. Small
-  Brush S. Medium
-  Brush S. Large
-  Brush R. Small
-  Brush R. Medium
-  Brush R. Large

Pipeline

-  Branch
-  Webhook
-  workflow
-  Default

<Dev>

1. fillRule="evenodd"
2. clipRule="evenodd"

Button

Function





`.btn`

width: 2.5rem;
height: 2.5rem;
padding: 0.5rem;
border: 1px solid;
border-radius: 0.25rem;
font-size: 1rem;
line-height: 1.334rem;

`.btn.btn-w-auto`

width: auto;
padding: 0.5rem 0.75rem;

Text

Text

Size

`.btn.btn-lg`

width: 3rem;
height: 3rem;



`.btn.btn-sm`

width: 2rem;
height: 2rem;
padding: 0.25rem;



`.btn.btn-xs`

width: 1.334rem;
height: 1.334rem;
padding: 0.25rem;



Circle

`.btn-circle`

border-radius: 9999px;



SVG

`.btn-svg`



Link

`.link-text`

[Manual](#)[Manual](#)

Form

Text

Placeholder

Text

.form-input

Placeholder

Placeholder

.form-area

Select

.form-select

Text*

Text*

.form-p

Check / Radio / Switch / Range

☒ Checkbox

☐ Checkbox

☐ Checkbox

.pretty,p-svg,p-curve

☒ Radio

☐ Radio

☐ Radio

.pretty,p-default,p-round

☒ Switch

☐ Switch

.form-switch

.form-range

Tag

Tag

.form-tag

Title Text

Tag

Tag

.form-item-group

Progress

.form-progress

80%

100%


.progress-wrap .progress.completed

Color

.color-picker

.form-palette

.form-legend





Administrator Information

Please enter member information to manage the organization.

Organization Name

Up to 20 characters of English and numeric characters

✓

Only English and numbers can be entered.
Please enter an organization name similar to the company name.

Administrator Email (ID)

Email to be used as ID

✓

Email (ID) Authentication Number

Enter the verification number sent to your email

✓

Job Group

Please select your position

Password

At least 8 characters including numbers and special characters

Confirm Password

At least 8 characters including numbers and special characters


Administrator Name

Please enter your organization administrator name


Administrator Information

Please enter your department or title

- ✓ Agree to EZ Planet [Service Terms of Use](#)
- ✓ Agree to [Personal Information Collection and Usage](#)



브레인스토밍



포지셔닝 맵



사용자 분석 (Alice)



1. Alice가 일하는곳은 청신없고 복잡하다. 여기서 여유로운 찾을수가 없다. 뭘은 시간내에 낯선 사람들 앞에서 일을 하고 나면 쉬고 싶은 생각이 간절하다.



3. 멀리 가려면 위치도 잘 모르고, 접근지에서 가깝게 자주 이용할만한 곳이 필요하다. 지하철역에서 멀리 않은곳을 찾아 보기로 한다.



2. 편하게 책도 읽고, 커피도 마시며 친구를 만나서 수다를 떨면서 스트레스 해소를 하고 싶다. 누구나 이용할수 있는 자유로운 공간을 찾는다.



4. 시민도서관은 담당하고 즐겁다. 북카페는 눈치 보이고 비싸다. 책을 보다가 지겨우면 쇼룸도 하고 사람구경도 할수 있는곳이 있으면 좋겠다는 생각을 하곤 한다.

무드보드



