Public info gathering

Skill Level: Beginner **Prerequisites**: None - good starting point

OSINT resources

Copy

```
https://osintframework.com/
https://i-intelligence.eu/uploads/public-documents/OSINT_Handbook_2020.pdf
https://start.me/p/DPYPMz/the-ultimate-osint-collection
https://docs.google.com/spreadsheets/d/
18rtqh8EG2q1xBo2cLNyhIDuK9jrPGwYr9DI2UncoqJQ
https://cipher387.github.io/
```

OSINT websites

Copy

```
# Multipurpose
https://shodan.io/
https://censys.io/
https://onyphe.io/
https://app.netlas.io/
https://hunter.how/
https://fofa.so/
https://fullhunt.io/
https://www.zoomeye.org/
https://www.criminalip.io/
https://leakix.net/
https://www.yougetsignal.com/
https://intelx.io/
https://pentest-tools.com/
https://gofindwhois.com/
https://gofindwho.com/
```

Track website changes

https://visualping.io/

https://web.archive.org

Companies info

https://opencorporates.com/companies

Domain Recon

https://www.robtex.com/

https://centralops.net

https://viewdns.info/

https://phpinfo.me/domain

http://bgp.he.net/

https://bgpview.io/

https://suip.biz/

https://dnsdumpster.com/

https://www.whoxy.com/

http://ipv4info.com/

https://rapiddns.io/

https://myip.ms/

https://www.reversewhois.io/?

https://www.whoxy.com/reverse-whois/

https://reverse-whois.whoisxmlapi.com/api

https://host.io/dashboard

https://completedns.com/dns-history/

Analytics

```
https://mmhdan.herokuapp.com/
https://publicwww.com/
https://intelx.io/tools?tab=analytics
https://dnslytics.com/reverse-analytics
https://builtwith.com/
```

```
# Mailserver blacklists
http://multirbl.valli.org/
```

```
# Verify emails
https://tools.emailhippo.com/
```

```
# Dark web exposure
https://immuniweb.com/radar/
```

```
# New acquisitions
https://crunchbase.com/
```

```
# Public APIs
https://www.postman.com/explore/
https://rapidapi.com/
```

```
# APIs Recon
https://serene-agnesi-57a014.netlify.app/
```

```
# Exif Data
https://exif-viewer.com
```

General / AIO

Copy

```
# https://github.com/OWASP/Amass
# Get ASN
amass intel -org "whatever"
# Reverse whois
amass intel -active -asn NUMBER -whois -d domain.com
# SSL Cert Grabbing
amass enum -active -d example.com -cidr IF.YOU.GOT.THIS/24 -asn NUMBER
```

```
# https://github.com/smicallef/spiderfoot
spiderfoot -s domain.com
```

```
# https://github.com/j3ssie/Osmedeus
python3 osmedeus.py -t example.com
```

```
# https://github.com/thewhiteh4t/FinalRecon
python3 finalrecon.py --full https://example.com
```

```
# https://github.com/laramies/theHarvester
theHarvester -d domain.com -b all
```

```
# https://github.com/lanmaster53/recon-ng
```

```
recon-ng
```

Whois/Registrant Tools

Copy

```
# https://github.com/jpf/domain-profiler
./profile target.com
```

```
# Standard whois tool
whois
```

```
# Whoxy api
# https://www.whoxy.com/
# Whoxy clients
# https://github.com/MilindPurswani/whoxyrm
# https://github.com/vysecurity/DomLink
```

```
# Registrant's domains related
# https://github.com/harleo/knockknock
knockknock -n "companyORregistrant" -p
```

```
# Bulk whois
# https://github.com/melbadry9/WhoEnum
```

Dorks

GitHub - cipher387/Dorks-collections-list: List of Github repositories and articles with list of dorks for different search enginesGitHub

Google

Tools

Copy

```
# Google Dorks Cli
# https://github.com/six2dez/dorks_hunter
python3 dorks_hunter.py -d domain.com
```

```
# Google Dork builder
http://advangle.com/
```

Dorks

Copy

```
# Google dorks helper
https://dorks.faisalahmed.me/
# Ip search by dorking
https://0iq.me/gip/
```

```
# Code share sites
site:http://ideone.com | site:http://codebeautify.org | site:http://codeshare.io |
site:http://codepen.io | site:http://repl.it | site:http://jsfiddle.net "company"
# GitLab/GitHub/Bitbucket
site:github.com | site:gitlab.com | site:bitbucket.org "company"
# Stackoverflow
site:stackoverflow.com "target.com"
# Project management sites
site:http://trello.com | site:*.atlassian.net "company"
# Pastebin-like sites
site:http://justpaste.it | site:http://pastebin.com "company"
# Config files
```

```
site:target.com ext:xml | ext:conf | ext:cnf | ext:reg | ext:inf | ext:rdp | ext:cfg | ext:txt |
ext:ora | ext:env | ext:ini
# Database files
site:target.com ext:sql | ext:dbf | ext:mdb
# Backup files
site:target.com ext:bkf | ext:bkp | ext:bak | ext:old | ext:backup
# .git folder
inurl:"/.git" target.com -github
# Exposed documents
site:target.com ext:doc | ext:docx | ext:odt | ext:pdf | ext:rtf | ext:sxw | ext:psw | ext:ppt |
ext:pptx | ext:pps | ext:csv
# Other files
site:target.com intitle:index.of | ext:log | ext:php intitle:phpinfo "published by the PHP
Group" | inurl:shell | inurl:backdoor | inurl:wso | inurl:cmd | shadow | passwd | boot.ini |
inurl:backdoor | inurl:readme | inurl:license | inurl:install | inurl:setup | inurl:config |
inurl:"/phpinfo.php" | inurl:".htaccess" | ext:swf
# SQL errors
site:target.com intext:"sql syntax near" | intext:"syntax error has occurred" |
intext:"incorrect syntax near" | intext:"unexpected end of SQL command" |
intext:"Warning: mysql_connect()" | intext:"Warning: mysql_query()" | intext:"Warning:
pg_connect()"
# PHP errors
site:target.com "PHP Parse error" | "PHP Warning" | "PHP Error"
# Login pages
site:target.com inurl:signup | inurl:register | intitle:Signup
# Open redirects
site:target.com inurl:redir | inurl:url | inurl:redirect | inurl:return | inurl:src=http |
inurl:r=http
# Apache Struts RCE
site:target.com ext:action | ext:struts | ext:do
# Search in pastebin
```

```
site:pastebin.com target.com
# Linkedin employees
site:linkedin.com employees target.com
# Wordpress files
site:target.com inurl:wp-content | inurl:wp-includes
# Subdomains
site:*.target.com
# Sub-subdomains
site:*.*.target.com
#Find S3 Buckets
site:.s3.amazonaws.com | site:http://storage.googleapis.com | site:http://amazonaws.com
"target"
# Traefik
intitle:traefik inurl:8080/dashboard "target"
# Jenkins
intitle:"Dashboard [Jenkins]"
```

```
# Other 3rd parties sites
https://www.google.com/search?
q=site%3Agitter.im%20%7C%20site%3Apapaly.com%20%7C%20site%3Aproductforums.g
oogle.com%20%7C%20site%3Acoggle.it%20%7C%20site%3Areplt.it%20%7C%20site%3Ay
combinator.com%20%7C%20site%3Alibraries.io%20%7C%20site%3Anpm.runkit.com%20%
7C%20site%3Anpmjs.com%20%7C%20site%3Ascribd.com%20%22united%22
# Backup files
https://www.google.com/search?
q=site%3Aunited.com%20ext%3Abkf%20%7C%20ext%3Abkp%20%7C%20ext%3Abak%20
%7C%20ext%3Aold%20%7C%20ext%3Abackup
# Login pages
```

https://www.google.com/search?q=site%3Aunited.com%20inurl%3Asignup%20%7C%20inurl%3Aregister%20%7C%20intitle%3ASignup

Config files

https://www.google.com/search?q=site%3Aunited.com%20ext%3Axml%20%7C%20ext%3Aconf%20%7C%20ext%3Acnf%20%7C%20ext%3Areg%20%7C%20ext%3Ainf%20%7C%20ext%3Ardp%20%7C%20ext%3Acfg%20%7C%20ext%3Atxt%20%7C%20ext%3Aora%20%7C%20ext%3Aenv%20%7C%20ext%3Aini

.git folder

https://www.google.com/search?q=inurl%3A%5C%22%2F.git%5C%22%20united.com%20-github

Database files

https://www.google.com/search?q=site%3Aunited.com%20ext%3Asql%20%7C%20ext%3Adbf%20%7C%20ext%3Amdb

Open redirects

https://www.google.com/search?q=site%3Aunited.com%20inurl%3Aredir%20%7C%20inurl%3Aurl%20%7C%20inurl%3Aredirect%20%7C%20inurl%3Areturn%20%7C%20inurl%3Asrc%3Dhttp%20%7C%20inurl%3Ar%3Dhttp

Code share sites

https://www.google.com/search?q=site%3Asharecode.io%20%7C%20site%3Acontrolc.com%20%7C%20site%3Acodepad.co%20%7Csite%3Aideone.com%20%7C%20site%3Acodebeautify.org%20%7C%20site%3Ajsdelivr.com%20%7C%20site%3Acodeshare.io%20%7C%20site%3Acodepen.io%20%7C%20site%3Arepl.it%20%7C%20site%3Ajsfiddle.net%20%22united%22

Pastebin-like sites

https://www.google.com/search?q=site%3Ajustpaste.it%20%7C%20site%3Aheypasteit.com%20%7C%20site%3Apastebin.com%20%22united%22

Linkedin employees

```
https://www.google.com/search?q=site%3Alinkedin.com%20employees%20united.com
# Project management sites
https://www.google.com/search?
q=site%3Atrello.com%20%7C%20site%3A*.atlassian.net%20%22united%22
# Other files
https://www.google.com/search?
q=site%3Aunited.com%20intitle%3Aindex.of%20%7C%20ext%3Alog%20%7C%20ext%3Ap
hp%20intitle%3Aphpinfo%20%5C%22published%20by%20the%20PHP%20Group%5C%22
%20%7C%20inurl%3Ashell%20%7C%20inurl%3Abackdoor%20%7C%20inurl%3Awso%20%
7C%20inurl%3Acmd%20%7C%20shadow%20%7C%20passwd%20%7C%20boot.ini%20%7
C%20inurl%3Abackdoor%20%7C%20inurl%3Areadme%20%7C%20inurl%3Alicense%20%7
C%20inurl%3Ainstall%20%7C%20inurl%3Asetup%20%7C%20inurl%3Aconfig%20%7C%20i
nurl%3A%5C%22%2Fphpinfo.php%5C%22%20%7C%20inurl%3A%5C%22.htaccess%5C%2
2%20%7C%20ext%3Aswf
# Sub-subdomains
https://www.google.com/search?q=site%3A*.*.united.com
# Jenkins
https://www.google.com/search?
q=intitle%3A%5C%22Dashboard%20%5BJenkins%5D%5C%22%20%22united%22
# Traefik
https://www.google.com/search?
q=intitle%3Atraefik%20inurl%3A8080%2Fdashboard%20%22united%22
# Cloud buckets S3/GCP
https://www.google.com/search?
q=site%3A.s3.amazonaws.com%20%7C%20site%3Astorage.googleapis.com%20%7C%20s
ite%3Aamazonaws.com%20%22united%22
# SQL errors
```

```
https://www.google.com/search?
q=site%3Aunited.com%20intext%3A%5C%22sql%20syntax%20near%5C%22%20%7C%20
intext%3A%5C%22syntax%20error%20has%20occurred%5C%22%20%7C%20intext%3A%
5C%22incorrect%20syntax%20near%5C%22%20%7C%20intext%3A%5C%22unexpected%
20end%20of%20SQL%20command%5C%22%20%7C%20intext%3A%5C%22Warning%3A%
20mysql_connect()
%5C%22%20%7C%20intext%3A%5C%22Warning%3A%20mysql_query()
%5C%22%20%7C%20intext%3A%5C%22Warning%3A%20pg_connect()%5C%22
# Exposed documents
https://www.google.com/search?
q=site%3Aunited.com%20ext%3Adoc%20%7C%20ext%3Adocx%20%7C%20ext%3Aodt%2
0%7C%20ext%3Apdf%20%7C%20ext%3Artf%20%7C%20ext%3Asxw%20%7C%20ext%3A
psw%20%7C%20ext%3Appt%20%7C%20ext%3Apptx%20%7C%20ext%3Apps%20%7C%2
0ext%3Acsv
# Wordpress files
https://www.google.com/search?q=site%3Aunited.com%20inurl%3Awp-
content%20%7C%20inurl%3Awp-includes
# Apache Struts RCE
https://www.google.com/search?
q=site%3Aunited.com%20ext%3Aaction%20%7C%20ext%3Astruts%20%7C%20ext%3Ado
# GitLab/GitHub/Bitbucket
https://www.google.com/search?
q=site%3Agithub.com%20%7C%20site%3Agitlab.com%20%7C%20site%3Abitbucket.org%
20%22united%22
# Subdomains
https://www.google.com/search?q=site%3A*.united.com
# Stackoverflow
https://www.google.com/search?q=site%3Astackoverflow.com%20%22united.com%22
# PHP errors
```

```
https://www.google.com/search?q=site%3Aunited.com%20%5C%22PHP%20Parse%20error%5C%22%20%7C%20%5C%22PHP%20Warning%5C%22%20%7C%20%5C%22PHP%20Error%5C%22
```

GitHub

Tools

Copy

```
#https://github.com/obheda12/GitDorker
python3 GitDorker.py -tf ~/Tools/.github_tokens -q united.com -p -ri -d Dorks/medium_dorks.txt
```

Dorks

Copy

```
".mlab.com password"
"access_key"
"access_token"
"amazonaws"
"api.googlemaps AIza"
"api_key"
"api_secret"
"apidocs"
"apikey"
"apiSecret"
"app_key"
"app_secret"
"appkey"
"appkeysecret"
"application_key"
"appsecret"
"appspot"
"auth"
```

"auth_token"

"authorizationToken"

"aws_access"

"aws_access_key_id"

"aws_key"

"aws_secret"

"aws_token"

"AWSSecretKey"

"bashrc password"

"bucket_password"

"client_secret"

"cloudfront"

"codecov_token"

"config"

"conn.login"

"connectionstring"

"consumer_key"

"credentials"

"database_password"

"db_password"

"db_username"

"dbpasswd"

"dbpassword"

"dbuser"

"dot-files"

"dotfiles"

"encryption_key"

"fabricApiSecret"

"fb_secret"

"firebase"

"ftp"

"gh_token"

"github_key"

"github_token"

"gitlab"

"gmail_password"

"gmail_username"

"herokuapp"

"internal"

"irc_pass"

"JEKYLL_GITHUB_TOKEN"

"key"

"keyPassword"

"ldap_password"

"ldap_username"

"login"

"mailchimp"

"mailgun"

"master_key"

"mydotfiles"

"mysql"

"node_env"

"npmrc _auth"

"oauth_token"

"pass"

"passwd"

"password"

"passwords"

"pem private"

"preprod"

"private_key"

"prod"

```
"pwd"
"pwds"
"rds.amazonaws.com password"
"redis_password"
"root_password"
"secret"
"secret.password"
"secret_access_key"
"secret_key"
"secret_token"
"secrets"
"secure"
"security_credentials"
"send.keys"
"send_keys"
"sendkeys"
"SF_USERNAME salesforce"
"sf_username"
"site.com" FIREBASE_API_JSON=
"site.com" vim_settings.xml
"slack_api"
"slack_token"
"sql_password"
"ssh"
"ssh2_auth_password"
"sshpass"
"staging"
"stg"
"storePassword"
"stripe"
"swagger"
```

"testuser"

"token"

"x-api-key"

"xoxb "

"xoxp"

Jenkins

OTP

oauth

authoriztion

password

pwd

ftp

dotfiles

JDBC

key-keys

send_key-keys

send,key-keys

token

user

login-singin

passkey-passkeys

pass

secret

SecretAccessKey

app_AWS_SECRET_ACCESS_KEY AWS_SECRET_ACCESS_KEY

credentials

config

security_credentials

connectionstring

ssh2_auth_password

DB_PASSWORD

[WFClient] Password= extension:ica

access_key

bucket_password

dbpassword

dbuser

extension:avastlic "support.avast.com"

extension:bat

extension:cfg

extension:env

extension:exs

extension:ini

extension:json api.forecast.io

extension:json googleusercontent client_secret

extension:json mongolab.com

extension:pem

extension:pem private

extension:ppk

extension:ppk private

extension:properties

extension:sh

extension:sls

extension:sql

extension:sql mysql dump

extension:sql mysql dump password

extension:yaml mongolab.com

extension:zsh

filename:.bash_history

filename:.bash_history DOMAIN-NAME

filename:.bash_profile aws

filename:.bashrc mailchimp

filename:.bashrc password

filename:.cshrc

filename:.dockercfg auth

filename:.env DB_USERNAME NOT homestead

filename:.env MAIL_HOST=smtp.gmail.com

filename:.esmtprc password

filename:.ftpconfig

filename:.git-credentials

filename:.history

filename:.htpasswd

filename:.netrc password

filename:.npmrc _auth

filename:.pgpass

filename:.remote-sync.json

filename:.s3cfg

filename:.sh_history

filename:.tugboat NOT _tugboat

filename:_netrc password

filename:apikey

filename:bash

filename:bash_history

filename:bash_profile

filename:bashrc

filename:beanstalkd.yml

filename:CCCam.cfg

filename:composer.json

filename:config

filename:config irc_pass

filename:config.json auths

filename:config.php dbpasswd

filename:configuration.php JConfig password

filename:connections

filename:connections.xml

filename:constants

filename:credentials

filename:credentials aws_access_key_id

filename:cshrc

filename:database

filename:dbeaver-data-sources.xml

filename:deployment-config.json

filename:dhcpd.conf

filename:dockercfg

filename:environment

filename:express.conf

filename:express.conf path:.openshift

filename:filezilla.xml

filename:filezilla.xml Pass

filename:git-credentials

filename:gitconfig

filename:global

filename:history

filename:htpasswd

filename:hub oauth_token

filename:id_dsa

filename:id_rsa

filename:id_rsa or filename:id_dsa

filename:idea14.key

filename:known_hosts

filename:logins.json

filename:makefile

filename:master.key path:config

filename:netrc

filename:npmrc

filename:pass

filename:passwd path:etc

filename:pgpass

filename:prod.exs

filename:prod.exs NOT prod.secret.exs

filename:prod.secret.exs

filename:proftpdpasswd

filename:recentservers.xml

filename:recentservers.xml Pass

filename:robomongo.json

filename:s3cfg

filename:secrets.yml password

filename:server.cfg

filename:server.cfg rcon password

filename:settings

filename:settings.py SECRET_KEY

filename:sftp-config.json

filename:sftp-config.json password

filename:sftp.json path:.vscode

filename:shadow

filename:shadow path:etc

filename:spec

filename:sshd_config

filename:token

filename:tugboat

filename:ventrilo_srv.ini

filename:WebServers.xml

filename:wp-config

filename:wp-config.php

filename:zhrc

HEROKU_API_KEY language:json

```
HEROKU_API_KEY language:shell
HOMEBREW_GITHUB_API_TOKEN language:shell
jsforce extension:js conn.login
language:yaml -filename:travis
msg nickserv identify filename:config
org:Target "AWS_ACCESS_KEY_ID"
org:Target "list_aws_accounts"
org:Target "aws_access_key"
org:Target "aws_secret_key"
org:Target "bucket_name"
org:Target "S3_ACCESS_KEY_ID"
org:Target "S3_BUCKET"
org:Target "S3_ENDPOINT"
org:Target "S3_SECRET_ACCESS_KEY"
password
path:sites databases password
private -language:java
PT_TOKEN language:bash
redis_password
root_password
secret_access_key
SECRET_KEY_BASE=
shodan_api_key language:python
WORDPRESS_DB_PASSWORD=
xoxp OR xoxb OR xoxa
s3.yml
.exs
beanstalkd.yml
deploy.rake
.sls
_ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ _ -BASH — — — — — — — — — —
```

language:bash password

language:bash pwd

language:bash ftp

language:bash dotfiles

language:bash JDBC

language:bash key-keys

language:bash send_key-keys

language:bash send,key-keys

language:bash token

language:bash user

language:bash login-singin

language:bash passkey-passkeys

language:bash pass

language:bash secret

language:bash credentials

language:bash config

language:bash security_credentials

language:bash connectionstring

language:bash ssh2_auth_password

– – – – – – – – – – – – – – – – – – – -PYTHON — — — — — — — — —

language:python password

language:python pwd

language:python ftp

language:python dotfiles

language:python JDBC

language:python key-keys

language:python send_key-keys

language:python send,key-keys

language:python token

language:python user

language:python login-singin

```
language:python passkey-passkeys
language:python pass
language:python secret
language:python credentials
language:python config
language:python security_credentials
language:python connectionstring
language:python ssh2_auth_password
```

```
org:facebookresearch https://
org:facebookresearch http://
org:facebookresearch ldap
org:facebookresearch ftp
org:facebookresearch sftp
org:facebookresearch host:
org:facebookresearch login
```

Shodan

Dorks

Copy

```
port:"9200" elastic
product:"docker"
product:"kubernetes"
hostname:"target.com"
host:"10.10.10.10"
# Spring boot servers, look for /env or /heapdump
org:YOUR_TAGET http.favicon.hash:116323821
```

ASN/CIDR Tools

Copy

```
# Company string name to CIDR
# https://github.com/dhn/spk
spk -json -s "Google"

# Versatile tool with multiple input options and output formats
# https://github.com/projectdiscovery/asnmap
asnmap -i 1.3.3.7 -org GOOGLE -d facebook.com,twitter.com -a AS394161

# https://github.com/nitefood/asn
asn -n 8.8.8.8

# https://github.com/j3ssie/metabigor
echo "company" | metabigor net --org
echo "ASN1111" | metabigor net --asn

# https://github.com/yassineaboukir/Asnlookup
python asnlookup.py -m -o <Organization>

# https://github.com/harleo/asnip
asnip -t domain.com -p

# https://github.com/projectdiscovery/mapcidr
echo 10.10.10.0/24 | mapcidr

# https://github.com/eslam3kl/3klector
python 3klector.py -t company

# https://github.com/SpiderLabs/HostHunter
python3 hosthunter.py targets.txt

# Website (with API)
https://asnlookup.com/
```

Credentials leaks

Copy

```
# pwndb
# https://github.com/davidtavarez/pwndb
python3 pwndb.py --target asd@asd.com

# Websites
https://link-base.org/index.php
http://xjypo5vzgmo7jca6b322dnqbsdnp3amd24ybx26x5nxbusccjkm4pwid.onion/
http://pwndb2am4tzkvold.onion
https://weleakinfo.to/
https://www.dehashed.com/search?query=
https://haveibeenpwned.com
https://breachchecker.com
https://vigilante.pw/
https://leak.sx/
https://intelx.io
https://search.illicit.services/
https://breachdirectory.org/

breachdirectory.org + (hashes.com || md5decrypt.net || crackstation.net)# Nice
combination

# Check hashes with this tool
https://github.com/jackrendor/jhf
```

Email tools

Copy

```
# https://github.com/SimplySecurity/SimplyEmail
./SimplyEmail.py
```

```
pip3 install mailspoof
sudo mailspoof -d domain.com

# Test email spoof
https://emkei.cz/

# Find emails in an org
https://hunter.io
https://snov.io/email-finder
https://app.snov.io/domain-search
https://hunter.io/

# https://github.com/sham00n/buster
buster -e target@example.com

# https://github.com/m4ll0k/Infoga
python infoga.py

# https://github.com/martinvigo/email2phonenumber
python email2phonenumber.py scrape -e target@email.com

# https://github.com/jkakavas/creepy/

# https://github.com/Josue87/EmailFinder
emailfinder -d domain.com

# https://github.com/laramies/theHarvester
python3 theHarvester.py -d domain.com -b "linkedin"
```

GIT tools

Copy

```
# https://github.com/obheda12/GitDorker
python3 GitDorker.py -tf TOKENSFILE -q tesla.com -d dorks/DORKFILE -o target
```

```
# https://github.com/dxa4481/truffleHog
trufflehog https://github.com/Plazmaz/leaky-repo
trufflehog --regex --entropy=False https://github.com/Plazmaz/leaky-repo
```

```
# https://github.com/eth0izzle/shhgit
shhgit --search-query AWS_ACCESS_KEY_ID=AKIA
```

```
# https://github.com/d1vious/git-wild-hunt
python git-wild-hunt.py -s "extension:json filename:creds language:JSON"
```

```
# https://shhgit.darkport.co.uk/
```

```
# GitLab (API token required)
# https://github.com/codeEmitter/token-hunter
./token-hunter.py -g 123456
```

Metadata

Copy

```
# https://github.com/Josue87/MetaFinder
metafinder -d "domain.com" -l 10 -go -bi -ba -o united
```

Social Media

Copy

```
# General
https://analystresearchtools.com/
```

```
# Twitter
# https://github.com/twintproject/twint
twint -u username
```

```
# Google account
# https://github.com/mxrch/ghunt
python hunt.py myemail@gmail.com
```

```
# Instagram
# https://github.com/th3unkn0n/osi.ig
python3 main.py -u username
```

```
# Public GDrive docs
https://www.dedigger.com/#gsc.tab=0
```

```
# Websites
emailrep.io # Accounts registered by email
tinfoleak.com # Twitter
mostwantedhf.info # Skype
searchmy.bio # Instagram
search.carrot2.org # Results grouped by topic
boardreader.com # forums
searchcode.com # search by code in repositories
swisscows.com # semantic search engine
publicwww.com # search by source page code
psbdmp.ws # search in pastebin
```

```
kribrum.io # social-media search engine
whatsmyname.app
```