Press enter image in full size

12+ MUST Know Google Dorking Commands in 2026

.

Feb 20, 2026

I always wondered how cybersecurity professionals can identify all these vulnerabilities in systems. How can they find sensitive files and information? After a bit of research, I realized that **Google Dorking** made that possible. Let’s explore more than 12 Google Dorking commands!

What is Google Dorking? How is it used in cybersecurity?

Google Dorking utilizes search operators to locate specific information on the internet. In the realm of cybersecurity, this

tool is extremely useful for reconnaissance to search for vulnerabilities. They can expose information such as:

•Leaked Passwords
•Web Vulnerabilities
•Exposed Databases
•Log Files

This article will dive into a variety of Google Dorking commands. QUICK REMINDER: These commands are for learning purposes. They should not be used maliciously.

Valuable Google Dorking Commands:

1.**Admin Panels:**

```
site:website.com inurl:admin
```

The site refers to the website we are targeting. Inurl checks whether the URL contains the specified keyword. This command allows us to see any vulnerabilities related to the admin.

2. Lists of Emails:

```
for filetype:txt inurl:"email.txt"
```

Filetype searches for a specific file that is mentioned. The query above searches for txt files that include emails. This is valuable for reconnaissance to identify targets' email addresses.

3. Login Pages:

```
site:starbucks.com intitle:login
```

Intitle checks to see if the keyword, in this case — login, is in the title. The query listed above searches for Starbucks websites that have login in their name. This is useful for finding different login pages, and who knows — one may be vulnerable.

4. LinkedIn Page:

```
site:linkedin.com intext:"person-name-here"
```

This query can search for information about the target. The target could have listed their work experiences and other personal information.

5. Confidential Files:

Pressenter or click to view image in full size

Press enter or click to view image in full size

```
site:website.com intext:"confidential"
```

Anything that has the word confidential and is related to the website would be shown. Secret information can be collected using this technique.

6. Username Logs:

```
"username" ext:log
```

Ext aids in finding a specific file type. This query is beneficial for locating log files with usernames.

```
2021-03-25 00:53:46,660 TRACE [org.wildfly.security.http.servlet] (default task-2) Created ServletSecurityContextImpl enableJapi=true, integratedJaspi=true,
applicationContext=default-host /21c/oma
2021-03-25 00:53:46,660 TRACE [org.wildfly.security.http.servlet] (default task-2) No AuthConfigProvider for layer=HttpServlet, appContext=default-host /21c/oma
2021-03-25 00:53:46,660 TRACE [org.wildfly.security.http.servlet] (default task-2) JASPIC Unavailable, using HTTP authentication.
2021-03-25 00:53:46,662 TRACE [org.wildfly.security] (default task-2) Created HttpServerAuthenticationMechanism
[org.wildfly.security.http.util.SecurityIdentityServerMechanismFactory$1@386fb6d1] for mechanism [BASIC]
2021-03-25 00:53:46,663 TRACE [org.wildfly.security] (default task-2) Created HttpServerAuthenticationMechanism
[org.wildfly.security.http.util.SecurityIdentityServerMechanismFactory$1@53b13147] for mechanism [SPNEGO]
2021-03-25 00:53:46,663 TRACE [org.wildfly.security] (default task-2) Handling MechanismInformationCallback type='HTTP' name='BASIC' host-name='s9121v044.ikksw.local'
protocol='http'
2021-03-25 00:53:46,664 TRACE [org.wildfly.security] (default task-2) Handling AvailableRealmsCallback: realms = [ApplicationRealm]
2021-03-25 00:53:46,664 DEBUG [org.wildfly.security.http.password] (default task-2) Username authentication. Realm: [ApplicationRealm], Username: [kwadmin].
2021-03-25 00:53:46,664 TRACE [org.wildfly.security] (default task-2) Handling RealmCallback: selected = [ApplicationRealm]
2021-03-25 00:53:46,665 TRACE [org.wildfly.security] (default task-2) Handling NameCallback: authenticationName = kwadmin
2021-03-25 00:53:46,665 TRACE [org.wildfly.security] (default task-2) Principal assigning: [kwadmin], pre-realm rewritten: [kwadmin], realm name: [kerberosRealm], post-realm
rewritten: [kwadmin], realm rewritten: [kwadmin]
```

7. Vulnerable Servers:

```
intitle:"FileCatalyst file transfer solution"
```

Press enter

This could find vulnerable servers.

8. HTTP Websites:

```
intitle:"index of" inurl:http after:2015
```

Vulnerable HTTP websites could be found by using this query.



click to view image in full size

9. Interesting Information:

```
site:website.com inurl:invoice
```

Press enter or click to view image in full size

This could be used to find interesting information regarding invoices.

10. Locate Person’s Socials:

```
nameOfPerson site:socialMedia.com
```

This could be used to find a person’s socials on the specified social media website.



11. Spreadsheet of Data:

```
filetype:csv intext:"email" "phone"
```

Emails and phone numbers would be in the spreadsheet as shown below:

Name	Title	Email	Phone	Alt Phone	Fax	Helpful Li	Address 1	Address 1	Address 1	Address 1	Address 2	Address 2
Animal Product Impo		api[redacted]	301-[redacted]				Mailing[redacted]	g	5601[redacted]	el[redacted]	MD[redacted]	
Live Animal Import a		laie[redacted]	301-[redacted]									
Live Animal Import F		laip[redacted]	301-[redacted]									
Division of Agricultu		das[redacted]	301-[redacted]		301-[redacted]	https://www.selectagents.gov/						

12. SQL Dumps:

```
filetype:sql "dump" "password"
```

Here is another command used to find passwords, this time in SQL dumps.

13. Vulnerable Webservers:

```
inurl:email.xls ext:xls
```

This is a command to obtain insecure websites. This vulnerability allows people to gain unauthorized access to web servers.

Thank you for reading this blog! I hope I helped you in your cybersecurity journey. Feel free to check out my insights on AI in cybersecurity: https://medium.com/@0xtruffles/ai-will-revolutionize-cybersecurity-heres-why-a42fc7e1335a?postPublishedType=repub

Press enter or click to view image in full size