

# Tongji University, Web Programming

## Homework Assignment 3: Speedreader

This assignment tests your understanding of JavaScript and its interaction with HTML user interfaces. You must match the appearance and behavior of the following web page:

The screenshot shows a web application titled "SpeedReader" on a light blue background. At the top is a large, empty rectangular box for text. Below this box are three sections: "Play Controls:" with "Start" and "Stop" buttons; "Speed:" with a dropdown menu showing "350 wpm"; and "Size:" with three radio buttons labeled "Medium", "Big", and "Bigger", where "Medium" is selected. Below these controls is a section titled "Input Text" followed by a large, empty rectangular box for user input. A small icon of two parallel lines is visible in the bottom right corner of the input box.

Everyone wishes they could read faster. One method for doing so is called Rapid Serial Visual Presentation (RSVP). RSVP is based on three observations:

1. Using your finger or some other pointing device to train your eyes and focus while reading increases speed.
2. Eliminating subvocalization, internally speaking words while reading them, can dramatically increase your reading speed.
3. Speed reading skills rely on the reader's discipline to develop good reading habits, and it is easy for a reader to learn "the wrong way" and thus never seen the purported benefits of speed reading.

Computer programs are a great help in this area as they force readers to accurately do one and two while avoiding three. RSVP programs do this by presenting words to the reader in quick succession. Therefore, the reader is only able to focus on a single word at a time. And furthermore, the words appear at such a speed that the reader is unable to subvocalize like normal.

Your first task is to create a page [speedreader.html](#) with a user interface (UI) for speed reading. No skeleton files are provided. Your page should link to a style sheet you'll write named [speedreader.css](#) for styling the page. After

creating your page, you must make the UI interactive by writing JavaScript code in **speedreader.js** so that clicking the UI controls causes appropriate behavior. Your HTML page should link to your JS file in a **script** tag. In total you will turn in the following files:

- **speedreader.html**, your web page
- **speedreader.css**, the style sheet for your web page
- **speedreader.js**, the JavaScript code for your web page

Our screenshots were taken on Windows in Firefox, which may differ from your system.

## **Appearance Details:**

The page should have a title of **SpeedReader** centered horizontally. The overall page has a background color of #EAF6F6. The preferred font for all text on the page is Garamondin size 12pt. If that is not available it should use the default serif font available on the system.

Under the page's heading is a div with a width of 80% and a height of 100px, centered horizontally. It uses a 36pt bold font initially, has the system default monospace font and has a line height of 100px. It is surrounded by a solid 2px wide border in #8EBEBE with 5px curved corners. Its background color is #FFFFFF. Text inside it should be centered.

Below the div is a set of controls grouped into several field sets with a label on top of each. The labels should be bold, aligned left, have a bottom border of solid line 1px thick in #8EBEBE. They should be 100% wide and have 2px of space between the label and where the label's border would be on all sides.

The first three field sets should appear in one line, the last on the line below. You should make sure that the tops of the field sets line up by setting their vertical alignment. The field sets are centered horizontally.

The last field set, that should appear on its own line, contains a text box. This text box should have 10 rows and 80 columns. It should have a solid gray border 1px wide. It should have a background of #FFFFFF.

Some of the controls contain buttons. These buttons should have a white background and a solid gray border 1px wide. They should be 70px wide. When they are disabled their background color should be lightgray.

## **Behavior Details:**

The following are the groups of controls at the bottom of the page and each control's behavior.

### **Play Controls:**

*Start:* When clicked, word display animation begins. Each frame of animation is a single word. Separate words on white space (spaces, tabs and new lines). Words may have multiple pieces of white space between them. If a word ends with a piece of punctuation (comma, period, exclamation point, question mark, semicolon or colon) the punctuation should be removed and that word should be displayed for twice the normal amount of time (*hint:* have a list of frames to display and add this frame twice in a row). You should only remove the last piece of punctuation if there are multiple in a row.

When animation starts, whatever text is currently in the text box is broken apart to produce frames of animation as described above. These are displayed in the div. By default, the word changes once every **171ms**. When the animation reaches the last word, it should stop.

(For full credit, you must implement your animation using a JavaScript timer with the **setInterval** function.)

*Stop:* When clicked, halts any animation in progress. When animation is stopped, the div should become blank.

### **Font Size:**

Contains three radio buttons labeled "Medium", "Big", and "Bigger". When one of the buttons (or the text next to it) is clicked, causing the box to become checked, it immediately sets the font size in the div.

Initially Medium is selected and the text is 36pt in size. If Big is selected the text should be 48pt and if Bigger is selected it should be 60pt. If the animation is playing and one of these buttons is clicked, the font size changes immediately.

## **Speed:**

A drop-down list of speeds. When one of the speeds is chosen, it immediately sets the speed in the div. The speed listed in the drop-down list, and the corresponding speed to set, are:

- 200 wpm (300ms), 300 wpm(200ms), 350 wpm(171ms), 400 wpm(150ms), 450 wpm(133ms), 500 wpm (120ms)

If the animation is playing and a different speed is selected, the change should take effect immediately (the user shouldn't have to stop and restart the animation to see the change). Selecting the timing shouldn't cause the animation to start if it wasn't already started. It also shouldn't reset what frame is showing; it should just change the delay immediately. 350 wpm should initially be selected.

Note that when you write the code for changing the speed, it is easy to introduce redundancy. By setting a **value** attribute on each of the options in the drop-down list, you can avoid a long series of **if/else** statements.

## **Control Enabling/Disabling:**

Modify your GUI to disable elements that the user shouldn't be able to click at a given time. Initially and whenever animation is not in progress, the Stop button should be disabled. When an animation is in progress, the Start button and the text area should be disabled. The Size radio buttons and the Speed box should always be enabled.

Enable or disable a control with its **disabled** property. For example, to disable a control with **id** of **customerlist**:

```
document.getElementById("customerlist").disabled = true;
```

## **Development Strategy and Hints:**

1. Write the basic **HTML** content including the proper UI controls. (*Don't use the **form** tag.*)
2. Write your **CSS** code to achieve the proper layout.
3. Write a small amount of "**starter**" **JS code** and make sure that it runs. (For example, make it so that when the Start button is clicked, an **alert** box appears.)
4. Implement code to change the **animation text and font sizes**. Make it so that when an option is chosen in the selection box, the proper text string appears in the div. Get the font size options working.
5. Implement a **minimal Start behavior** so that when Start is clicked, a single frame of animation is shown. Clicking Start multiple times would show successive frames of animation.
6. Use a JavaScript **timer** to implement the proper animation based on your previous code.
7. Get rid of punctuation and add longer delays at the ends of sentences and at commas.

We strongly recommend that you install and use the **Firebug** add-on for Firefox on this assignment, or use the similar tool built into other browsers such as Chrome. Both show **syntax errors** in your JavaScript code. You can use either as a debugger, set breakpoints, type expressions on the Console, and watch variables' values. This is essential for serious JavaScript programming.

**JSLint** tool at University of Washington (<https://webster.cs.washington.edu/jslint/?referer>) can help you find

common JavaScript bugs. Since this is your first JavaScript program, you will probably encounter tricky bugs. If so, paste your code into JSLint to look for possible errors or warnings. For full credit, your JavaScript code must pass the provided **JSLint** tool with no errors reported. ("Warnings" are okay.)

For full credit, your `.js` file must be written in **JavaScript "strict" mode** by putting this exact line of code at the top:

```
"use strict";
```

### ***Implementation and Grading:***

Submit your assignment online to the course server site.

Implement your page using **HTML5** as taught in class. Your page must pass the W3C HTML5 **validator**. Choose appropriate tags to match the structure of the page content. Do not express style information in the HTML page itself, such as inline styles or presentational HTML tags such as **b** or **font**. Use **unobtrusive JavaScript** so that no JavaScript code, **onclick** handlers, etc. are embedded into the HTML code.

Express all stylistic information on the page in **CSS** using your style sheet file. For full credit, your style sheet must successfully pass the W3C CSS **validator**. You should not use HTML or CSS constructs that have not been discussed in lecture, slides, or textbook chapters during the course.

Format your HTML, CSS, and JS to be readable, like to the examples in class. Place a comment header atop each HTML/CSS/JS file. Your JavaScript should have more descriptive **comments**, including a header on each function (including anonymous) and complex sections of code describing the relevant code, the function's behavior, etc.

You should follow reasonable style guidelines. In particular, avoid redundant code, and use parameters and return values properly.

Minimize the use of **global variables**. Do not ever store DOM element objects, such as those returned by the `document.getElementById` function, as global variables. As a reference, our own solution has four global variables, mostly related to the set of frames to draw, which frame is currently displayed, the delay between frames, and so on.

**Format your code** similarly to the examples from class. Properly use whitespace and indentation. In your HTML, do not place more than one block element on a line or begin a block element past the 100th character. In your JavaScript, properly space/indent your code, and do not write any lines of code longer than 100 characters.

You should not use any external **JavaScript frameworks or libraries** such as jQuery to solve this assignment. Do not place a solution to this assignment on a public web site.