


# A Longitudinal Analysis of the Synchronized Brainwave Dataset

Thomas Edwards and Jonathan Skaza

12/7/2016

# Inspiration

- ▶ Has been a growing interest over recent years to further understand the brain's ability to comprehend information at a faster rate
- ▶ Researchers at MIT performed an experiment on monkeys where they discovered that synchronized brain waves enable rapid learning (Trafton 2014)



# Introduction

- ▶ As a next step, we thought it would be intriguing to explore this idea further by investigating how ones' brain waves can be manipulated to maintain a synchronized neurological state so that cognitive function is optimized
- ▶ To do this we analyzed EEG data collected on subjects exposed to different stimuli



## Background

- ▶ Study involved 30 voluntary students from UC Berkeley (Chuang et al. 2015)
- ▶ Participants were randomly assigned to watch one of two stimulus videos (both videos 5:19 min)
- ▶ Everyone was hooked up to an Electroencephalography (EEG) headset which recorded electrical brain activity as they viewed the video and followed the instructions
- ▶ Frequency values for alpha, beta, delta, gamma, and theta waves were recorded approximately every .3 seconds so each individual had 1000 repeated measures on average
- ▶ Signal quality on the outputted values were also recorded (0 representing perfect signal quality)
- ▶ Decided to remove all values with signal quality larger than 128 since at that point it indicates the EEG headset is being worn incorrectly

## Metadata

Summary statistics for  $n$  before data cleaning

```
summary(as.numeric(as.matrix(table(eeg$id))),  
        digits=10)
```

##	Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
##	464.000	624.250	1067.000	1000.433	1266.750	1607.000

Summary statistics for  $n$  after data cleaning



```
summary(as.numeric(as.matrix(table(eeg_clean$id))),  
        digits=10)
```

##	Min.	1st Qu.	Median	Mean	3rd Qu.	Max.
##	308.00	320.00	321.00	331.80	321.75	644.00

# Smoothed Trajectories by Subject



# Distribution of Responses



# Univariate Models

$$\mathbf{Y}_{1ij} = \mathbf{X}_{ij}^T \boldsymbol{\beta}_1 + \mathbf{Z}_{ij}^T \mathbf{b}_{1i} + \epsilon_{1ij}$$

$$\mathbf{Y}_{2ij} = \mathbf{X}_{ij}^T \boldsymbol{\beta}_2 + \mathbf{Z}_{ij}^T \mathbf{b}_{2i} + \epsilon_{2ij}$$

- ▶ *Responses*: Attention, Meditation
- ▶ *Fixed Effects*: Intercept, Session, Gender, Color, Time, Hidden Icons, Previous Exposure to Ad
- ▶ *Random Effects*: Intercept



## Attention Results

	Estimate	Std. Error	t value
(Intercept)	50.06	5.51	9.08
Genderm	-10.27	3.86	-2.66
Seen.video.before.y	10.38	4.00	2.60
Saw.icons.n	0.92	4.09	0.23
Saw.icons.smiley	-3.12	4.84	-0.65
Saw.icons.star	-0.67	8.18	-0.08
Chosen.colorg	-3.46	3.63	-0.95
Chosen.colorr	-8.20	3.95	-2.07
Chosen.colory	-5.03	7.35	-0.68
time	0.04	0.00	12.68
as.factor(Session)2	8.35	2.92	2.86
time:as.factor(Session)2	-0.04	0.00	-9.20

## Meditation Results

	Estimate	Std. Error	t value
(Intercept)	62.99	5.29	11.90
Genderm	4.86	3.70	1.31
Seen.video.before.y	-9.74	3.83	-2.54
Saw.icons.n	-0.26	3.92	-0.07
Saw.icons.smiley	-5.40	4.64	-1.16
Saw.icons.star	-8.83	7.84	-1.13
Chosen.colorg	4.57	3.48	1.31
Chosen.colorr	2.08	3.79	0.55
Chosen.colory	-4.66	7.05	-0.66
time	-0.06	0.00	-21.71
as.factor(Session)2	-3.37	2.82	-1.20
time:as.factor(Session)2	0.02	0.00	5.45

## Accounting for Correlation Between Responses

$$\begin{pmatrix} \mathbf{Y}_{1ij} \\ \mathbf{Y}_{2ij} \end{pmatrix} = \mathbf{X}_{ij}^T \begin{pmatrix} \beta_1 \\ \beta_2 \end{pmatrix} + \mathbf{Z}_{ij}^T \begin{pmatrix} \mathbf{b}_{1i} \\ \mathbf{b}_{2i} \end{pmatrix} + \begin{pmatrix} \epsilon_{1ij} \\ \epsilon_{2ij} \end{pmatrix}$$

- ▶ *Responses*: Attention, Meditation
- ▶ *Fixed Effects*: Intercept, Session, Gender, Color, Time, Hidden Icons, Previous Exposure to Ad
- ▶ *Random Effects*: Intercept

# Multivariate Results

	post.mean	l-95% CI	u-95% CI	eff.samp	pMCMC
traitattention_esense	43.77	33.94	52.87	1000.00	0.00
traitmeditation_esense	64.53	54.95	72.93	890.76	0.00
as.factor(Session)2	2.24	-2.27	7.39	819.62	0.36
at.level(trait, 1):at.level(Gender, "f")	9.58	1.04	18.10	1168.26	0.03
at.level(Gender, "f"):at.level(trait, 2)	-4.15	-12.72	3.47	1000.00	0.31
at.level(trait, 1):Seen.video.before.y	12.19	2.47	21.08	1000.00	0.01
at.level(trait, 2):Seen.video.before.y	-11.59	-19.67	-3.46	1000.00	0.01
at.level(trait, 1):Saw.icons.n	-0.93	-9.95	8.60	1000.00	0.85
at.level(trait, 1):Saw.icons.smiley	-3.75	-15.15	7.04	1000.00	0.48
at.level(trait, 1):Saw.icons.star	-4.58	-22.83	11.73	1061.46	0.59
at.level(trait, 2):Saw.icons.n	1.03	-7.60	9.84	882.36	0.79
at.level(trait, 2):Saw.icons.smiley	-5.09	-15.80	4.68	1000.00	0.31
at.level(trait, 2):Saw.icons.star	-5.52	-21.78	11.94	1000.00	0.50
at.level(trait, 1):Chosen.colorg	-1.87	-10.04	6.22	1000.00	0.63
at.level(trait, 1):Chosen.colorr	-7.59	-16.62	1.16	1000.00	0.10
at.level(trait, 1):Chosen.colory	-6.76	-23.11	10.39	1000.00	0.42
at.level(trait, 2):Chosen.colorg	3.22	-3.90	11.05	1000.00	0.38
at.level(trait, 2):Chosen.colorr	1.57	-5.74	9.57	1000.00	0.70
at.level(trait, 2):Chosen.colory	-2.71	-17.18	12.15	1000.00	0.73
at.level(trait, 1):time	0.04	0.03	0.04	1000.00	0.00
at.level(trait, 2):time	-0.06	-0.07	-0.06	1000.00	0.00
at.level(trait, 1):time:as.factor(Session)2	-0.03	-0.04	-0.03	1000.00	0.00
at.level(trait, 2):time:as.factor(Session)2	0.02	0.01	0.03	1039.77	0.00

# Conclusions and Future Work

## *Conclusions:*

- ▶ In both the multivariate and univariate analyses, time and the interaction between time and stimuli are significant
- ▶ Evidence that Stimulus 1 was better at increasing attention level over time while Stimulus 2 was significantly better at increasing meditation level over time
- ▶ Most other covariates weren't significant (exception of gender for attention)

## *Future Work:*

- ▶ Experiment with quadratic terms and/or more interactions
- ▶ Possibly add more responses (theta, gamma wave data)

## References

- Chuang, John, Nick Merrill, Thomas Maillart, and Students of the UC Berkeley Spring 2015 MIDS Immersion Class. 2015. "Synchronized Brainwave Recordings from a Group Presented with a Common Audio-Visual Stimulus."
- Trafton, Anne. 2014. "Synchronized Brain Waves Enable Rapid Learning." *MIT NEWS on Campus and Around the World*.