AMENDMENTS TO THE CLAIMS

This listing of claims, if entered, will replace all prior versions and listings of claims in the present application.

1-35. (Cancelled)

36. (**Currently Amended**) A method comprising:
modeling a business process, wherein said modeling comprises
    designing a process, wherein
        said process represents a non-technical model of said business
            process,
        said designing is performed using a non-technical user interface,
            and
        said designing further comprises
            identifying an element, wherein
                said element is an insufficiently-defined element,
            identifying a connector, wherein
                said connector is an insufficiently-defined
                    connector, and
            receiving information, wherein
                said information is configured to allow said
                    insufficiently-defined element and said
                    insufficiently-defined connector to be
                    completed,
    in response to an indication that said process is complete, transferring
        access to said process from said non-technical user interface to a
        technical user interface, **wherein**
            the technical user interface is configured to be used to complete
                said insufficiently-defined element and said
                insufficiently-defined connector, and

implementing said process, wherein

said implementing implements said process as a technical model of said business process, and

said implementing is performed using said technical user interface.

37.   (Previously Presented) The method of claim 36, wherein said modeling further comprises:

editing said process, wherein

said editing is performed using said non-technical user interface.

38.   (Previously Presented) The method of claim 37, wherein said process is an existing process.

39.   (Previously Presented) The method of claim 38, wherein said modeling further comprises:

selecting said existing process from a plurality of existing processes, wherein

a business process library comprises said existing processes.

40.   (Previously Presented) The method of claim 36, wherein said transferring comprises:

analyzing said process, wherein

said analyzing is performed in response to said process being checked-in from said non-technical user interface;

if a step is missing from said process, identifying said step as a missing step;

if said process comprises a new element, identifying said new element; and

if said process comprises a new connection, identifying said new connection.

41.   (Previously Presented) The method of claim 40, wherein said transferring further comprises:

if said missing step is identified, flagging said missing step;

if said new element is identified, flagging said new element; and

if said new connection is identified, flagging said new connection.

Application No.: 11/542,281

42.   (Previously Presented) The method of claim 36, wherein said implementing comprises:

      displaying a systems view of said process;

      determining whether an element needs to be added to said process; and

      if said element needs to be added to said process, indicating said element needs to be added to said process.

43.   (Previously Presented) The method of claim 36, wherein said implementing comprises:

      identifying an additional element, wherein

          said additional element is a non-executable element;

      identifying an additional connector, wherein

          said additional connector is a non-executable connector; and

      receiving additional information, wherein

          said additional information is configured to allow said non-executable element and said non-executable connector to be completed.

44.   (**Currently Amended**) The method of claim 36, wherein said modeling further comprises:

      integrating said process with an external service**, wherein**

          said designing said process, comprises

              flagging said element, wherein said element is said

                    insufficiently-defined element, and

              flagging said connector, wherein said connector is said

                    insufficiently-defined connector, and

          said flagging of said element and said connector permits completion of

              said insufficiently-defined element and said insufficiently-defined connector respectively.

45.   (Previously Presented) The method of claim 44, wherein said integrating comprises:

> defining a source, wherein
>> said source defines a location of said external service, and
>> said source further defines an access mode for said external service;
>
> defining a format, wherein
>> said format defines a first format for addressing said external service, and
>> said format further defines a second format to be used to transfer data
>>> from said external service; and
>
> defining a transform, wherein
>> said transform defines a transformation between said first format and said
>> second format.

46.   (**Currently Amended**) A non-transitory computer program product comprising:

> a plurality of instructions, comprising
>> a first set of instructions, executable on a computer system, configured to
>> model a business process, wherein
>> said first set of instructions comprise
>>> a first subset of instructions, executable on said computer
>>> system, configured to design a process, wherein
>>>> said process represents a non-technical model of
>>>> said business process,
>>>> said designing is performed using a non-technical
>>>> user interface, and
>>>> said first subset of instructions comprise
>>>>> instructions, executable on said computer
>>>>> system, configured to identify an
>>>>> element, wherein
>>>>>> said element is an insufficiently-defined
>>>>>> element,

Application No.: 11/542,281

instructions, executable on said computer

system, configured to identify a

connector, wherein

said connector is an insufficiently-

defined connector, and

instructions, executable on said computer

system, configured to receive

information, wherein

said information is configured to allow

said insufficiently-defined

element and said insufficiently-

defined connector to be

completed,

a second subset of instructions, executable on said computer

system, configured to transfer access to said process

from said non-technical user interface to a technical

user interface, in response to an indication that said

process is complete, **wherein**

the technical user interface is configured to be

used to complete said insufficiently-

defined element and said insufficiently-

defined connector, and

a third subset of instructions, executable on said computer

system, configured to implement said process, wherein

said third set of instructions is configured to

implement said process as a technical model

of said business process, and

said implementing is performed using said technical

user interface, and

a computer readable storage medium, wherein said instructions are encoded in

said computer readable storage medium.

Application No.: 11/542,281

47.   (Previously Presented) The non-transitory computer program product of claim 46, wherein said further first set of instructions comprises:

> a fourth subset of instructions, executable on said computer system, configured to
>> edit said process, wherein
>> said editing is performed using said non-technical user interface, and
>> said process is an existing process; and

> a fifth subset of instructions, executable on said computer system, configured to
>> select said existing process from a plurality of existing processes, wherein
>> a business process library comprises said existing processes.

48.   (Previously Presented) The non-transitory computer program product of claim 46, wherein said second subset of instructions comprises:

> a first sub-subset of instructions, executable on said computer system, configured
>> to analyzing said process, wherein
>> said first sub-subset of instructions are executed in response to said
>>> process being checked-in from said non-technical user interface;

> a second sub-subset of instructions, executable on said computer system,
>> configured to identify a step as a missing step, if said step is missing from
>> said process;

> a third sub-subset of instructions, executable on said computer system, configured
>> to identify a new element, if said process comprises said new element; and

> a fourth sub-subset of instructions, executable on said computer system,
>> configured to identify a new connection, if said process comprises a new
>> connection.

49.   (**Currently Amended**) The non-transitory computer program product of claim 48, wherein said second subset of instructions further comprises:

> a fifth sub-subset of instructions, executable on said computer system, configured
>> to flag said missing step, if said missing step is identified;

> a sixth sub-subset of instructions, executable on said computer system, configured
>> to flag said new element, if said new element is identified; and

a seventh sub-subset of instructions, executable on said computer system, configured to flag said new connection, if said new connection is identified**, wherein**

said flagging of said element and said connector permits completion of said insufficiently-defined element and said insufficiently-defined connector respectively.

50.   (Previously Presented) The non-transitory computer program product of claim 46, wherein said first set of instructions further comprises:

a fourth subset of instructions, executable on said computer system, configured to display a systems view of said process;

a fifth subset of instructions, executable on said computer system, configured to determine whether an element needs to be added to said process; and

a sixth subset of instructions, executable on said computer system, configured to indicate said element needs to be added to said process, if said element needs to be added to said process.

51.   (Previously Presented) The non-transitory computer program product of claim 46, wherein said first set of instructions further comprises:

a fourth subset of instructions, executable on said computer system, configured to integrate said process with an external service, wherein

said fourth subset of instructions comprises

a first sub-subset of instructions, executable on said computer system, configured to define a source, wherein

said source defines a location of said external service, and

said source further defines an access mode for said external service,

a second sub-subset of instructions, executable on said computer system, configured to define a format, wherein

said format defines a first format for addressing said external service, and

Application No.: 11/542,281

said format further defines a second format to be used to

transfer data from said external service, and

a third sub-subset of instructions, executable on said computer

system, configured to define a transform, wherein

said transform defines a transformation between said first

format and said second format.

52.   (**Currently Amended**) A computing system comprising:

a processor; and

a computer-readable storage medium, wherein

said computer-readable storage medium and said processor are coupled to

one another,

said computer-readable storage medium has instructions encoded therein,

and

said instructions are configured to cause said processor to perform

modeling of a business process by virtue of said instructions

comprising

a non-technical interface module, wherein

said non-technical interface module is configured to be

employed in designing a process, wherein

said designing further comprises

identifying an element, wherein

said element is an insufficiently-defined

element,

identifying a connector, wherein

said connector is an insufficiently-

defined connector, and

receiving information, wherein

said information is configured to allow

said insufficiently-defined

element and said insufficiently-

defined connector to be

completed,

said process represents a non-technical model of said business

process, and

said non-technical interface module is configured to generate a

non-technical user interface,

transfer and flagging logic, wherein

said transfer and flagging logic and said non-technical interface

module are coupled to one another, and

said transfer and flagging logic is configured to transfer access

to said process from said non-technical user interface to

a technical user interface, in response to an indication

that said process is complete, **wherein**

the technical user interface is configured to be

used to complete said insufficiently-

defined element and said insufficiently-

defined connector, and

a technical interface module, wherein

said technical interface module and said transfer and flagging

logic are coupled to one another,

said technical interface module is configured to implement said

process as a technical model of said business process,

and

said technical interface module is configured to generate said

technical user interface.

53.   (**Currently Amended**) The apparatus of claim 52, wherein said
instructions further comprise:

check-in logic, wherein

said check-in logic and said non-technical interface module are coupled to

one another, ~~and~~

said check-in logic is configured to generate said indication, upon said

process being complete,

said transfer and flagging logic, comprises

flagging said element, wherein said element is said

insufficiently-defined element, and

flagging said connector, wherein said connector is said

insufficiently-defined connector, and

said flagging of said element and said connector permits completion of

said insufficiently-defined element and said insufficiently-

defined connector respectively.

54. (Previously Presented) The apparatus of claim 53, wherein said

instructions further comprise:

validation logic, wherein

said validation logic is coupled to said check-in logic, said transfer and

flagging logic, and said non-technical interface module, and

said validation logic is configured to analyze said process by virtue of

being configured to determine

whether a step is missing from said process,

whether said process comprises a new element, and

whether said process comprises a new connection.

55. (Previously Presented) The apparatus of claim 52, wherein said

instructions further comprise:

integration logic, wherein

said integration logic and said technical interface module are coupled to

one another, and

said integration logic is configured to integrate said process with an

external service by virtual of being configured to

define a source, wherein

said source defines a location of said external service, and

Application No.: 11/542,281

said source further defines an access mode for said external

service,

define a format, wherein

said format defines a first format for addressing said

external service, and

said format further defines a second format to be used to

transfer data from said external service, and

define a transform, wherein

said transform defines a transformation between said first

format and said second format.

56.   (Previously Presented) The method of Claim 36, further comprising:

drilling down to a sub-process and to steps of the sub-process wherein

said drilling down enables displaying and editing the steps of the sub-

process.