

1 / 18




FIG. 1




FIG. 2

2 / 18




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C

400

424

442

Traceability - IBM Websphere Studio Application Developer

File Edit Navigate Search Project Run Window Help

Navigator Links View

Properties

Property Value

customer severity

Description

Header

id

Keywords

Notes Entry

Notes Log

old id

Owner

Priority

Project

Resolution

Severity

Status

Submit Date

Submitter

Symptoms

Clearquest Change Requests (admin2003.06.00@SAMPL)

Name Provider State Severity Owner Project Headline

Defect 0 shown

SAMPL000000043

Defect

SAMPL000000041

SAMPL000000006

ClearQuest Submitted 1-Critical

ClearQuest Submitted 1-Critical

ClearQuest Opened 2-Major

engine Classics

delete items not working correctly

6/18

Dalai, et al.  
RSW920050159US1

FIG. 4D




FIG. 4E




FIG. 4F






FIG. 4G




FIG. 5




FIG. 6




FIG. 7




FIG. 8

ArtifactURI Table 910

Field	Description
Unique identifier for the traceability link	Unique identifier for the artifact
URI/UREF	String reference used by consumers to resolve the artifact

TraceabilityLinkType Table 920

Field	Description
ID	Unique identifier for the traceability link type
TraceabilityLinkType	String that describes the type of traceability link

TraceabilityLinks Table 930


Field	Description
ID	Unique identifier for the traceability link
SourceID	Unique identifier for the source of the relationship
TargetID	Unique identifier for the target of the relationship
TraceabilityLinkTypeID	Identifier of the type of relationship, e.g., change request to code
Originator	The identifier of the person or tool that created the traceability link
TimeStamp	When the traceability link was established
Suspect	Boolean flag that indicates if the integrity of either end of the link is no longer accurate
ExtensionReference	Reference to an extended element that the originator may provide that may resolve to additional information about the traceability link
Valid	Indicates if the relationship expressed by the link is valid

FIG. 9

Example Traceability Information 1000

ID	From	To	What\Who\When	Suspect/Valid
6785	Requirement 175	Source foo.java version 4	Req_to_Src/Mark/2 Sep 02	N/N
6786	Requirement 175	Change Request DEF0004	Req_to_CR/Claudia/31 Mar 02	N/N
6787	Change Request DEF0004	Requirement 175	CR_to_Req/Claudia/31 Mar 02	N/N
6788	Change Request DEF0004	Test Script T008	CR_to_TS/Kevin/22 Feb 02	N/N
6789	Source bar.java	XDE class GUID 108756	6785Scr_to_XDE/Tim/4 Jan 03	N/N
6790	XDE class GUID 108756	Source bar.java	XDE_to_SRC/Tim/4 Jan 03	N/N
6791	XDE UC GUID 409875	XDE UC RLZ GUID 409832	XDE_to_XDE/Hugh/8 Mar 02	Y/N
6792	...	...	...	...

FIG. 10





17 / 18




FIG. 12

18 / 18




FIG. 13