

TEL: +98 21 66025108 FAX: +98 21 44649269 TELEX: 213889 EPDIR AFTN: OIIINYX Web Site: http://ais.airport.ir Email: ais_iran@airport.ir	ISLAMIC REPUBLIC OF IRAN AERONAUTICAL INFORMATION SERVICES EPUTY CEO for AERONAUTICAL OPERATIONS IRANIAN AIRPORTS COMPANY (IAC) MEHRABAD INTL. AIRPORT P.O.BOX : 13185-1334 , Postal Code: 1387835283 TEHRAN – IRAN	NOTAM LIST Series (A) 19 MAY 2026 07:30 All times in UTC
--	--	--

NOTAM NOT INCLUDED HAVE BEEN CANCELLED, TIME EXPIRED, SUSPENDED BY AIP SUPPLEMENT OR INCORPORATED IN THE IRAN AIP.

2022: 0253 1415 1416 1417 1418 1892
2023: 1718 1719 1720 1721 2113 2496
2024: 1456 3358 4458 4459 4460 4461
2025: 2322 2572 2776 3524 3526 3607 3608 3697 3903 4009
2026: 0113 0174 0233 0234 0263 0390 0392 0415 0477 0489 0519 0561 0564
0601 0625 0637 0695 0696 0701 0703 0704 0710 0711 0712 0713 0720
0724 0778 0779 0780 0781 0782 0784 0785 0787 0788 0789 0790 0791
0792 0793 0794 0796 0797 0799 0802 0803 0804 0805 0806 0807 0808
0809 0812 0813 0815 0817 0818 0819 0820 0821 0822 0823 0824 0825
0828 0829 0830 0831 0835 0836 0840 0841 0842 0844 0845 0846 0847
0848 0849 0850 0851 0852 0854 0855 0860 0861 0863 0868 0869 0870
0872 0873 0874 0878 0883 0886 0887 0888 0891 0892 0893 0896 0902
0903 0904 0905 0906 0907 0908 0909 0910 0912 0913 0915 0916 0917
0918 0919 0923 0924 0925 0931 0933 0934 0935 0936 0938 0940 0941
0946 0951 0953 0954 0955 0956 0957 0958 0959 0960 0961 0963 0964
0965 0966 0967 0968 0969 0970 0971 0972 0973 0974 0975 0976 0977
0978 0982 0983 0984 0985 0986 0987 0988 0990 0991 0996 0997

LATEST AIP AMENDMENTS

AIRAC AIP AMDT 1/26 WEF 19 FEB 2026

AIP AMDT 1/20 01 JAN 2020

CHECKLIST OF AIP SUP AND AIC

AIRAC AIP SUP: 6/19 9/19 11/19 12/19 11/21 22/21 10/24 3/25 7/25 12/25 13/25 1/26

AIP SUP: 2/23 9/25

AIC: 2/08 3/08 4/08 5/08 9/08

1/14 2/14 1/15 2/18 2/20 2/23 3/23 1/24

NO AIRAC AIP AMDT WILL BE PUBLISHED ON AIRAC EFFECTIVE

14 MAY 2026 AND 11 JUN 2026

Note: Only NOTAM class two 34/1989 is valid.

ABADAN.OIAA

A0794	260420	B) 2604201010 C) 2607192030EST E) TWY B BTN THR 14R AND TWY E CLSD.
A0815	260425	B) 2604250945 C) 2605251030EST E) NDB ABD FREQ 210KHZ NOT OPR .
A0860	260428	B) 2604281018 C) 2605250830EST E) AMD U/S.
A1456	240423	B) 2404231143 C) 2407231030EST E) BUMPY SFC ALONG RWY 14R/32L BTN THR RWY 32L AND TWY E.

ABUMUSA ISLAND/ABUMUSA.OIBA

A1718	230524	B) 2305241513 C) PERM E) NEW PAPI FOR RWY 08 AND RWY 26 INSTALLED AND OPR AS FLW SPECIFICATIONS: - RWY 08 PAPI LEFT/3 DEG, MEHT 16 M/52.5 FT, - RWY 26 PAPI LEFT/3 DEG, MEHT 17.5 M/57.5 FT, AMEND AIP PAGE AD 2-4 OIBA ITEM 2.14 .
-------	--------	--

A1719	230524	B) 2305241516 C) PERM E) REF AIP PAGE AD 2-4 OIBA ITEM 2.14, WBAR FOR END LGT RWY 08 AND WBAR FOR END LGT RWY 26 COMPLETELY WITHDRAWN, AMEND AIP ACCORDINGLY.
A1720	230524	B) 2305241518 C) PERM E) SWY LGT FOR RWY 08 AND RWY 26 DEFINED AND OPR WITH FLW SPECIFICATIONS: - RWY 08: SWY LGT LEN: 166 M, COLOUR: RED, - RWY 26: SWY LGT LEN: 167 M, COLOUR: RED, AMEND AIP PAGE AD 2-4 OIBA ITEM 2.14 .
A1721	230524	B) 2305241521 C) PERM E) EDGE LGT FOR RWY 08/26 CHANGED AND OPR WITH FLW SPECIFICATIONS: - RWY 08: EDGE LGT LEN: 2699 M, SPACING: 60 M, COLOUR: WHITE, INTST: LIH, - RWY 26: EDGE LGT LEN: 2724 M, SPACING: 60 M, COLOUR: WHITE, INTST: LIH, AMEND AIP PAGE AD 2-4 OIBA ITEM 2.14 .

AHWAZ.OIAW

A0625	260219	B) 2602190923 C) 2605202030EST E) GPS UNREL AND MAY BE UNAVAILABLE WI AREA WITH THE LATERAL LIMITS OF AHWAZ CTR AS SPECIFIED IN IRAN AIP PAGE AD 2-7 OIAW ITEM 2.17 ATS AIRSPACE NR 1, FM GND UP TO FL175, EGPWS/GPWS MAY DISPLAY ERRONEOUS INDICATION AND MAP SHIFTING, AS REPORTED FREQUENTLY PILOTS SHALL REPORT GPS ANOMALIES INCLUDING DEGRADED OPERATION AND/OR LOSS OF SER, ASAP. F) GND G) FL175
A0868	260502	B) 2605020734 C) 2607311000EST E) REF AIP PAGE GEN 3.5-2, CEILOMETER TDZ RWY 30 U/S DUE TO PWR.
A0869	260502	B) 2605020737 C) 2607311000EST E) RWY 12 SALS NOT OPR DUE TO PWR.
A0870	260502	B) 2605020741 C) 2607311000EST E) NDB AWZ 415 KHZ NOT OPR DUE TO PWR.
A0872	260502	B) 2605020746 C) 2607311000EST E) A LGTD MAST ERRECTED WITH FLW SPECIFICATIONS: PSN: 311940N 0484541E HGT : 182 FT AGL.
A0873	260502	B) 2605020747 C) 2607311000EST E) A LGTD MAST ERRECTED WITH FLW SPECIFICATIONS : PSN : 312050N 0484517E HGT : 182 FT AGL
A0874	260502	B) 2605020748 C) 2607311000EST E) A LGTD MAST ERRECTED WITH FLW SPECIFICATIONS: COORD: 311833N 0484604E HGT: 182 FT AGL .
A0883	260504	B) 2605040712 C) 2607311000EST E) A LGTD MAST ERRECTED WITH FLW SPECIFICATIONS: COORD: 311751N 0484739E HGT: 182 FT AGL
A0886	260504	B) 2605040735 C) 2607311000EST E) AMD U/S
A0887	260504	B) 2605040759 C) 2607311000EST E) TWR FREQ 307.250 MHZ U/S

A0951	260512	B) 2605120540 C) 2607311000EST E) A LGTD MAST ERECTED WITH FLW SPECIFICATIONS: COORD: 311807N 0484746E HGT: 182 FT AGL
A0976	260513	B) 2605130934 C) 2608102359EST E) PAPI RWY 30 U/S AND SUBSEQUENTLY REQUIRED FLTCK
A0988	260517	B) 2605170534 C) 2607311000EST E) A LGTD MAST ERECTED WITH FLW SPECIFICATIONS : PSN : 311950N 0484459E HGT : 182 FT AGL.

ARDABIL.OITL

A0975	260513	B) 2605130921 C) 2606131530EST E) NDB ARB FREQ 355 KHZ NOT OPR DUE TO MAINT.
A0977	260513	B) 2605130946 C) 2608101000EST E) REF AIP PAGE GEN 3.5-3, RVR RWY 33 TDZ AND MID U/S.

BAM.OIKM

A0710	260228	B) 2602280542 C) 2605291000EST E) REF AIP PAGE AD2 OIKM ADC, WEST OF APRON WITH DIMENSION LEN: 150M, WID: 120M CLSD.
A0711	260228	B) 2602280548 C) 2605291000EST E) REF AIP PAGE AD2 OIKM ADC, WEST TWY CLSD.
A2572	250907	B) 2509070615 C) PERM E) REF AIP PAGE AD 2-4 OIKM ITEM 2.12, RWY PHYSICAL CHARACTERISTICS DEFINED AS FLW: BEARING STRENGTH RWY 12/30: PCR 560/F/A/X/T AMEND AIP ACCORDINGLY.

BANDAR ABBASS INTL.OIKB

A0704	260225	B) 2602250924 C) 2605252030EST E) REF AIP PAGE AD 2-10 OIKB ITEM 2.20 LOCAL TRAFFIC REGULATIONS NR 5, FLW LIMITATIONS ARE APPLICABLE AT BANDAR ABBAS AD: -STOP LDG OPERATION IF GND VIS IS LESS THAN 1000 M, -STOP LDG AND TKOF OPERATION IF THE CROSS WIND IS MORE THAN 10 KT, -STOP LDG AND TKOF OPERATION IF THE RWYCC (RUNWAY CONDITION CODE) IS 4 AND LESS.
-------	--------	--

BANDAR LENGEH.OIBL

A0892	260505	B) 2605050819 C) 2608032030EST E) REF AIP PAGE AD 2-3 OIBL ITEM 2.10, NEW UNMARKED/UNLIGHTED OBST EXISTS IN APCH RWY 08 / TKOF RWY 26 AREAS WITH FLW SPECIFICATIONS: OBST TYPE: BTS ANTENNA, ELEV: 165 FT AMSL / 30 M AGL, COORD: 263134N 0544804E
A0959	260512	B) 2605120846 C) 2608102359EST E) VOR LEN FREQ 114.800 MHZ U/S, AND SUBSEQUENTLY REQUIRED FLTCK.

BIRJAND.OIMB

A0778	260420	B) 2604200729 C) 2607192030EST E) MIL ARRESTING SYSTEM (NET AND HOOK BARRIER) EXIST WITH FLW SPECIFICATION : - NET BARRIER: RWY 10: PSN AT SWY 10, 30 M BFR THR 28, HGT: 20 FT AGL, OPR FAC ARE LOCATED BOTH SIDES OF RWY: 35 M FM EXTENDED RCL, - HOOK BARRIER: RWY 28: PSN AT SWY 10, 15 M BFR THR 28, HGT: 1.7 FT AGL, OPR FAC ARE LOCATED BOTH SIDES OF RWY: 25 M FM EXTENDED RCL.
A0970	260513	B) 2605130749 C) 2605250830EST E) RWY 08/26 CLSD.

BUSHEHR.OIBB

A0113	260106	B) 2601060957 C) 2603061030EST E) DUE TO FUEL LTD, ONLY 5000 LITRES FUEL AVBL FOR EACH FLT DEST OIII AND ONLY 7000 LITRES FUEL AVBL FOR EACH FLT DEST OIMM.
A0392	260130	B) 2601301225 C) 2603301200EST E) WIP IN THE AREA ADJACENT TO THE SOUTH EAST OF APRON, ALL ACFT SHALL FOLLOW MARSHALLER ENTERING AND EXITING THE APRON.
A0695	260224	B) 2602240559 C) PERM E) REF AIP PAGE AD 2-2 OIBB ITEM 2.6, AD CAT FOR RFFS IS CAT 7, ALSO CAT 8 AVBL FOR THOSE FLT WHICH GET PPR AT LEAST 72 HR BFR EOBT FM BUSHEHR AD , AMEND AIP ACCORDINGLY

ESFAHAN/SHAHID BEHESHTI INTL.OIFM

A0234	260115	B) 2601150944 C) 2604150630EST E) MILITARY /EMERGENCY UHF FREQ 243.000 MHZ U/S.
A0842	260427	B) 2604270850 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, ESFAHAN TMA MSSR RADAR U/S AND APCH RADAR SER IN ESFAHAN TMA NOT AVBL.
A0913	260506	B) 2605060956 C) 2606212030 E) NEW TEMPORARY CAUTION AREA ESTABLISH WITH FLW SPECIFICATIONS: IDENTIFICATION: OIC200, NAME: ESFAHAN, COORDINATES: 330930N 0504004E 332158N 0505002E 332259N 0505656E 331406N 0505659E 330300N 0511052E TO THE POINT OF ORIGIN, LOWER LIMIT: GND, UPPER LIMIT: FL150 , TIME OF ACTIVITY: NOTIFIED BY OIFM ATC , MANNED OR UNMANNED AIRCRAFT (FLIGHT TEST AREA), IRIDIO . F) GND G) FL150

GHESHM ISLAND/DAYRESTAN.OIKQ

A0263	260120	B) 2601200744 C) 2603201400EST E) HOLDING BAY RWY 23 CLSD DUE TO CONST WORK.
-------	--------	---

A0390	260130	B) 2601300803 C) 2603150800EST E) TWY B EDGE LGT NOT OPR DUE TO PWR.
A0561	260215	B) 2602151403 C) 2603150800EST E) RWY 05 PAPI NOT OPR DUE TO PWR.
A0601	260217	B) 2602171746 C) 2603150800EST E) DME KHM CH 118X (117.100MHZ) NOT OPR DUE TO MAINT
A0637	260221	B) 2602210906 C) 2604210830EST E) AN ANTENNA ERECTED AT LEFT SIDE RWY 23 WITH FLW SPECIFICATION: DIST FM THR 23 :950 M DIST FM RCL 23 :120 M HGT :50 FT AGL

GORGAN.OING

A4009	251231	B) 2512311115 C) 2603301200EST E) WIP EXISTS AT NORTH OF APN NEXT TO APN EDGE LINE.
-------	--------	--

HAMADAN/NOGEH.OIHS

A0956	260512	B) 2605120844 C) 2608102359EST E) VOR HAB FREQ 115.400 MHZ U/S AND SUBSEQUENTLY REQUIRED FLTCK.
-------	--------	---

KARAJ/PAYAM.OIIP

A0955	260512	B) 2605120843 C) 2608102359EST E) VOR PIM FREQ 117.500 MHZ U/S, AND SUBSEQUENTLY REQUIRED FLTCK.
A0963	260512	B) 2605120850 C) 2608102359EST E) PAPI RWY 30 U/S AND SUBSEQUENTLY REQUIRED FLTCK

KASHAN.OIFK

A0253	220118	B) 2201181630 C) PERM E) 10 CM DIFFERENCE SURFACE EXIST BTN RWY 11/29 AND SHOULDER.
-------	--------	--

KERMAN.OIKK

A0701	260225	B) 2602250539 C) 2605261000EST E) AN UNLIGHTED CRANE ERECTED ON FINAL RWY 34L/R WITH FLW COOR: 301458.82N 0565813.02E HGT : 5841 FT DIST FM EXTD CL RWY 16L/34R: 720M DIST FM EXTD CL RWY 16R/34L: 907M
A0902	260506	B) 2605060452 C) 2608050430EST E) REF AIP PAGE AD2 OIKK ADC, TWY E BTN TWY C AND TWY D CLSD, DUE TO WIP.
A0903	260506	B) 2605060509 C) 2608050430EST E) 9 CAVITIES EXIST AT RIGHT SIDE OF RWY 16R WITH FLW SPECIFICATIONS: NR 1: DIST FM EXTENDED RCL: 40M, DIST FM THR: 30M BFR THR RWY 16R, DIAMETER: 1.5M, DPT: 2M, NR 2, 3, 4, 5, 6, 7, 8: DIST FM EXTENDED RCL: 40M, DIST FM THR: 1M BFR THR RWY 16R, DIAMETER: 0.5M, DPT: 2M, NR 9: DIST FM EXTENDED RCL: 40M, DIST FM THR: 360M BFR THR RWY 16R, DIAMETER: 1.5M, DPT: 2M.

A0904	260506	B) 2605060513 C) 2608050430EST E) 16 CAVITIES EXIST AT RIGHT SIDE OF RWY 34L WITH FLW SPECIFICATIONS: NR.:1, 2: DIST FM RCL: 40 M, DIAMETER: 2 M, DPT: 2 M, AT 120 M, 128 M BFR DTHR RWY 34L, NR.: 3, 4, 5, 6: DIST FM RCL: 40 M, DIAMETER: 2 M, DPT: 2 M, AT 150, 200, 300, 350M BFR DTHR RWY 34L, NR.: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16: DIST FM RCL: 40 M, DIAMETER: 50 CM, DPT: 2 M, AT 120, 160, 180, 210, 230, 260, 280, 310, 330, 350M BFR DTHR RWY 34L.
A0905	260506	B) 2605060515 C) 2608040730EST E) BUMPY SFC ON RWY 16R/34L FM THR RWY 16R UP TO 400M
A0906	260506	B) 2605060539 C) 2608040730EST E) REF AIP PAGE AD2 OIKK ADC, TWY B BTN APRON AND TWY E FOD DUE TO SAND.
A0907	260506	B) 2605060552 C) 2608040730EST E) 14 CAVITIES EXIST ON LEFT SIDE OF RWY 34L WITH FLW SPECIFICATIONS: NR 1,2,3,4: DIST FM RCL: 40M, DIAMETER: 2 M, DPT: 2 M, (AT 150,200,300,350M BFR DTHR RWY 34L) NR 5,6,7,8,9,10,11,12,13,14: DIST FM RCL: 40 M, DIAMETER: 0.5 M, DPT: 2M, (AT 120,160,180,210,230,260,280,310,330,340M BFR DTHR RWY 34L).
A0908	260506	B) 2605060602 C) 2608040730EST E) REF AIP PAGE AD 2-8 OIKK ITEM 2.18, TWR FREQ 257.800 MHZ ONLY AVBL ON BACK UP FREQ SYSTEM.
A0909	260506	B) 2605060602 C) 2608040730EST E) REF AIP PAGE AD 2-8 OIKK ITEM 2.18, ATS COM FAC TWR FREQ 243.000 MHZ ONLY AVBL ON BACK UP FREQ SYSTEM.
A0910	260506	B) 2605060607 C) 2608040730EST E) STRIP GRADING EXIST ON LEFT SIDE OF RWY 34R, WITH FLW SPECIFICATIONS: DIST FM THR RWY 34R: 500 M UP TO 4200 M, DIST FM RCL 34R: 60 M UP TO 170 M, DPT: 1.5 M, MACHINERY OPR WITH HGT OF 20 FT AND WILL VACATE DRG SKED FLT.
A0971	260513	B) 2605130756 C) 2608110730EST E) RWY 16R/34L CLSD.
A0972	260513	B) 2605130801 C) 2608110730EST E) TWY C1, C6, C, D, E CLSD.

KERMANSHAH/SHAHID ASHRAFI ESFAHANI.OICC

A0966	260512	B) 2605121002 C) 2605250830EST E) RWY 11L/29R CLSD
A0967	260512	B) 2605121006 C) 2605250830EST E) TWY E, F, G AND H CLSD.

KHARK ISLAND/KHARK.OIBQ

A0960	260512	B) 2605120846 C) 2608102359EST E) DVOR KHG FREQ 113.400 MHZ U/S, AND SUBSEQUENTLY REQUIRED FLTCK.
-------	--------	---

KHORAM ABAD.OICK

A0233	260115	B) 2601150921 C) 2604150830EST E) REF AIP PAGE AD 2 OICK ADC, TWY C CLSD.
-------	--------	--

A0985	260516	B) 2605161139 C) 2608150600EST E) DVOR/DME KRD 113.750 MHZ CH 84Y U/S AND SUBSEQUENTLY REQUIRED FLTCK, ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM TEMPORARILY SUSPENDED.
-------	--------	---

KHOY.OITK

A1415	220507	B) 2205071307 C) PERM E) REF AIP PAGE AD 2-3 OITK ITEM 2.10, SPECIFICATIONS OF OBSTACLE "IN APPROACH RWY 33 AND TKOF RWY 15" CHANGED AS FLW: OBST TYPE ELEVATION MARKINGS/LGT COORDINATES ----- POWER LINE 4411 FT AMSL NIL FIRST: 382231N 0445909E LAST: 382307N 0450112E AMEND AIP ACCORDINGLY.
A1416	220507	B) 2205071310 C) PERM E) REF AIP PAGE AD 2-3 OITK ITEM 2.10, NEW OBSTACLE EXIST "IN APPROACH RWY 33 AND TKOF RWY 15" WITH FLW SPECIFICATIONS: OBST TYPE ELEVATION MARKINGS/LGT COORDINATES ----- POWER LINE 4621 FT AMSL NIL FIRST: 382145.2N 0450027E 2NDT: 382142N 0450031E AMEND AIP ACCORDINGLY.
A1417	220507	B) 2205071312 C) PERM E) REF AIP PAGE AD 2-3 OITK ITEM 2.10, SPECIFICATIONS OF 2 OBSTACLES "IN CIRCLING AREA AND AT AD" CHANGED AS FLW: OBST TYPE ELEVATION MARKINGS/LGT COORDINATES ----- ANTENNA 3991 FT AMSL NIL 382523N 0445815E TWR BUILDING 4055 FT AMSL LGTD 382517N 0445823E AMEND AIP ACCORDINGLY.
A1418	220507	B) 2205071316 C) PERM E) REF AIP PAGE AD 2-3 OITK ITEM 2.10, NEW OBSTACLE EXIST "IN CIRCLING AREAS AND AT AD" WITH FLW SPECIFICATIONS: OBST TYPE ELEVATION MARKINGS/LGT COORDINATES ----- NDB ANTENNA 3947 FT AMSL NIL 382546.8N 0445808.5E AMEND AIP ACCORDINGLY.
A2113	230701	B) 2307011023 C) PERM E) REF AIP PAGE AD 2-4 OITK ITEM 2.18, NEW ATS COMMUNICATION FACILITIES INSTALLED AND OPR WITH FLW SPECIFICATIONS: - SERVICE DESIGNATION: AFIS, - CALL SIGN: KHOY INFORMATION, - FREQUENCY: 121.500 MHZ, RMK: EMERGENCY, - HOURS OF OPERATION: HS, AMEND AIP ACCORDINGLY.

KISH ISLAND /KISH.OIBK

A0696	260224	B) 2602240818 C) 2605242030EST E) A LGTD GAS MAST ERECTED AT WEST OF AD ON FINAL RWY 09R, WITH FLW SPECIFICATIONS: PSN: 263150N 0535609E, HGT: 187 FT / 57 M AGL, DIST FM THR RWY 09L: 2600 M
-------	--------	--

LAMERD.OISR

A0854	260427	B) 2604271325 C) 2607262030EST E) AD CAT FOR RFFS IS CAT 2, ALSO UP TO CAT 7 AVBL FOR THOSE FLT WHICH GET PRIOR PERMISSION AT LEAST 24 HR BFR EOBT FM LAMERD AD.
A0987	260516	B) 2605161143 C) 2608150600EST E) VOR/DME LAM FREQ 117.000 MHZ, CH 117X U/S AND SUBSEQUENTLY REQUIRED FLTCK, ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM TEMPORARILY SUSPENDED.
A3607	251201	B) 2512010840 C) 2603012030EST E) TWR REMOTE CONTROL LGT SYSTEM U/S, AND LGT INTST SETTING UNDER CONTROL MANUALLY BY TECHNICAL UNIT.
A3608	251201	B) 2512010901 C) 2603012030EST E) REF AIP PAGE AD 2-5 OISR ITEM AD 2.15 , ABN U/S.

LAR.OISL

A0780	260420	B) 2604200746 C) 2607192030EST E) REF AIP PAGE AD 2-5 OISL ITEM 2.17 ATS AIRSPACE, NR 3 AIRSPACE CLASSIFICATION, DRG SKED AND NON-SKED ARRIVING AND DEPARTING PASSENGER FLT AND CARGO FLT OPERATION AIRSPACE CLASSIFICATION IS D, OTHER TIMES AIRSPACE CLASSIFICATION IS G. FOR NON-SKED FLT PPR AT LEAST 72 HR BFR EOBT FM LAR AD.
A0986	260516	B) 2605161141 C) 2608150600EST E) DVOR/DME LAR FREQ 117.900 MHZ CH 126X U/S AND SUBSEQUENTLY REQUIRED FLTCK, ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM TEMPORARILY SUSPENDED.

LAVAN ISLAND/LAVAN.OIBV

A0961	260512	B) 2605120847 C) 2608102359EST E) DVOR LVA FREQ 116.850 MHZ U/S, AND SUBSEQUENTLY REQUIRED FLTCK.
-------	--------	---

MASHHAD/SHAHID HASHEMI NEJAD INTL.OIMM

A0891	260505	B) 2605050802 C) 2608032030EST E) GPS UNREL AND MAY BE UNAVAILABLE WI AREA WITH THE LATERAL LIMITS OF MASHHAD TMA AS SPECIFIED IN IRAN AIP, FM GND UP TO FL245, EGPWS/GPWS MAY DISPLAY ERRONEOUS INDICATION AND MAP SHIFTING, AS REPORTED FREQUENTLY, PILOTS SHALL REPORT GPS ANOMALIES INCLUDING DEGRADED OPERATION AND/OR LOSS OF SER, ASAP. F) GND G) FL245
A0896	260505	B) 2605051059 C) 2607291230 E) TWY J CLSD DUE TO CONST WORK.

A0918	260513	B) 2605130230 C) 2605201830 D) 0230-1830 E) GUN FIRING WILL TAKE PLACE WI PARTS OF OIC74 WITH THE FLW COORD: 360700N 0604400E 355400N 0604300E 355900N 0602800E 360600N 0602900E TO THE POINT OF ORIGIN. F) GND G) 14000 FT AMSL
A0919	260506	B) 2605061245 C) 2605231230 E) REF AIP PAGE AD 2-9 OIMM ITEM 2.18 GND SER PROVIDED ON TWR FREQ 118.100 MHZ
A0984	260516	B) 2605161134 C) 2608150600EST E) DVOR/DME MSD FREQ 114.000 MHZ CH 87X U/S AND SUBSEQUENTLY REQUIRED FLTCK , ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM TEMPORARILY SUSPENDED.

NOSHAHR.OINN

A0878	260502	B) 2605020904 C) 2607301030EST E) TWO NEW UNLIGHTED UNMARKED MASTS EXIST SOUTH OF RWY 10/28 WITH FLW SPECIFICATION: 1: DIST FM THR RWY 28 : 821 M DIST FM RCL 28 : 172 M HGT: 17FT AGL 2: DIST FM THR RWY 28 : 1072 M DIST FM RCL 28 : 137 M HGT: 12FT AGL
-------	--------	--

PARS SPECIAL ZONE/PERSIAN GULF.OIBP

A0174	260110	B) 2601101101 C) 2603151045EST E) TWY C CL LGT U/S.
A0954	260512	B) 2605120841 C) 2608102359EST E) NDB PRG 457 KHZ U/S AND SUBSEQUENTLY REQUIRED FLTCK.
A0964	260512	B) 2605120851 C) 2608102359EST E) REF AIP PAGE AD 2-6 OIBP ITEM 2.14 , RWY 13 PAPI RIGHT AND RWY 31 PAPI (RIGHT AND LEFT) U/S, AND SUBSEQUENTLY REQUIRED FLTCK
A3697	251209	B) 2512090522 C) 2603090500EST E) ONLY 3000 LITERS FUEL AVBL FOR EACH FLT.

PARSABADE MOGHAN.OITP

A3903	251223	B) 2512231820 C) PERM E) FUELLING SER AND FAC AVBL WITH FLW SPECIFICATIONS: - FUEL TYPES: JET A1, - FACILITIES/CAPACITY: 1 TRUCK, 8000 LITERS, 14 LITERS/SEC, - OPR HR: O/R, AMEND AIP PAGE - AD 2-1 OITP ITEM 2.3 NR 8, - AD 2-2 OITP ITEM 2.4 NR 2 AND 3, ACCORDINGLY.
-------	--------	---

RASHT.OIGG

A0824	260427	B) 2604270613 C) 2607251000EST E) CONST WORK IN PROGRESS ALONG BOTH SIDES OF RWY 09/27: DIST FM RCL : 90 M UP TO 150 M , MACHINARY OPR WITH MAX HGT : 12 FT.
-------	--------	---

A0825	260427	B) 2604270618 C) 2607251000EST E) REF NOTAM A0824/26, TRAINING FLT NOT AUTHORIZED DUE TO CONST WORK.
-------	--------	--

SANANDAJ.OICS

A0489	260209	B) 2602090846 C) 2604191430EST E) TWO SNOW PLOUGH BLADE EXIST ON LEFT SIDE OF RWY 19, WITH FLW SPECIFICATIONS: MAX HGT: 6 FT, WID: 6 M, DIST FM THR 19 : 890 M, DIST FM RCL 19 : 128 M.
A0923	260510	B) 2605100810 C) 2608081430EST E) DIFFERENCES IN SFC EXIST AT THE BEGINNING OF RIGHT SIDE OF RWY 19 WITH FLW SPECIFICATIONS: DIST FM RCL 19 : 120 M WID : 32 M, LEN : 1000 M, DPT : 4 M
A0924	260510	B) 2605100812 C) 2608081430EST E) A POND EXISTS ON LEFT SIDE OF RWY 19 WITH FLW SPECIFICATIONS : DIST FM THR RWY 19 : 2200 M AFTER THR DIST FM RCL 19 : 145 M WID : 230 M, LEN : 460 M, DPT : 8 M, DIFFERENT KINDS OF BIRDS AND WILD ANIMALS EXIST IN THIS AREA.
A0925	260510	B) 2605100815 C) 2608081430EST E) AN UNLGTD OBSTACLE AFFECTED CIRCLING AREA EXIST WITH FLW SPECIFICATION: OBSTACLE TYPE: BLDG, HGT: 4613 FT AMSL, PSN:351557N 0470050E, DIST: 920 M BFR THR RWY 19, DIST:400 M RIGHT SIDE OF EXTD RCL 19
A0934	260514	B) 2605141130 C) 2606201430 D) SAT THU 1130-1430 E) REF NOTAM A0931/26 AND REF AIP PAGE AD 2 OICS STAR 1-1 STANDARD INSTRUMENT ARRIVAL (STAR) SANANDAJ RWY 01/19 LOVID 1N/1P, ASLAX 1N, BOPEL 1N ARR SUSPENDED.
A0935	260514	B) 2605141130 C) 2606201430 D) SAT THU 1130-1430 E) REF NOTAM A0931/26 , ALL IAC SUSPENDED.
A0936	260514	B) 2605141130 C) 2606201430 D) SAT THU 1130-1430 E) REF NOTAM A0931/26 AND REF AIP PAGE AD 2 OICS SID 1-1, STANDARD INSTRUMENT DEPARTURE (SID) SANANDAJ RWY 19 LOVID 1A/1C, ASLAX 1A DEP SUSPENDED.

SARAKHS.OIMC

A0779	260420	B) 2604200735 C) 2607192030EST E) REF AIP PAGE AD 2-4 OIMC ITEM 2.18 ATS COM FAC, EMERG FREQ 121.500 MHZ U/S.
A0787	260420	B) 2604200824 C) 2607192030EST E) REF AIP PAGE AD 2 OIMC IAC 4-1, INSTRUMENT APPROACH PROCEDURE SARAKHS/SARAKHS CIRCLING NDB/DME CAT A/B/C/D SUSPENDED.
A0953	260512	B) 2605120829 C) 2608102359EST E) REF AIP PAGE AD 2-4 OIMC ITEM 2.19 RADIO NAVIGATION AND LANDING AIDS, DME SRS CH 108X FREQUENCY 116.100 MHZ U/S. AND SUBSEQUENTLY REQUIRED FLTCK.
A2496	230730	B) 2307300818 C) 2310280820EST E) SARAKHS AIRPORT IS ONLY AVAILABLE FOR SPECIALIZED OPERATION (OTHER THAN COMMERCIAL AIR TRANSPORT).

SARI/DASHT- E- NAZ.OINZ

A0720	260301	B) 2603010824 C) 2605251000EST E) PAPI RWY16 NOT OPR.
A0997	260518	B) 2605181527 C) 2608170900EST E) CONST WORK EXIST ON BOTH SIDE OF RWY16/34 ALONG THE RWY16/34 , DIST FM RCL: 70M UP TO 150M.
A1892	220621	B) 2206211046 C) PERM E) NEW APRON EXIST NORTH OF OLD APRON (REF AIP PAGE AD 2 OINZ ADC) WITH FLW SPECIFICATIONS: SURFACE: CONCRETE, BERING STRENGTH: PCN 74/R/B/W/T , DIMENSIONS: 111 X 106 M , AMND AIP ACCORDINGLY.

SHIRAZ/SHAHID DASTGHAIB INTL.OISS

A0703	260225	B) 2602250819 C) PERM E) REF AIP PAGE AD 2-8 OISS ITEM 2.18, GND SER PROVIDED BY SHIRAZ GROUND BTN 0330-1930 (HOURS OF OPERATION) ON FLW FREQ: 121.900 MHZ, 121.750 MHZ AND 275.800 MHZ, AMEND AIP ACCORDINGLY.
A0788	260420	B) 2604200832 C) 2607192030EST E) GPS UNREL AND MAY BE UNAVAILABLE WI AREA WITH THE LATERAL LIMITS OF SHIRAZ TMA AS SPECIFED IN IRAN AIP PAGE ENR 2.1-7, FM GND UP TO FL245, EGPWS/GPWS MAY DISPLAY ERRONEOUS INDICATION AND MAP SHIFTING, AS REPORTED FREQUENTLY PILOTS SHALL REPORT GPS ANOMALIES INCLUDING DEGRADED OPERATION AND/OR LOSS OF SER, ASAP. F) GND G) FL245
A0835	260427	B) 2604270813 C) 2607221030EST E) DME SYZ CH125X REMOTE MONITOR IN APP U/S. PILOTS SHALL REPORT DME OUTAGE TO OISS ATC AND REQUEST ALTERNATIVE CLEARANCE IF REQUIRED
A0836	260427	B) 2604270815 C) 2607221030EST E) REF AIP PAGE AD 2 OISS APDC1, STAND NR 103 CLSD DUE TO WIP.
A0840	260427	B) 2604270844 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, SHIRAZ TMA MSSR RADAR U/S AND APCH RADAR SER IN SHIRAZ TMA NOT AVBL.
A0915	260506	B) 2605061101 C) 2606211030EST E) REF AIP PAGE AD 2-9 OISS ITEM 2.18 AND REF NOTAM A0703/26 GND SER PROVIDED ON TWR FREQ 118.100 MHZ
A0938	260511	B) 2605110843 C) 2608081200EST E) REF AIP PAGE ENR 1.6-5 NR 4 , TWR RADAR PRESENTATION SYSTEM U/S.
A0940	260511	B) 2605110901 C) 2607222030EST E) RWY 11L/29R CLSD .
A0941	260511	B) 2605110913 C) 2607221030EST E) ALL TWY CLSD EXC G4, A4,B4 AND B1.

SIRJAN.OIKY

A0789	260420	B) 2604200842 C) 2607192030EST E) REF AIP PAGE AD 2 OIKY IAC 2-1 AND IAC 2-2, THE OCA/H STRAIGHT SECTION FOR FLW INSTRUMENT APPROACH PROCEDURES SUSPENDED, ONLY OCA/H FOR CIRCLING AVBL: - INSTRUMENT APPROACH PROCEDURE SIRJAN VOR Z RWY 13 CAT A/B/C/D, - INSTRUMENT APPROACH PROCEDURE SIRJAN VOR Y RWY 13 CAT A/B/C/D.
A0790	260420	B) 2604200844 C) 2607192030EST E) COND TO USE RWY 13/31 ARE AS FLW: RWY 13/31: INSTR MNM TKOF AND LDG VIS FOR RWY 13/31: 5000 M ACCORDING METAR, MAX CROSSWIND COMPONENT OF 15 KT, STOP OPERATION ON RWY 13/31: RCC (RWY COND CODE) BELOW 3.

TABRIZ INTL.OITT

A0477	260209	B) 2602090457 C) 2605091149EST E) ISOL ACFT PSN OCCUPIED BY DISABLED ACFT AND TWY M CONSIDERED AS ISOL AREA.
A0564	260216	B) 2602160631 C) 2603021530EST E) A HOLE EXISTS ON RWY 30R, WITH FLW DIMENSIONS: DIST FM THR RWY 30R: 1352 M DIST FM LEFT OF RCL 30R: 2 M WID: 30 CM, LEN: 30 CM, DPT: 7 CM.

TEHRAN/FIR.OIIX

A0712	260228	B) 2602280551 C) 2605291100EST E) AIRWAY N39 BTN DEMBA AND OBRIX CLSD FOR TRANSITING TEHRAN FIR FLIGHTS - ALTN TOS FOR WESTBOUND: RADAL DCT IMKER DCT ULDUS, MNM FLT LVL: FL 275, - ALTN TOS FOR EASTBOUND: ULDUS DCT ALKUP DCT IMLIM DCT OXADU M715 OBRIX, MNM FLT LVL: FL 285.
A0713	260228	B) 2602280601 C) 2605101100EST E) AWY G208/L125 BTN RADAL AND IKA DVOR/DME CLSD FOR TRANSITIONING TEHRAN FIR FLIGHTS, FLT INTENDING TO USE THIS AWY SHALL FILE FPL VIA ROVAD DCT IKA DVOR/DME, RADAL AVBL FOR OIII/OIIE/OIIP ARR.
A0724	260303	B) 2603031948 C) 2605050700EST E) ADDITIONAL ACC DIRECT LINE IS 00982144665478 AND MOBILE NUMBER 00989385580035 .
A0781	260420	B) 2604200751 C) 2607192030EST E) FOREIGN AIRLINES AND ACFT OPS DEPARTING FM IRANIAN AIRPORTS ARE REQUIRED TO ADDRESS FPL AND RELATIVE UPDATES TO ADDRESS OIIXIFPS, FOR TRANSITING INTL FLT VIA TEHRAN FIR AND INTL INBOUND TFC TO IRANIAN AIRPORTS SHALL FLW PROCEDURE SPECIFIED IN IRAN AIP ENR 1.11 .
A0782	260420	B) 2604200800 C) 2607192030EST E) REF AIP PAGE ENR 2.1-1 TEHRAN FIR, TEHRAN INFO, HF FREQ 5658 KHZ, 5667 KHZ, 6925 KHZ, 8091 KHZ, 8918 KHZ, 10018 KHZ, 13288 KHZ AND 13312 KHZ U/S.

A0784	260420	B) 2604200804 C) 2607192030EST E) NEW CTA ESTABLISHED AT SOUTH OF TEHRAN FIR WI AREA WITH FLW SPECIFICATIONS: 282731N 0520543E, KATAG, KUPTO, KASOL, 283811N 0532523E, 282300N 0533600E, 275700N 0535300E, LAR VOR/DME, 271545N 0542844E, SERDU, DAPER, MIDSI, 264600N 0514158E, DEPSU, TO THE POINT OF ORIGIN. LOWER LIMIT: FL195 UPPER LIMIT: UNL CLASS OF AIRSPACE: AT FL200 CLASS D, ABOVE FL200 CLASS A, UNIT PROVIDING SERVICE: TEHRAN ACC, CALL SIGN: TEHRAN RADAR, LANGUAGES: ENGLISH - PERSIAN, HOURS OF SER: H24, FREQ: 133.400 MHZ. F) FL195 G) UNL
A0785	260420	B) 2604200808 C) 2607192030EST E) REF AIP PAGE ENR 2.1, FREQ 316.800 MHZ SECTOR 1 NORTH/EAST/WEST, FREQ 351.900 MHZ SECTOR 2 EAST/WEST, FREQ 326.400 MHZ SECTOR 3 NORTH/SOUTH, FREQ 291.700 MHZ SECTOR 4 EAST/WEST/SOUTH, FREQ 309.100 MHZ SECTOR 5 EAST/WEST, FREQ 284.900 MHZ SECTOR 6 EAST/WEST AND FREQ 302.400 MHZ SECTOR 7 CHANGE TO FREQ 258.400 MHZ.
A0792	260514	B) 2605140000 C) 2605232359 E) NIL NOTIFICATION: NO AIRAC AIP AMDT WILL BE PUBLISHED ON AIRAC EFFECTIVE DATE 14 MAY 2026 .
A0793	260420	B) 2604200944 C) 2607192030EST E) REF AIP SUP 13/25 TFC ORIENTATION SCHEME (TOS) WITHIN OIIX, PART 3 DOM FLT TOS, CHANGE AS FLW: - NR 5 DOM FLT FM OIBK TO OIMM (PAGE 28) - RELEVANT SID PURNA A418 SOKEV W143 LAR Z5 LOSAN RELEVANT STAR - NR 35 DOM FLT FM OISS TO OICK (PAGE 37) - RELEVANT SID KAVOT R659 ISNG202 KRD W158 BUBAV RELEVANT STAR - NR 35 DOM FLT FM OISS TO OICK (PAGE 37) - RELEVANT SID KAVOT R659 ISN G202 NOTSARELEVANT STAR - NR 35 DOM FLT FM OISS TO OICI (PAGE 37) - RELEVANT SID KAVOT R659 ISN G202 ALTET RELEVANT STAR
A0796	260421	B) 2604210949 C) 2605250830EST E) TEHRAN FIR RESUMED NORMAL OPERATION, WHILE WEST PART REMAINS CLOSED FOR OVERFLIGHTS. DIVIDING LINE GOES THROUGH IVIVA-PURBO-ANK-OBRIX THEN CLOCKWISE ALONG TEHRAN TMA TO NAGMO AND LALDA. OVERFLIGHT OPERATION IN EAST PART OF TEHRAN FIR IS SUBJECT TO FOLLOWING CONDITIONS: -ATS SURVEILLANCE SERVICE WILL BE PROVIDED ABOVE FL285 SUBJECT TO RADAR COVERAGE. -INBOUND TRAFFIC SHALL CONTACT TEHRAN ACC 5 MIN PRIOR TO FIR BOUNDARY FOR IDENTIFICATION. -OUTBOUND TRAFFIC SHALL ESTABLISH COMMUNICATION WITH NEXT ACC 5 MIN PRIOR TO FIR BOUNDARY. -FLIGHTS SHALL HAVE OPERATIONAL ACAS. -LARGER SEPARATION MAY BE APPLIED WITHIN TEHRAN FIR. -FLIGHTS SHALL RETAIN THE LAST ASSIGNED SSR CODE. IF CODE HAS NOT BEEN ASSIGNED, USE SQUAWK 2000 UNTIL FURTHER INSTRUCTION BY ACC.
A0797	260421	B) 2604210955 C) 2605250830EST E) CAUTION TO ALL FLIGHTS, NEAR CONFLICT ZONE MAY BE EXTENDED OVER HIGH SEAS WITHIN TEHRAN FIR IN PERSIAN GULF AND PART OF OMAN SEA WEST OF MERIDIAN 059E AS THE RESULT OF SECURITY REASON.

A0799	260421	B) 2604211010 C) 2605250830EST E) REF NOTAM A0796/26, ALL AIRPORTS IN WEST PART OF TEHRAN FIR ARE CLSD EXCEPT OITR, OIKK, OIAA, OISS, OIYY, OICC AND OIGG THAT ARE OPERATIONAL FM SUNRISE TO SUNSET (HJ). ALL PREVIOUS PERMISSIONS ARE SUSPENDED FOR ALL OPERATORS, NEW PERMISSION SHALL BE REQUESTED FM CAA FOR OPERATION OF CIVIL IFR PASSENGER FLIGHTS ON THESE AIRPORTS.
A0802	260421	B) 2604211039 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OOMM FIR TO OPKR FIR: -DENDA R462 METBI, FM OPKR FIR TO OOMM FIR: -METBI R462 DENDA.
A0803	260421	B) 2604211040 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OPKR FIR TO UBBA FIR: -ASVIB M715 SRN T216 SODOK L713 GIBAB DCT ULEXI DCT BATEV, -DERBO G452 ITBIR L713 GIBAB DCT ULEXI DCT BATEV, FM UBBA FIR TO OPKR FIR: -ULDUS N319 DERBO, -ULDUS N319 ZDN L125 KEBUD.
A0804	260421	B) 2604211042 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OPKR FIR TO UTAK FIR: -ASVIB M715 SRN T216 PEGOS L713 OTISO M318 IMKUK N567 SOMAD, FM UTAK FIR TO OPKR FIR -SOMAD P718 ITELO N319 DERBO, -SOMAD P718 ITELO N319 ZDN L125 KEBUD.
A0805	260421	B) 2604211043 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OAKX FIR TO UTAA FIR: -PAMTU G792 MSD G775 ORPAB, -PAMTU G792 GIRUN, FM UTAA FIR TO OAKX FIR: -GIRUN G792 PAMTU, -ORPAB G775 MSD G792 PAMTU.
A0806	260421	B) 2604211044 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OAKX FIR TO UBBA FIR: -SOKAM L333 GIBAB DCT ULEXI DCT BATEV, FM UBBA FIR TO OAKX FIR: -ULDUS P567 ALROT L333 SOKAM.
A0807	260421	B) 2604211046 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OOMM FIR TO UBBA FIR: -MESPO Y12 W139 DAR DCT OTISO L713 GIBAB DCT ULEXI DCT BATEV, FM UBBA FIR TO OOMM FIR: -ULDUS N319 ROXEK DCT SILKO DCT NAGES R654 CBH W2 MESPO, -ULDUS N319 ROXEK DCT SILKO DCT NAGES R654 DENDA (FOR TRAFFIC LANDING IN UAE FIR).

A0808	260422	B) 2604220731 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OOMM FIR TO UTAK FIR: -MESPO Y12 BAM W139 DAR DCT OTISO M318 IMKUK N567 SOMAD, FM UTAK FIR TO OOMM FIR: -SOMAD P718 ITELO N319 ROXEK DCT SILKO DCT NAGES R654 CBH W2 MESPO, -SOMAD P718 ITELO N319 ROXEK DCT SILKO DCT NAGES R654 DENDA (FOR TRAFFIC LANDING IN UAE FIR).
A0809	260422	B) 2604220736 C) 2605250830EST E) REF NOTAM A0796/26, ALL TOS IN AIP SUP 13/25 REGARDING OVERFLIGHTS ARE SUSPENDED, FLW NEW TOS IS ESTABLISHED FOR OVERFLIGHTS ABOVE FL285 DURING RECOVERY PERIOD: FM OOMM FIR TO UTAA FIR: -MESPO Y12 BAM W139 DAR Z5 MSD A647 NAZAR, -MESPO Y12 BAM W139 DAR DCT OTISO M318 RIKOP, FM UTAA FIR TO OOMM FIR: -RIKOP M324 ROXEK DCT SILKO DCT NAGES R654 CBH W2 MESPO, -RIKOP M324 ROXEK DCT SILKO DCT NAGES R654 DENDA (FOR TRAFFIC LANDING IN UAE FIR), -NAZAR A647 MSD G775 ZDN W2 MESPO, -NAZAR A647 MSD G775 ZDN W2 CBH R654 DENDA (FOR TRAFFIC LANDING IN UAE FIR).
A0812	260423	B) 2604230644 C) 2605250830EST E) REF NOTAM A0796/26, TRANSFER OF CONTROL POINTS OF TEHRAN FIR WITH ANKARA, YERVAN, NAKHCHIVAN AND BAKU FIR(S) ARE AVBL FOR INTERNATIONAL FLIGHTS INTENDED TO LAND/DEPART WITHIN TEHRAN FIR.
A0813	260423	B) 2604230717 C) 2605250830EST E) REF AIP PART ENR 3.1 THE NAVIGATION SPECIFICATION OF ALL ATS ROUTES AVBL AS RNAV 5 FM MNM SAFE LVL.
A0844	260427	B) 2604270852 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, TEHRAN (MEHRABAD) MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO TEHRAN (MEHRABAD) MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 1 (FREQ 119.300 MHZ) AND SECTOR 2 (FREQ 125.700 MHZ) AND SECTOR 7 (FREQ 120.700MHZ) MAY NOT BE AVBL.
A0845	260427	B) 2604270854 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, TEHRAN (IMAM KHOMEINI) MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO TEHRAN (IMAM KHOMEINI) MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 1 (FREQ 119.300 MHZ) AND SECTOR 2 (FREQ 125.700 MHZ) AND SECTOR 7 (FREQ 120.700 MHZ) MAY NOT BE AVBL.
A0846	260427	B) 2604270855 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, KUSHK MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO KUSHK MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 1 (FREQ 132.500 MHZ) AND SECTOR 2 (FREQ 125.700 MHZ) AND SECTOR 7 (FREQ 120.700 MHZ) MAY NOT BE AVBL.
A0847	260427	B) 2604270857 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, KISH MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO KISH MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 4 (FREQ 133.400MHZ) AND SECTOR 5 (FREQ 120.300 MHZ) MAY NOT BE AVBL.

A0848	260427	B) 2604270858 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, ESFAHAN MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO ESFAHAN MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 2 (FREQ 125.700 MHZ) AND SECTOR 3 (FREQ 126.900 MHZ) AND SECTOR 6 WEST (FREQ 132.750 MHZ) AND SECTOR 7 (FREQ 120.700 MHZ) MAY NOT BE AVBL.
A0849	260427	B) 2604270859 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, LAR MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO LAR MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 4 (FREQ 133.400 MHZ) MAY NOT BE AVBL.
A0850	260427	B) 2604270900 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, SHIRAZ MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO SHIRAZ MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 3 (FREQ 126.900 MHZ) AND SECTOR 4 (FREQ 133.400 MHZ) MAY NOT BE AVBL.
A0851	260427	B) 2604270902 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, AHWAZ MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO AHWAZ MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 3 (FREQ 126.900 MHZ) AND SECTOR 2 (FREQ 125.700 MHZ) MAY NOT BE AVBL.
A0852	260427	B) 2604270903 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, TABRIZ MSSR RADAR DERIVED INFORMATION FOR EN-ROUTE NOT AVBL DUE TO TABRIZ MSSR RADAR U/S, RADAR SER IN SOME PARTS OF THE ACC SECTOR 1 (FREQ 119.300 MHZ AND FREQ 132.500 MHZ) MAY NOT BE AVBL.
A0863	260430	B) 2604300812 C) 2607292030EST E) REF AIP SUP 13/25 TRAFFIC ORIENTATION SCHEME (TOS) WI OIIX, ITEM 3-DOMESTIC FLIGHT TOS, THE FLW STD AND MANDATORY TRAFFIC ORIENTATION SCHEME ARE APPLICABLE: FM OISS TO OIMM: - RELEVANT SID KINOT G663 ORSOK G202 VEGUN Z5 LOSAN FM OIBB TO OIMM: - RELEVANT SID KUGVU W23 SYZ G663 ORSOK G202 VEGUN Z5 LOSAN FM OIYY TO OIMM: - RELEVANT SID BOMIT G663 ORSOK G202 VEGUN Z5 LOSAN RELEVANT STAR
A0893	260505	B) 2605050910 C) 2608032030EST E) THE FLW AWY CLSD: -P574 BTN PEKAM AND SYZ DVOR/DME -B411 BTN ILM DVOR/DME AND DAXIL -M715 BTN OBRIX AND PURKI -M701 BTN LUMOM AND MIDS -M317/L319 BTN ROVON AND RADID
A0912	260506	B) 2605060845 C) 2608040900EST E) REF AIP PAGE ENR 3.1-8, AWY A647 BTN NAZAR AND RAGET CHANGED TO BIDIRECTIONAL AWY.
A0916	260513	B) 2605130330 C) 2606211930 D) 0330-1930 E) REF AIP PAGE ENR 5.1.3-12, OID121 ACTIVATED F) GND G) 30000 FT AMSL

A0917	260513	B) 2605130330 C) 2606211930 D) 0330-1930 E) GUN FIRING WILL TAKE PLACE WI AREA: 314529N 0604632E 313656N 0604632E 313656N 0604036E 314529N 0604036E TO THE POINT OF ORIGIN. F) GND G) 20000 FT AMSL
A0931	260514	B) 2605141130 C) 2606201430 D) EV SAT AND THU 1130-1430 E) GUN FIRING WILL TAKE PLACE WI AREA WITH THE FLW COORD: 352500N 0465100E 352500N 0470000E 351500N 0465100E 352000N 0464500E TO THE POINT OF ORIGIN. F) GND G) 18000FT AMSL
A0933	260514	B) 2605140430 C) 2606211830 D) 0430-1830 E) OI125 ACTIVATED, REF AIP PAGE ENR 5.1.3-12. F) GND G) 18000 FT AMSL
A0946	260511	B) 2605111720 C) 2605250830EST E) REF NOTAM A0796/26, RAGET AND PAXAT ARE AVAILABLE AS TRANSFER OF CONTROL POINTS BTN TEHRAN FIR AND BAGHDAD FIR FM 0230-1430 UTC, ONLY FOR FLIGHTS ARRIVING TO OR DEPARTING FM AIRPORTS IN TEHRAN FIR
A0957	260512	B) 2605120844 C) 2608102359EST E) VOR ANK FREQ 112.700 MHZ U/S, AND SUBSEQUENTLY REQUIRED FLTCK.
A0973	260513	B) 2605130830 C) 2608032030EST E) REF AIP SUP 13/25 TFC ORIENTATION SCHEME (TOS) WITHIN OIIX, PART 3 DOM FLT TOS, CHANGE AS FLW: FM OIII/OIIE TO OIZH: - RELEVANT SID OBRIX DCT ROVAD G208/L125 DAR DCT SILKO G452 ITBIR RELEVANT STAR FM OIII/OIIE TO OIYY: - RELEVANT SID OBRIX DCT ROVAD W32 BONOL RELEVANT STAR FM OIII/OIIE TO OIKK: - RELEVANT SID OBRIX DCT ROVAD W32 YZD R654/L124 ALMOB RELEVANT STAR FM OICI TO OIII: - RELEVANT SID ALTET G202 RASLA G667 SAV RELEVANT STAR FM OIFM TO OISS: - RELEVANT SID GESIP R659 KAVOT RELEVANT STAR FM OIII TO OISS: - RELEVANT SID ELUSI W13 PEKAM R654 ISN R659 KAVOT RELEVANT STAR FM OIGG TO OISS: - RELEVANT SID DEDLA Z725 PAXID N72 SAV R654 ISN R659 KAVOT RELEVANT STAR FM OIII TO OIMB: - RELEVANT SID OBRIX DCT ROVAD W159 TULKU RELEVANT STAR FM OIII TO OICC: - RELEVANT SID PAVET A647 ASRIL RELEVANT STAR FM OICC TO OIII/OIIE: - RELEVANT SID BUBAV DCT DAXIL B411 SAV RELEVANT STAR FM OIMM TO OICC: - RELEVANT SID ORDOB A647 ASRIL RELEVANT STAR FM OICC TO OIMM: - RELEVANT SID BUBAV DCT DAXIL B411 SAV G667 RUS R661 DHN B411 RIBUX RELEVANT STAR .

A0974	260513	B) 2605130840 C) 2608032030EST E) REF AIP SUP 13/25 TFC ORIENTATION SCHEME (TOS) WITHIN OIIX, PART 2 INTL DEP AND ARR TOS WITHIN TEHRAN FIR, CHANGE AS FLW: FM OIIE/OIII TO OOMM FIR: - RELEVANT SID OBRIX DCT ROVAD G208/L125 DAR DCT SILKO DCT NAGES R654 CBH W2 MESPO FM OOMM FIR TO OIIE/OIII: - MESPO Y12 BAM W139 DAR G208/L125 RADAL RELEVANT STAR FM ORBB FIR TO OIIE/OIII: - PAXAT B411 ILM G202 ALTET Z730 BUBAV DCT DAXIL B411 SAV RELEVANT STAR FM OISS TO OOMM FIR: - RELEVANT SID NALBI G452 KER R654 CBH W2 MESPO FM OOMM FIR TO OISS: - MESPO Y12 BAM W139 ORDAD G452 NALBI RELEVANT STAR FM OISS TO ORBB FIR: - RELEVANT SID KAVOT R659 ISN G202 RAGET FM ORBB FIR TO OISS: - PAXAT B411 ILM G202 UKSIS L223 KIXOB W3 KISED RELEVANT STAR FM ORBB FIR TO OIMM: - PAXAT B411 ILM G202 ALTET Z730 BUBAV DCT DAXIL B411 SAV G667 RUS R661 DHN B411 RIBUX RELEVANT STAR .
A0978	260514	B) 2605141130 C) 2606201430 D) SAT THU 1130-1430 E) REF NOTAM A0931/26 , MNM SAFE LVL ON AWY M434/Z740 BTN ASLAX AND NOLTO RAISED TO FL190.
A0982	260611	B) 2606110000 C) 2606242359 E) NIL NOTIFICATION: NO AIRAC AIP AMDT WILL BE PUBLISHED ON AIRAC EFFECTIVE DATE 11 JUN 2026.
A0996	260518	B) 2605181320 C) 2605250830EST E) REF TO NOTAM A0796/26, THE HOURS OF OPERATION OF ALL AIRPORTS IN THE EAST PART OF TEHRAN FIR ARE HJ, EXCEPT FOR: OIMM, OIMS, AND OIZH, OPERATING H24. OIII AND OIIE OPERATING FM 0100-1800 UTC. ALL PREVIOUS PERMISSIONS ARE SUSPENDED AND NEW PERMISSIONS SHALL BE REQUESTED FROM IRAN CAA.
A2776	250929	B) 2509290902 C) 2512282359EST E) PROBABLE GPS (GNSS) FAILURE OR DEGRADATION WI TEHRAN FIR, PILOTS SHALL REPORT TO ATC AND CONSIDER GPS (GNSS) ANOMALIES INCLUDING DEGRADED OPERATION AND/OR LOSS OF SERVICE, AS SOON AS POSSIBLE. F) GND G) UNL
A4458	241111	B) 2411110711 C) 2502092030EST E) ALL TRAFFIC ENTERING TEHRAN FIR FROM KABUL FIR SHALL CONTACT TEHRAN ACC NOT LESS THAN 5 MINUTES PRIOR TO ENTERING THE TEHRAN FIR AS FOLLOWS: UL333 SOKAM 120.700 MHZ N636 PAMTU 120.700 MHZ A453 GADER 123.900 MHZ Z627 RANRU 123.900 MHZ ANY FLIGHT INTENDING TO ENTER KABUL FIR FROM TEHRAN FIR AT THEIR OWN RISK WILL BE PROVIDED ATS ONLY UNTIL THE TEHRAN/KABUL FIR BOUNDARY.

A4459	241111	B) 2411110715 C) 2502092030EST E) AIRSPACE SAFETY AND SECURITY WARNING: HAZARDOUS SITUATION WITHIN THE TERRITORY AND AIRSPACE OF KABUL FIR(OAKX), ALL IRANIAN AIRLINE OPERATORS WHICH ARE PLANNING TO FLY IN KABUL FIR INCLUDING ARRIVAL AND DEPARTURE AT ALL AERODROMES WITHIN THIS FIR AND OVERFLYING ARE ADVISED TO TAKE THIS POTENTIAL RISK INTO ACCOUNT IN THEIR RISK ASSESSMENTS AND ROUTING DECISIONS, DUE TO LACK OF AIR TRAFFIC SERVICES AND THE RISK POSED BY MILITANT ACTIVITY AND LIMITED RISK MITIGATION CAPABILITIES IN AFGHANISTAN.
A4460	241111	B) 2411110717 C) 2502092030EST E) AIRSPACE SECURITY WARNING ISSUED BY IRAN CAA IN RESPONSE TO THE VOLATILE SECURITY SITUATION IN UKRAINE. POTENTIAL RISK FM HEIGHTENED MILITARY ACTIVITY AND DEDICATED ANTI-AVIATION WEAPONRY IN THE EAST OF UKRAINE, AND THREAT POSED BY MISCALCULATION AND MISCOMMUNICATION. IRANIAN REGISTERED AIR OPERATORS ARE ADVISED TO TAKE ALL POTENTIAL RISK INTO ACCOUNT IN RISK ASSESSMENT AND FLT PLANNING DECISIONS WHEN OPERATING IN THE FLW FLIGHT INFORMATION REGIONS (FIR): DNIPRO (UKDV), SIMFEROPOL (UKFV), LVIV (UKLV), ODESA (UKOV), KYIV (UKBV), ROSTOV (URRV) AND MOLDOVA (LUUU). F) GND G) UNL
A4461	241111	B) 2411110718 C) 2502092030EST E) AIRSPACE SAFETY AND SECURITY WARNING: OPERATORS ARE ADVISED NOT TO ENTER KHARTOUM FIR WITHIN THE AIRSPACE OF SUDAN. POTENTIAL RISK FM ANTI-AIRCRAFT WEAPONRY AND HEIGHTENED MILITARY ACTIVITY. CONTACT DANASS OF IRAN CAA +982166078718 AND ANS@CAA.GOV.IR FOR FURTHER DETAILS. CHECK HTTPS://WWW.ICAO.INT/MID/PAGES/FIR/KHARTOUM-FIR-CONTINGENCY-PLAN.ASPX FOR CONTINGENCY ROUTING PROCEDURE.

TEHRAN/IMAM KHOMAINI.OIIE

A0519	260210	B) 2602101047 C) 2605101530EST E) ACFT DOCKING GUIDANCE SYSTEM STAND NR 106C U/S.
A0855	260428	B) 2604280102 C) 2605211530EST E) TWY R6 CLSD.
A0888	260611	B) 2606110000 C) 2606242359 E) TRIGGER NOTAM-TEMPORARY NEW AIRAC AIP SUP 1/26 REGARDING AMENDED IAC 1-1 AT IMAM KHOMAINI INTERNATIONAL AIRPORT AND AVBL AT OUR WEBSITE (HTTPS://AIS.AIRPORT.IR/81).
A0965	260512	B) 2605120853 C) 2608102359EST E) PAPI RWY 29R U/S AND SUBSEQUENTLY REQUIRED FLTCK
A0968	260512	B) 2605121540 C) 2606101530EST E) TWY J BTN TWY A AND APRON, AND APRON TAXI LANE BTN STAND 112L AND STAND 110 CLSD DUE TO WIP.
A0969	260512	B) 2605121546 C) 2606101530EST E) ACFT STAND NR 110 AND STAND NR 142 CLSD DUE TO WIP.
A0983	260516	B) 2605161133 C) 2608150600EST E) DVOR/DME IKA FREQ 114.300 MHZ CH 90X U/S AND SUBSEQUENTLY REQUIRED FLTCK. ALSO ALL SID, STAR AND IAP BASE ON MENTIONED SYSTEM TEMPORARILY SUSPENDED.
A0990	260517	B) 2605171408 C) 2608151530EST E) ACFT DOCKING GUIDANCE SYSTEM STANDS NR 104R AND 116R U/S.

A0991	260517	B) 2605171414 C) 2608151530EST E) TWY R5 AND TWY B BTN TWY R4 AND TWY R5 CLSD DUE TO WIP.
A3358	240923	B) 2409231307 C) PERM E) TWO NEW OBSTACLES EXIST IN APPROACH/TKOF AREAS WITH FLW SPECIFICATIONS: 1- TYPE: GP ANTENNA, RWY/AREA AFFECTED: 11L/APCH 29R/TKOF, ELEVATION: 3353 FT AMSL, MARKINGS/LGT: MARKED/LGTD, COORDINATES: 352532N 0510732E , 2- TYPE: LOC ANTENNA, RWY/AREA AFFECTED: 29R/APCH 11L/TKOF, ELEVATION: 3267 FT AMSL, MARKINGS/LGT: MARKED/LGTD, COORDINATES: 352444N 0511009E , AMEND AIP PAGE AD 2-7 OIII ITEM 2.10 .
A3524	251123	B) 2511230913 C) 2602210935EST E) GPS UNRELIABLE AND MAY BE UNAVAILABLE WITHIN AREA WITH THE LATERAL LIMITS OF TEHRAN TMA AS SPECIFIED IN IRAN AIP, FM GND UP TO FL 275, EGPWS/GPWS MAY DISPLAY ERRONEOUS INDICATION AND MAP SHIFTING, AS REPORTED FREQUENTLY PILOTS SHALL REPORT GPS ANOMALIES INCLUDING DEGRADED OPERATION AND/OR LOSS OF SERVICE, AS SOON AS POSSIBLE. F) GND G) FL275

TEHRAN/MEHRABAD INTL.OIII

A0791	260420	B) 2604200905 C) 2607192030EST E) REF AIP PAGE AD 2 OIII IAC 1-1 AND IAC 1-1-1, - INSTRUMENT APPROACH PROCEDURE TEHRAN/MEHRABAD ILS Z OR LOC Z RWY 29L CAT A/B/C/D , AND - INSTRUMENT APPROACH PROCEDURE TABULAR DESCRIPTION TEHRAN/MEHRABAD ILS Z RWY 29L CAT A/B/C/D, SUSPENDEED.
A0817	260426	B) 2604261020 C) 2607261000EST E) FOUR ENG ACFT HAVE TO MNTN THEIR OUTER ENGINES AT LOW RPM DRG TAXI ON TWY B6,B8,B9 TO AVOID PRODUCING FOD.
A0818	260426	B) 2604261023 C) 2607261000EST E) REF AIP AD 2.20 ITEM 6-1-5, TWY A3, A4 AND A5 OPN AND ONLY AVBL FOR EMERG EXIT.
A0819	260426	B) 2604261025 C) 2607261000EST E) REF AIP PAGE AD 2-10 OIII ITEM 2.18, MEHRABAD CLEARANCE DELIVERY NOT OPR.
A0820	260426	B) 2604261629 C) 2607251630EST E) A HOLE EXISTS ON CL TWY A1 WITH FLW SPECIFICATIONS: LEN:20CM, WID:5CM, DPT:4CM
A0821	260426	B) 2604261633 C) 2607261630EST E) A HOLE EXISTS ON SOUTH OF RCL 11L/29R AT INT TWY A3 WITH FLW SPECIFICATION: -DIST FM RCL: 1 M, LEN: 40 CM, WID: 10 CM, DPT: 10 CM
A0822	260426	B) 2604261648 C) 2607261646EST E) A HOLE EXISTS ON 1 M RIGHT SIDE OF CL TWY A BTN TWY A3 AND A4 BFR STAND NR 308 WITH FLW SPECIFICATIONS: LEN:30 CM, WID:30 CM, DPT:7 CM
A0823	260426	B) 2604261650 C) 2607261645EST E) A CANAL EXIST 35M SOUTH SIDE OF RCL RWY 11L/29R BTN TWY B1 AND TWY B8. CANAL SPECIFICATION: LEN: FM TWY B1 UP TO TWY B8, WID: 35CM, DPT: 80CM.

A0828	260427	B) 2604270659 C) 2607261200EST E) A HOLE EXISTS ON SOUTH OF RCL 11L/29R BTN TWY A3 AND TWY A4, WITH FLW SPECIFICATION: DIST FM RCL: 1 M, LEN: 30 CM, WID: 20 CM, DPT: 5 CM
A0829	260427	B) 2604270705 C) 2607261200EST E) A HOLE EXISTS ON 1.5M RIGHT SIDE OF CL TWY A, BFR TWY A1 WITH FLW SPECIFICATIONS: LEN:50 CM, WID:15 CM, DPT:10 CM
A0830	260427	B) 2604270708 C) 2607261200EST E) TWO HOLES EXIST ON TWY A BTN TWY A3 AND A4 : 2M NORTH OF TWY CL, LEN: 50 CM , WID: 20 CM , DPT: 08 CM 1M NORTH OF TWY CL, LEN: 30 CM , WID: 30 CM , DPT: 05 CM.
A0831	260427	B) 2604270713 C) 2607261200EST E) CONST WORK EXIST 35 M FM SOUTH OF RCL RWY 11L/29R. MACHINERY OPR WITH MAX HGT 15 FT AND WILL BE VACATED DRG TKOF AND LDG FM RWY 11L/29R.
A0841	260427	B) 2604270846 C) 2605250830EST E) REF AIP PAGE ENR 1.6-1, TEHRAN TMA MSSR RADAR U/S AND APCH RADAR SER IN TEHRAN TMA NOT AVBL.
A0958	260512	B) 2605120845 C) 2608102359EST E) ILS (LOC, GP, DME) RWY 29R ITRN CH44X U/S , AND SUBSEQUENTLY REQUIRED FLTCK .
A2322	250808	B) 2508081742 C) 2511071000EST E) REF AIP PAGE AD 2-19 OIII, ITEM 2.21 NOISE ABATEMENT PROCEDURES NR 3, CURFEW RESTRICTION AT MEHRABAD AD IS TEMPO SUSPENDED.
A3526	251123	B) 2511230934 C) 2602210935EST E) GPS UNRELIABLE AND MAY BE UNAVAILABLE WITHIN AREA WITH THE LATERAL LIMITS OF TEHRAN TMA AS SPECIFIED IN IRAN AIP, FM GND UP TO FL 275, EGPWS/GPWS MAY DISPLAY ERRONEOUS INDICATION AND MAP SHIFTING, AS REPORTED FREQUENTLY PILOTS SHALL REPORT GPS ANOMALIES INCLUDING DEGRADED OPERATION AND/OR LOSS OF SERVICE, AS SOON AS POSSIBLE F) GND G) FL275

UROMIYEH.OITR

A0861	260429	B) 2604290859 C) 2605290840EST E) AMD U/S
-------	--------	--

YAZD/SHAHID SADOOGHI.OIYY

A0415	260201	B) 2602011119 C) 2602281100EST E) APP AND AD TWR SER PROVIDING FM MOBILE TWR DUE TO TWR RECONST
-------	--------	--

end