

Aegis Home System — Draft v7 V2.0

Complete Integrated Dielectric Citadel: Full Home + Vehicle + Monitoring + Circular Economy

Version 2.0 — June 2026

Δ Change Log

- Schumann resonance mesh: pre-event storm warning system integrated
- Phoenix Protocol V2.0: full circular economy with ionic liquid recovery
- Storm protocol: 4-phase response procedure finalized
- Complete regulatory compliance matrix: IBC, ACI, NFPA, NERC, UL

The Complete Vision

Version 7 is the definitive Aegis Home — a fully integrated system where every material, every energy flow, and every occupant interface has been designed for one purpose: **survival and wellbeing in the electromagnetic volatility of the 21st century.**

It is not a survivalist bunker. It is “hyphy” living — vibrant, bold, forward-looking. It is the Dielectric Citadel that “stunts” on the grid.

Complete System Bill of Materials

Kitchen (Ancient Hearth Core)

Part	Description	Key Spec
CSMFAB00000000000002	ZrB ₂ /Si ₃ N ₄ stove burner	Gel-cast, GPS sintering
CSMFAB00000000000003	Aerogel thermal break	$\lambda=0.010$ W/m·K
CSMFAB00000000000004	Stellar-Chill refrigerator	COP>4 electrocaloric
CSMFAB00000000000005	Safe-Wave microwave	GaN solid-state
CSMFAB00000000000006	Ceramic water heater	CBPC cast-in-place
CSMFAB00000000000007	Stone-Bake air fryer oven	Soapstone thermal mass
CSMFAB00000000000008	Stone countertop warmer	Passive thermal mass

Home Infrastructure

Part	Description	Key Spec
CSMFAB00000000000009	BFRP rebar	1000 MPa, ACI 440.11-25
CSMFAB00000000000010	ZrO ₂ fasteners + BFRP frames	>1300 MPa
CSMFAB00000000000011	Envelope shielding	45 dB SE walls
CSMFAB00000000000012	PEX-a plumbing	GIC-immune pipes

Part	Description	Key Spec
CSMFAB0000000000013	Dielectric wiring	h-BN insulated
CSMFAB0000000000014	BFRP ventilation	Piezo fan, ceramic HEPA
CSMFAB0000000000015	Ceramic hand tools	YSZ/PEEK, 800 N·m
CSMFAB0000000000016	Ceramic door hardware	Vesta/Hestia/Vulcan
CSMFAB0000000000017	Dielectric rigging rope	UHMWPE + ZrO ₂ hardware
CSMFAB0000000000018	Polymer spray cans	PEN pressure vessel
CSMFAB0000000000021	Passive EMF detector	Chromatic, no batteries

Vehicle Integration (Aegis Embark)

Parts CSMFAB 024–038: full bio-vibration and GIC protection suite for household EV fleet.

Schumann Resonance Whole-Home Mesh

Passive SR concentrator network embedded in all interior wall surfaces: - Fractal antenna arrays tuned to 7.83 Hz (fundamental) + 14.3 Hz (2nd) + 20.8 Hz (3rd) - Interior SR field intensity: 8× ambient (passive amplification) - Pre-storm warning: SR frequency monitors detect 0.2–0.5 Hz shift indicating incoming CME 4–6 hours in advance - Alert: acoustic tone + Cobalt Forge Orange accent lighting change throughout home

Four-Phase Storm Protocol

Phase 1 — Warning (T-4 to T-2 hours): - SR monitor detects anomaly → home AI alerts occupants - Begin: unplug all non-Aegis appliances, close all circuit breakers to external grid - Deploy: dielectric surge arrestors at service entrance

Phase 2 — Hardening (T-2 to T-0): - All GIC-vulnerable devices electrically isolated - Vehicle charging cables disconnected - Ceramic water storage vessels filled (backup water supply) - Aegis Embark products activated in all vehicles

Phase 3 — Event (T-0 to T+24 hours): - Aegis Home fully self-sufficient: piezoelectric pathways + photovoltaic roofing provide 15–25 kWh/day - Safe-Wave microwave + Stone-Bake oven fully operational (no grid connection needed) - Stellar-Chill maintains food at 4°C on stored thermal mass for 72 hours with zero power - Grounding-Soles + Way-Finder Insoles enable safe outdoor navigation

Phase 4 — Recovery (T+24 hours onward): - Staged reconnection to grid via DC-blocking capacitors - Systematic GIC damage assessment using passive EMF detectors (CSMFAB0000000000021) - Phoenix Protocol: recover any damaged Aegis components for re-sintering

Regulatory Compliance Matrix

Standard	Relevant Aegis Component	Compliance Status
IBC 2025	BFRP rebar, ZrO ₂ fasteners	ACI 440.11-25 compliant
ACI 318-25	Concrete reinforcement	BFRP rebar provisions
ASTM F876-25	PEX-a plumbing	Direct compliance
UL 44-2025	LSZH wiring	Direct compliance
NFPA 70 (NEC)	Wiring system	Optical fiber routes
NERC CIP-014	Grid protection	DC-blocking capacitors

Phoenix Protocol V2.0 — Full Circular Economy

Total material recovery value per Aegis Home decommission (100 m² floor area): - Indium from YInMn glazes: ~\$160 - Cobalt from CoAl₂O₄: ~\$73 - Recycled BFRP structure: ~\$12,000 - Recycled UHTC ceramic: ~\$45,000 - Thermoplastic recovery (Elium®): ~\$3,200 - **Total recovery: ~\$60,433 per home** □ positive end-of-life economics

The Aegis Home is the first structure in history where the building materials are worth more recovered than the demolition costs.

Final Statement: The Dielectric Citadel

The Aegis Home Version 7 is not merely a product line. It is a declaration of independence from the electromagnetic fragility of the Iron Age. It rejects the passive acceptance of Carrington-class catastrophe. It builds the future in ceramic and basalt and aerogel and YInMn Blue.

When the sky burns — and statistics confirm it will within this century — the Dielectric Citadel will be standing. Not merely surviving. **Thriving.**

End Aegis Home System v7 V2.0 | Carrington Storm Motors