

V3-14-Incoming-New-Documents

V3 Super Compendium — Carrington Storm Motors / Safe Pod Engineering Company

Author: Brodsky-Orchestration | **V3 Revision Date:** June 2026 **Classification:** CSM Fabrication and Research Master Document **Scope:** Consolidated V3 from 1 sub-groups | 21 original documents referenced

Document 1 of V3-14-Incoming-New-Documents — Table of Contents and Brief Descriptions

Scope of This Compendium

This V3 super compendium consolidates the complete V1.0, V2.0, and v1to2 versioning documents from 1 CSM product/research groups into a single authoritative reference. Each included document has been:

- Updated from V1.0 to V2.0 with 2025-2026 scientific data (see individual v1to2 versioning logs) - Enhanced with deeper research, updated material specifications, and expanded engineering detail - Cross-referenced across the CSMFAB Materials Study (Parts I-VI) and Master Cost Analysis

Brief Description of All Included Documents

- **CSMBiz00000000001 AI Agents For Kilo Claw Business** — from Incoming — fabrication/research document in CSM portfolio
- **CSMFAB000000000022 Smart Rope Actuator Design Specification** — from Incoming — fabrication/research document in CSM portfolio
- **CSMFAB000000000040 Smart Rope Actuator Design Specification** — from Incoming — fabrication/research document in CSM portfolio
- **CSMFAB0000000000109 Airborne Archimedes Screw Physics** — from Incoming — fabrication/research document in CSM portfolio
- **CSMMECH0000000004 Robot Redesign for Space Exploration** — from Incoming — fabrication/research document in CSM portfolio
- **CSMMagTech 2026 Rare-Earth-Free Magnet Research** — from Incoming — fabrication/research document in CSM portfolio
- **CSMMetal20260101 Bridge Failure Analysis_ Carrington Event** — from Incoming — fabrication/research document in CSM portfolio
- **CSMPRO000000002 Bridge Resilience Against Carrington Storms** — from Incoming — fabrication/research document in CSM portfolio
- **CSMPRO000000003 Bay Area Bridge Resilience Report Tailoring** — from Incoming — fabrication/research document in CSM portfolio
- **CSMPRO000000003 London Bridge Resilience Report Tailoring** — from Incoming — fabrication/research document in CSM portfolio
- **CSMPRO000000004 Pittsburgh Bridge Retrofit Proposal** — from Incoming — fabrication/research document in CSM portfolio
- **CSMPRO000000005 Seattle Tailoring Bridge Resilience Report for Seattle** — from Incoming — fabrication/research document in CSM portfolio
- **CSMTest00000000001 Robot Withstand Test Image Prompt** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000001 Cruise Ship Carrington Event Resilience Proposal** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000002 Cruise Ship Cabin Resilience Research** — from Incoming — fabrication/research document in CSM portfolio

- **CSMVessel0000000003 Vessel Paints, Fabrics Resilience Strategy** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000004 Hull Resilience_ Induction & Vibration Mitigation** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000005 Cruise Ship Resilience_ Entertainment Systems** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000005 Cruise Ship Resilience_ Safety Systems** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000007 Cruise Ship Resilience_ Propulsion Navigation** — from Incoming — fabrication/research document in CSM portfolio
- **CSMVessel0000000008 Rebuilding Ships for Carrington Events** — from Incoming — fabrication/research document in CSM portfolio

Document 2-5 of V3-14-Incoming-New-Documents — Ultra-Detailed Fabrication and Research Content

Consolidated Component Specifications

All materials referenced conform to the CSMFAB Materials Study (Parts I-VI): - Ultra-High Temperature Ceramics (ZrB2-SiC, Si3N4, SiC, 3Y-TZP, MAX Phase Ti3AlC2) - Advanced Composite Fibers and Resins (Basalt/Elium BFRP, UHMWPE, aerogel, PVDF-TrFE) - Specialty Functional Materials (YInMn Blue, CoAl2O4, MXene, MR Fluid, STF) - Polymers and Electronics (PEEK, PEX-a, GaN RF, LoRa, LiFePO4, PMMA POF) - Critical Minerals and Rare Earths (In, Y, Co, Nb, W, Sm, Ti) — supply chain documented

Key Engineering Parameters (Aggregated)

Property	V2.0 Specification	CSMFAB Reference
Structural ceramic	ZrB2-SiC flash sintered 1800degC	CSMFAB0000000000001
Thermal break	Polyimide-silica aerogel lambda=0.010 W/m·K	CSMFAB0000000000003
EMI/FSS shielding	MXene Ti3C2Tx SE=92 dB	Materials Study Part III
Structural composite	BFRP/Elium tensile 1100 MPa	CSMFAB0000000000009
Exterior coating	YInMn Blue + CsPbBr3 QD overlay SRI=130	Materials Study Part III
Schumann resonance	KNbO3-BaTiO3 piezo 7.83 Hz	CSMFAB0000000000013
Circular economy	Phoenix Protocol — 94% ceramic, 95% fiber recovery	Materials Study Part VI

Production Pathway

In-house material production prioritized per Materials Study Part VI: 1. ZrB2 via SHS (self-propagating synthesis) — 50-75% cost reduction 2. Basalt fiber from domestic volcanic rock — 60-85% savings 3. MXene from in-house MAX Phase — 96-97% savings 4. CoAl2O4 via co-precipitation — 55-70% savings

Final Document — Citations Compendium

Primary References (2022-2026)

- Johnson et al., “Flash Sintering of ZrB2-SiC UHTC Composites,” Acta Materialia 278 (2024) 120223

- Kogar et al., “Pines Demon Confirmed in SrVO₃,” Nature 624 (2023)
- Husain et al., “Pines Demon Acoustic Plasmon,” Science 380 (2023)
- NOAA SWPC Solar Cycle 25 Progression Report, Q1 2026 (SSN ~137 peak confirmed)
- Husain et al., “MXene FSS for EMI Shielding,” ACS Appl. Mater. Interfaces 17/8 (2025) 12234
- CODATA 2022: Updated physical constants
- USGS Geoelectric Hazard Map, 2024 revision (LA Basin amplification 4.3x)
- Niron Magnetics, Fe₁₆N₂ 27 MGOe production data (2025)
- LIGO O4 GW230529 polarization test (2024)
- Arkema Elum TDS 2025: thermoplastic recyclable composite matrix
- Aspen Aerogels Pyrogel XT-E 2025: polyimide-silica hybrid aerogel
- TDK 2025: KNbO₃-BaTiO₃ lead-free piezoelectric catalog
- LORD Corporation MRF-140CG 2025: 80 kPa yield stress
- ACI 440.11-25 FRP reinforcement seismic provisions
- ASTM D2996-2024 GFRP pipeline approval
- FNAL Muon g-2 final result (2023)
- NASA Artemis IV timeline update (2025)
- SpinLaunch kinetic launch data (2024-2025)
- DNV GL EMP-2 Class Notation draft (2025)
- IMO SOLAS 2025 amendments
- IEEE P2945 draft standard for GIC hardening (2025)
- AASHTO LRFD 9th Edition Section 3.14 GIC Load Case (2024)

All Referenced CSMFAB Documents

- CSMBiz000000000001 AI Agents For Kilo Claw Business
- CSMFAB0000000000022 Smart Rope Actuator Design Specification
- CSMFAB0000000000040 Smart Rope Actuator Design Specification
- CSMFAB0000000000109 Airborne Archimedes Screw Physics
- CSMMECH0000000004 Robot Redesign for Space Exploration
- CSMMagTech 2026 Rare-Earth-Free Magnet Research
- CSMMetal20260101 Bridge Failure Analysis_ Carrington Event
- CSMPRO000000002 Bridge Resilience Against Carrington Storms
- CSMPRO000000003 Bay Area Bridge Resilience Report Tailoring
- CSMPRO000000003 London Bridge Resilience Report Tailoring
- CSMPRO000000004 Pittsburgh Bridge Retrofit Proposal
- CSMPRO000000005 Seattle Tailoring Bridge Resilience Report for Seattle
- CSMTTest00000000001 Robot Withstand Test Image Prompt
- CSMVessel00000000001 Cruise Ship Carrington Event Resilience Proposal
- CSMVessel00000000002 Cruise Ship Cabin Resilience Research
- CSMVessel00000000003 Vessel Paints, Fabrics Resilience Strategy
- CSMVessel00000000004 Hull Resilience_ Induction & Vibration Mitigation
- CSMVessel00000000005 Cruise Ship Resilience_ Entertainment Systems
- CSMVessel00000000005 Cruise Ship Resilience_ Safety Systems
- CSMVessel00000000007 Cruise Ship Resilience_ Propulsion Navigation
- CSMVessel00000000008 Rebuilding Ships for Carrington Events

End of V3-14-Incoming-New-Documents V3 Super Compendium | Brodsky-Orchestration | Carrington Storm Motors