

AtlasJawSpeech000006

Biomechanical Engineering of Oromotor Function: A Comprehensive Analysis of Jaw Grading, Stability, and Neuromuscular Dissociation

1. Executive Summary and System Architecture

The human oromotor system functions as a complex biomechanical apparatus where the mandible (jaw) acts as the primary load-bearing chassis for the fine motor instrumentation of the lips and tongue. In the domains of speech-language pathology and orofacial myology, the breakdown of speech intelligibility and feeding safety can often be traced to structural instabilities within this chassis. This report provides an exhaustive technical analysis of mandibular mechanics—specifically focusing on the triad of **Stability**, **Grading**, and **Dissociation**. We explore the physiological substrates of these functions, the interference patterns caused by retained primitive reflexes (such as the Babkin and Palmomental), and the hierarchical therapeutic interventions required to rehabilitate the system.

Included within this analysis are specifications for the visualization of these mechanics, presented as encoded graphic descriptions suitable for high-fidelity rendering, to illustrate the unseen force vectors and neural pathways that govern human speech and mastication.¹

2. Biomechanical Substrates of the Mandibular Control System

To understand pathology, one must first map the healthy state. The mandible is suspended in a muscular sling, requiring precise agonist-antagonist co-contraction to maintain position in space. This is not a passive state; "rest" in the oromotor system is a highly active metabolic event involving the continuous proprioceptive monitoring of the Temporomandibular Joint (TMJ).

2.1 The Muscular Vector System

The stability of the jaw—the ability to hold it still while the tongue moves—relies on the summation of opposing force vectors. When a patient speaks, they are not simply "moving

their mouth"; they are managing a dynamic equilibrium of forces.³

2.1.1 The Elevation Complex (Closers)

The primary elevators are the **Masseter**, **Temporalis**, and **Medial Pterygoid**.

- **The Masseter:** This is the primary power generator. Its fibers run vertically and slightly posteriorly from the zygomatic arch to the mandibular angle. In speech, the masseter provides the *isometric stiffness* required to prevent the jaw from oscillating during phonation. Without adequate masseteric grading, the jaw essentially "collapses" into a fully open position or "fixes" in a fully closed position to gain stability.⁵
- **The Temporalis:** The posterior fibers of the temporalis are critical for *retraction* and stability. This muscle prevents the jaw from sliding anteriorly (jutting) during speech. In children with low tone, the temporalis often fails to check the forward translation of the condyle, leading to a Class III-like posture during speech tasks.⁴
- **The Medial Pterygoid:** This muscle mirrors the masseter on the internal aspect of the ramus, creating a physiological "sling" that cradles the mandible.

2.1.2 The Depression Complex (Openers)

Jaw opening is facilitated by the **Lateral Pterygoid** (which pulls the condyle forward) and the **Digastric/Geniohyoid/Mylohyoid** complex (which pulls the chin down).

- **The Grading Conflict:** True "Jaw Grading" is the neurological ability to fractionate the release of the Elevators while simultaneously engaging the Depressors. It is a controlled eccentric contraction. Pathology arises when the patient cannot mediate this hand-off, resulting in "all-or-nothing" movements where the jaw snaps shut or falls open without intermediate stops.⁶

2.2 Visualization of Force Vectors

To fully comprehend the stabilizing mechanism, we model the jaw as a lever system. The following graphic descriptor outlines the vector analysis required to visualize stability.

Code snippet

graph TD

subgraph "Mandibular Force Vectors"

A[Zygomatic Arch] -->|Vector F1: Masseter (Elevation + Protrusion)| B(Mandibular Angle)

C -->|Vector F2: Temporalis (Elevation + Retraction)| D(Coronoid Process)

E[Mastoid Process] -->|Vector F3: Digastric (Depression + Retraction)| F(Symphysis Menti)

G[Pterygoid Plate] -->|Vector F4: Lateral Pterygoid (Depression + Protrusion)| H(Condyle)

end

style B fill:#f9f,stroke:#333,stroke-width:4px

style F fill:#bbf,stroke:#333,stroke-width:4px

B -- "Stability Point" --> I{Dynamic Equilibrium}

D -- "Stability Point" --> I

note

Analysis of the Graphic:

The diagram above illustrates why "Jaw Stability" is distinct from "Jaw Strength." A patient may have the strength to bite through a steak (high F1 magnitude) but lack the stability to hold the jaw slightly open for the /s/ sound. Stability requires the delicate balancing of F1 (Masseter) and F2 (Temporalis) to cancel out anterior-posterior movement while maintaining vertical dimension.⁷

3. Neural Interference: The Role of Primitive Reflexes

Before mechanical rehabilitation can succeed, neurological interference must be ruled out or remediated. In the developing infant, movement is governed by primitive reflexes—stereotypical brainstem responses to sensory stimuli. In typically developing systems, these are integrated (suppressed) by the cortex. In pathology (CP, Autism, Developmental Delay), they persist, hijacking volitional control.⁸

3.1 The Babkin Palmomental Reflex

The Babkin reflex demonstrates a primitive neurological link between the hands and the mouth. Anatomically, stimulation of the palm (Median Nerve afferents) travels to the reticular formation in the brainstem, spilling over into the Motor Nucleus of CN V (Trigeminal) and CN VII (Facial).⁹

- **Manifestation:** When the patient applies pressure with their hands (e.g., holding a pencil, squeezing a toy), their mouth involuntarily opens or the tongue protrudes.
- **Impact on Speech:** A child attempting to write (hand stress) may experience involuntary jaw movements that disrupt speech. Conversely, when speaking, the child's hands may clench (overflow), creating systemic tension that limits fine motor grading.¹²

3.2 The Palmomental Reflex

Distinct from the Babkin, the Palmomental reflex is triggered by stroking the thenar eminence (thumb pad), causing a twitch in the mentalis muscle (chin). This indicates a lack of cortical inhibition over the brainstem's facial circuits.

- **Clinical Consequence:** The mentalis muscle is an elevator of the lower lip. If it twitches or contracts involuntarily during speech, it disrupts the separation of lip movement from jaw movement (Jaw-Lip Dissociation).¹⁴

3.3 Reflex Integration Protocols

Rehabilitating the jaw requires "integrating" these reflexes—essentially training the brain to decouple the input (hand) from the output (mouth).

Table 1: Reflex Integration Protocols for Speech Pathology

Reflex	Stimulus	Pathological Response	Integration Exercise Protocol	Mechanical Goal
Babkin	Pressure to center of palm	Mouth opens, head flexes forward, eyes close	Isometric Hand-Jaw Separation: Patient lies supine. Therapist presses palm. Patient is cued to keep lips <i>sealed</i> and jaw <i>relaxed</i> while squeezing a ball.	Decouple Median Nerve input from Trigeminal motor output. ¹⁶
Palmomental	Stroking the thenar eminence	Mentalis (chin) muscle twitches/contracts	Tactile Grounding: Therapist firmly holds the chin (providing proprioceptive "quieting") while stimulating	Desensitize the facial nerve response to peripheral sensory input. ¹⁸

			the palm. Repeat until twitch subsides.	
Rooting	Touch to cheek/corner of mouth	Head turns toward stimulus, mouth opens	Cross-Midline Feeding: Present food on the <i>right</i> , cue patient to look <i>left</i> . Or use two chew tubes simultaneously.	Break the obligatory head-turn synergy to allow independent jaw control. ¹⁹

4. Jaw Grading: The Mechanics of Vowel Production

Jaw grading is the controlled fractionation of mandibular excursion. It is the ability to open the mouth to specific, intermediate distances (e.g., 5mm, 10mm, 15mm) rather than just "open" or "closed." This biomechanical skill is the primary determinant of vowel clarity and intelligibility.²¹

4.1 The Vertical Dimension of Speech

Vowels are historically categorized by tongue height (High, Mid, Low), but biomechanically, **Jaw Height** is the carrier for tongue height.

- **High Vowels (/i/, /u/):** Require a stable **High Jaw Position**. The mandible must be depressed only 2-4mm from occlusion. The elevators must maintain high tension to prevent gravity from pulling the jaw down.
- **Mid Vowels (/e/, /o/, /ɛ/):** Require a **Mid Jaw Position**. This is the most biomechanically difficult position because it relies on the equilibrium between gravity and the viscoelastic tension of the masseter. There is no bony stop (like teeth occlusion) to rest on.
- **Low Vowels (/a/, /æ/):** Require a **Low Jaw Position**. The mandible translates fully inferiorly.

4.2 The "Sliding" Phenomenon

In the absence of grading, the jaw is unstable. To compensate, patients often recruit the **Lateral Pterygoid** unilaterally, causing the jaw to slide to the side during speech. This lateral slide distorts the resonant chamber, making vowels sound "mushy" and destroying the airflow precision needed for sibilants (/s/, /z/, /sh/).¹

4.3 Interactive Visualization: The Vowel-Jaw Matrix

The following table and visualization description maps the standard IPA vowel quadrilateral to the physical requirement of mandibular excursion.

Table 2: Jaw Height Requirements for Vowel Production

Jaw Position	Vowel (IPA)	Phonetic Example	Block Level (TalkTools/AR K)	Muscle State
High	/i/	Beet	#2 (Red/Orange)	High Masseter Tension, Minimal Digastric
High	/u/	Boot	#2 (Red/Orange)	High Masseter Tension + Orbicularis Oris (Rounding)
Mid-High	/ɪ/	Bit	#3 (Yellow/Magenta)	Moderate Masseter Tension
Mid	/e/	Bait	#4 (Yellow/Magenta)	Equilibrium (Gravity vs. Elevators)
Mid-Low	/ɛ/	Bet	#5 (Green/Teal)	Eccentric Masseter Release
Low	/a/	Pot	#6/7 (Blue)	Full Digastric/Pterygoid Engagement

● **Visual Concept:** A profile view of a human skull with a superimposed "Gauge" at the incisors.

- **State A (Closed):** Teeth occluded. Gauge reads 0mm.
- **State B (High Jaw):** Mandible rotates open 3mm. Highlighted Muscle: **Masseter** (Active holding). Label: "/i/ - High Stability."
- **State C (Mid Jaw):** Mandible rotates open 10mm. Highlighted Muscle: **Temporalis/Masseter** (Stretched). Label: "/e/ - Grading Control."
- **State D (Low Jaw):** Mandible translates forward and down 20mm. Highlighted Muscle: **Lateral Pterygoid** (Active). Label: "/a/ - Full Excursion."
- **Pathology Overlay:** A red dashed line showing a zig-zag path indicates "Jaw Sliding" (instability) where the mandible fails to track vertically.²³

5. Therapeutic Intervention: The Bite Block Hierarchy

The "Bite Block" methodology (championed by Sara Rosenfeld-Johnson/TalkTools and ARK Therapeutic) is the gold standard for remediating grading deficits. It uses **Tactile Proprioceptive Input** to teach the muscles the "feel" of stability at different heights.²¹

5.1 Tool Specifications and Hierarchy

The hierarchy relies on a set of graduated blocks. The progression is not necessarily linear (1-2-3); it is based on the patient's area of instability.

- **ARK Bite Blocks:** Feature "arms" of varying thickness. Orange (0.125" & 0.2"), Magenta (0.3" & 0.4"), Teal (0.5" & 0.6").²²
- **TalkTools Jaw Grading Blocks:** A set of two identical sticks (red) used bilaterally to ensure symmetry.

5.2 Phase 1: Isometric Stability (Bite and Hold)

The first goal is simply to hold the jaw still. The tongue cannot move independently if the jaw is moving.

- **Protocol:**
 1. Place blocks bilaterally (or unilaterally, alternating sides) on the molars.
 2. Instruct: "Bite and hold."
 3. **Target:** 15 seconds of sustained, motionless biting.
 4. **Critique:** If the block slides or the head tilts (recruiting neck muscles), stability is absent.
 - *Biomechanical Insight:* This exercise builds the **isometric strength** of the Masseter. Isometric contractions are the most effective way to build stabilization strength because they maximize motor unit recruitment without the variable of movement.²²

5.3 Phase 2: Dynamic Stability (Tug and Pull)

Once static stability is achieved, we introduce perturbation.

- **Protocol:**

1. Patient bites on the block.
2. Therapist gently pulls the block *out* of the mouth.
3. Patient must recruit additional force to prevent the block from slipping.
 - *Biomechanical Insight:* This triggers the **Myotatic (Stretch) Reflex**. The pull stretches the masseter fibers; the spindle cells detect this stretch and reflexively increase contraction intensity. This trains the system to react to dynamic forces (like the force of the tongue pushing against the teeth during swallowing).²²

5.4 Phase 3: Controlled Grading (Bite-Open-Bite)

This is the transition to Isotonic movement.

- **Protocol:**

1. Bite on Block #2.
2. Open *just enough* to release the block (approx. 1mm clearance).
3. Immediately bite down again.
4. Repeat rhythmically: "Bite... Open... Bite... Open."
 - *Biomechanical Insight:* This trains the **turn-around point**—the precise moment where elevators relax and depressors engage. This is the hardest motor skill to master and is essential for rapid speech (e.g., saying "puppy" requires opening for 'uh' and closing for 'p' rapidly).²

6. Dissociation: The Ultimate Goal

Dissociation is the ability to move one articulator without moving another. It is the hallmark of mature speech. In immature systems, the jaw, lips, and tongue move as a single unit (synergy). Therapy must forcefully "decouple" them.

6.1 Jaw-Lip Dissociation

The Problem: The patient tries to say "Oo" (lip rounding) and closes their jaw to do it. Or they say "Ee" (lip retraction) and open their jaw.

The Fix: The Straw Drinking Hierarchy.

- Using a straw requires the lips to protrude and seal (Orbicularis Oris activation) while the jaw remains stable (Masseter activation).
- By placing a small block or lip support between the lips, we force the lips to work *around* the stable jaw. If the patient bites the straw, they are failing to dissociate.²¹

6.2 Jaw-Tongue Dissociation

The Problem: The patient tries to elevate the tongue tip for /t/ or /l/, and the jaw moves up to "assist" the tongue. This results in heavy, imprecise contact.

The Fix: Horn Blowing and Vowel Transitions.

- **Horn Hierarchy:** Blowing into a horn requires abdominal pressure. Specific horns (e.g., TalkTools Horn #9-#12) require the tongue to retract or elevate while the jaw is bitten down on the horn's mouthpiece. The jaw is *fixed* by the tool, forcing the tongue to move independently.²⁸

6.3 Advanced Dissociation Word Lists (Drill Data)

Once tools establish the motor plan, we transition to speech drills that demand high-velocity grading and dissociation.

Table 3: Bilabial Transition Drills (Jaw Stability Focus)

Instruction: Maintain a stable jaw aperture. Only the lips should move.

Target Movement	Syllable Chain	Word Examples	Mechanical Challenge
Close-Open-Close	/mam-mam/	Mom, Map, Mop	Jaw drops for vowel, lips close for /m/, jaw stays controlled.
High Vowel Hold	/pip-pip/	Peep, Beep, People	Jaw must maintain High position (Block #2 height) throughout.
Low Vowel Hold	/pap-pap/	Pop, Bob, Popcorn	Jaw must maintain Low position (Block #5 height). Lips must stretch to close.
Rounding Dissoc.	/w/ + Vowel	We, Walk, Wool	Lips round for /w/ then retract/open for vowel without jaw jutting.

Table 4: High-Contrast Vowel Drills (Jaw Grading Focus)

Instruction: Maximize the vertical distance between the two vowel sounds.

Transition	Motion Vector	Drill Words	Clinical Note
------------	---------------	-------------	---------------

High \$to\$ Low	Opening	Tea-Pot (/i/ \$to\$ /a/)	Ensure jaw drops fully for 'Pot'. No sliding.
Low \$to\$ High	Closing	Hot-Tea (/a/ \$to\$ /i/)	Ensure jaw returns to precise high position without clenching.
Back \$to\$ Front	Horizontal	Shoe-She (/u/ \$to\$ /i/)	Jaw stays high. Tongue moves Back-to-Front. Lips Un-round.
Mid \$to\$ Low	Partial Open	Bed-Bad (/ε/ \$to\$ /æ/)	Subtle grading distinction. Critical for accent modification and apraxia.

7. Mastication Biomechanics: The Chewing Hierarchy

Speech relies on the same musculature as feeding. Therefore, rehabilitating the "Rotary Chew" is often a prerequisite for rehabilitating speech clarity. Lori Overland's "Chewing Hierarchy" provides the roadmap for this development.³⁰

7.1 Munch vs. Rotary Chew

- **Munch Chew (Immature):** The jaw moves purely vertically (Up/Down). The tongue moves anterior-posterior (suckle). This is efficient for purees but fails with solids.
- **Rotary Chew (Mature):** The jaw moves in a **diagonal-circular** pattern. It drops, shifts laterally (Lateral Pterygoid), and grinds medially (Medial Pterygoid/Temporalis) across the bolus. This pulverizes food.

7.2 The Four-Level Hierarchy Protocol

This protocol uses "Chewy Tubes" or bolus strips (veggie straws, jerky) to teach the motor plan.

Level 1: Vertical Stimulation (The Munch)

- **Placement:** Molar surface.

- **Action:** "Bite-Release."
- **Goal:** Establish the vertical axis and rhythmic initiation.

Level 2: Lateral Tongue Transfer

- **Placement:** Lateral Incisors.
- **Action:** Patient bites, then uses the tongue to move the bolus *back* to the molars.
- **Goal:** Wake up the tongue lateralization response (Lingual side-to-side movement).

Level 3: Jaw-Tongue Dissociation (Crossing Midline)

- **Placement:** Two tubes, one on each side of the mouth.
- **Action:** Bite Left -> Bite Right.
- **Goal:** This forces the brain to dissociate the left and right hemispheres of motor control. It prevents the head from turning toward the food (Rooting synergy).³¹

Level 4: The Rotary Grind

- **Placement:** Molars.
- **Action:** Cue the patient to "Grind" or "Slide."
- **Goal:** Engage the lateral pterygoids to create the circular motion path.
 - **Visual:** Frontal view of the mandible tracking a single point on the chin.
 - **Munch Pattern:** A straight vertical line (I). The chin goes Up and Down.
 - **Rotary Pattern:** A "Teardrop" or "Figure-8" shape.
 1. **Opening Phase:** Chin drops straight down (Gravity).
 2. **Lateral Phase:** At max opening, chin shifts to the Right (Lateral Pterygoid).
 3. **Closing Phase:** Chin moves diagonally Up and Left, crushing the bolus between the right molars.
 4. **Occlusion:** Chin returns to center.
 - **Annotation:** Arrows indicate the vector of the **Medial Pterygoid** pulling the jaw back to center during the crush.

8. Clinical Synthesis: Apraxia and Dysarthria

The application of these mechanics differs based on diagnosis.

8.1 Childhood Apraxia of Speech (CAS)

CAS is a motor *planning* disorder. The muscles are strong, but the "software" sending the command is glitchy.

- **Deficit:** Inconsistent jaw grading. They may say "Pop" correctly once, then open too wide the next time. They have difficulty transitioning from a high vowel to a low vowel

(co-articulation).³²

- **Therapy:** Use **Bite Blocks** as a tactile cue (sensory input) to "map" the position. Use the **Vowel Transition Word Lists** (Table 4) to drill the *movement plan*, not just the sound. The block provides the "target" for the jaw to hit.³³

8.2 Dysarthria

Dysarthria is a motor *execution* disorder (weakness).

- **Deficit:** The masseter is too weak to hold the jaw stable. The jaw hangs low (open mouth posture). Speech is slushy because the tongue has no stable base.
- **Therapy:** Heavy focus on **Phase 1 (Bite and Hold)** and **Phase 2 (Tug and Pull)**. The goal is hypertrophy—building actual muscle fiber strength in the elevators.²⁶

8.3 Down Syndrome (Low Tone)

- **Deficit:** Ligamentous laxity and hypotonia. The jaw creates a Class III (underbite) posture to hang on the ligaments.
- **Therapy: Symmetry** is key. Use bilateral bite blocks to teach the jaw to retract (Temporalis) and elevate (Masseter) into a neutral position, rather than jutting forward.³⁵

9. Conclusion

The human jaw is the "heavy lifter" of communication. While the tongue and lips provide the finesse of articulation, they are utterly dependent on the mandible for positional support. A biomechanical approach to speech pathology moves beyond "listen and repeat" therapy. By analyzing force vectors, diagnosing reflex interference, and systematically building stability through grading and dissociation exercises, clinicians can reconstruct the oromotor system from the foundation up.

The integration of **Bite Blocks** for stability, **Vowel Hierarchies** for grading, and **Chewing Hierarchies** for rotary movement provides a robust, evidence-based framework for treating the most complex oromotor disorders.

Terminology Reference:

- **Isometric:** Muscle contraction without change in length (Holding the block).
- **Isotonic:** Muscle contraction with change in length (Opening/Closing).
- **Dissociation:** The ability to move two body parts independently.
- **Grading:** The ability to move through a range of motion in controlled increments.
- **Primitive Reflex:** Brainstem-mediated movement patterns that should integrate in infancy.

Citations utilized:⁶

Works cited

1. The Role of the Jaw for Feeding and Speech - PediaStaff, accessed December 7, 2025,
<https://www.pediastaff.com/blog/slp/the-role-of-the-jaw-for-feeding-and-speech-18322>
2. Jaw Stability and Speech: Why It Matters More Than You Think, accessed December 7, 2025,
<https://www.simonsaysspeech.com/myomatters/jawstabilityblog>
3. Mathematical Model of the Human Jaw System Simulating Static Biting and Movements After Unloading - American Physiological Society Journal, accessed December 7, 2025, <https://journals.physiology.org/doi/full/10.1152/jn.1997.78.6.3222>
4. MASTICATORY MUSCLES AND THE SKULL: A COMPARATIVE PERSPECTIVE - PMC, accessed December 7, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC1853336/>
5. Predicting bite force in mammals: two-dimensional versus three-dimensional lever models, accessed December 7, 2025,
<https://journals.biologists.com/jeb/article/213/11/1844/9795/Predicting-bite-force-in-mammals-two-dimensional>
6. Jaw Patterns | Beckman Oral Motor, accessed December 7, 2025,
<https://beckmanoralmotor.com/wp-content/uploads/2024/08/Jaw-Patterns.pdf>
7. A Critical Review of Human Jaw Biomechanical Modeling - MDPI, accessed December 7, 2025, <https://www.mdpi.com/2076-3417/14/9/3813>
8. Primitive Reflexes: The Hidden Key to Speech and Language Development, accessed December 7, 2025,
<https://www.rosebudspeech.com/post/primitive-reflexes-the-hidden-key-to-speech-and-language-development>
9. Impact of the orofacial area reflexes on infant's speech development, accessed December 7, 2025,
https://www.umb.edu.pl/photo/pliki/progress-file/phs/phs_2014_1/188-194_kondraciuk.pdf
10. The Grasp Reflex and Moro Reflex in Infants: Hierarchy of Primitive Reflex Responses - PMC - PubMed Central, accessed December 7, 2025,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC3384944/>
11. The Babkin Reflex in Infants: Clinical Significance and Neural Mechanism - ResearchGate, accessed December 7, 2025,
https://www.researchgate.net/publication/255974485_The_Babkin_Reflex_in_Infants_Clinical_Significance_and_Neural_Mechanism
12. The “New KID”, accessed December 7, 2025,
<https://cyy.custommeetingplanners.com/files/2020/02/4-the-new-kid-implementing-sensory-in-the-classroom-repeat-of-8.pdf>
13. Development of the children's primitive reflex integration assessment scale - Frontiers, accessed December 7, 2025,
<https://www.frontiersin.org/journals/psychology/articles/10.3389/fpsyg.2025.14959>

[90/full](#)

14. Retained Primitive Reflexes & Core Learning Skills, accessed December 7, 2025, <https://stowellcenter.com/core-learning-skills/>
15. Upper Limb Reflex & Manual Skills | MNRI, Masgutova Method, accessed December 7, 2025, <https://masgutovamethod.com/the-method/upper-limb-reflex-manual-skills>
16. Babkin Reflex Integration Exercise - YouTube, accessed December 7, 2025, <https://www.youtube.com/watch?v=pNHWGj6Gox0>
17. Oral Motor Therapy with Babkin Reflex - Reflex Integration Therapy - YouTube, accessed December 7, 2025, <https://www.youtube.com/watch?v=gSMtxzmCvKk>
18. Reflexes That Impact Speech and Feeding Development - Unity Therapy Solutions, accessed December 7, 2025, <https://www.unitytherapysolutions.com/blog/blog-post-title-three-gdz8h-s7fan>
19. Everything You Need to Know About the Rooting Reflex - Pediatric Therapy | TheraPlayLA, accessed December 7, 2025, <https://www.theraplayla.com/theraplay-blog/everything-you-need-to-know-about-the-rooting-reflex>
20. Primitive-Reflex-Free-Guide.pdf - Solve Learning Disabilities, accessed December 7, 2025, <https://solvelearningdisabilities.com/wp-content/uploads/2018/04/Primitive-Reflex-Free-Guide.pdf>
21. Bite Tube Set (TalkTools) — Definition, Uses & FAQs, accessed December 7, 2025, <https://blog.talktools.com/glossary/bite-tube-set/>
22. Jaw Grading Oral Motor Exercises with ARK's Bite Blocks - ARK ..., accessed December 7, 2025, <https://www.arktherapeutic.com/blog/jaw-grading-oral-motor-exercises-with-arks-bite-blocks/>
23. How to Practice Vowels & Jaw Heights - ARK Therapeutic, accessed December 7, 2025, <https://www.arktherapeutic.com/blog/how-to-practice-vowels-jaw-heights/>
24. Speech Therapy - Pittsburgh Orofacial Myofunctional Therapy, LLC., accessed December 7, 2025, <https://pghomt.com/speech-therapy/>
25. The Ultimate Vowels Guide For Speech Therapy, accessed December 7, 2025, <https://speechtherapytalk.com/word-lists-for-speech-therapy/vowels/>
26. TalkTools® Jaw Grading Bite Blocks™ (Red), accessed December 7, 2025, <https://talktools.com/products/jaw-grading-bite-blocks>
27. TalkTools® Straw Kit, accessed December 7, 2025, <https://talktools.com/products/straw-kit>
28. Oral Placement Therapy To Improve Speech Clarity and Feeding Skills | PDF | Lip - Scribd, accessed December 7, 2025, <https://www.scribd.com/document/713318766/Oral-Placement-Therapy-to-Improve-Speech-Clarity-and-Feeding-Skills>
29. An Effective Oral Motor Intervention Protocol for Infants and Toddlers with Low Muscle Tone - Diane Bahr, accessed December 7, 2025, <https://agesandstages.net/pdf/Binder1.pdf>

30. Chewing Hierarchy p. 1.jpg-1.jpeg - Alphabet Soup, accessed December 7, 2025, <https://alphabetsoup-j5mb.squarespace.com/s/Chewing-Hierarchy-1-and-2-PDF.pdf>
31. Pre-Feeding Chewing Hierarchy Level #3: Present one yellow Chewy Tube - Alphabet Soup, accessed December 7, 2025, <https://alphabetsoup-j5mb.squarespace.com/s/PreFeeding-Hierarchy-3-and-4-PDF.pdf>
32. Vowels Distortions in Childhood Apraxia of Speech, accessed December 7, 2025, <https://www.bondarspeech.com/blog/vowels-distortions-in-childhood-apraxia-of-speech>
33. Speech Blocks Instructions | PDF - Scribd, accessed December 7, 2025, <https://www.scribd.com/document/763656600/Speech-Blocks-Instructions>
34. OSLHA FALL CONFERENCE September 23-24, 2016 Colette Ellis M.Ed., CCC-SLP, BCS-S Speech-Language Pathologist, accessed December 7, 2025, https://cdn.ymaws.com/www.summitproservices.com/resource/resmgr/2016_osh_a_conference/PDF_Handouts/Oral_Placement_Therapy_Pract.pdf
35. Oral Muscle Tone In Speech and Feeding - Playstreet, accessed December 7, 2025, <https://www.playstreet.in/2021/01/18/oral-muscle-tone-in-speech-and-feeding/>
36. Speech Sound Disorders in Children: An Articulatory Phonology Perspective - PMC, accessed December 7, 2025, <https://pmc.ncbi.nlm.nih.gov/articles/PMC6997346/>
37. Retained Neonatal Reflexes: Home, accessed December 7, 2025, <https://rnrs.com.au/>
38. Free Guide I Primitive Reflex Integration Exercises for Children - Soundsory, accessed December 7, 2025, <https://soundsory.com/primitive-reflex-integration-exercises/>
39. verbalbehavior / Articulation Word Lists - PBworks, accessed December 7, 2025, <http://verbalbehavior.pbworks.com/Articulation-Word-Lists>
40. Oral Motor: Straw Program - Express Yourself Pediatric Therapy, accessed December 7, 2025, <https://www.expressyourselftherapy.com/post/oral-motor-straw-program>
41. Predictors of Functional Communication Outcomes in Children With Idiopathic Motor Speech Disorders - ASHA Journals, accessed December 7, 2025, https://pubs.asha.org/doi/10.1044/2023_JSLHR-23-00070
42. Pediatric Feeding & Chewing Milestones - Hallie Bulkin, accessed December 7, 2025, <https://halliebulkin.com/pediatric-feeding-chewing-milestones/>
43. Feeding according to development level - Holland Bloorview Kids Rehabilitation Hospital, accessed December 7, 2025, <https://hollandbloorview.ca/sites/default/files/2019-06/FeedingAccordingDevelopmentalLevelHandout.pdf>
44. airway protective behaviors and mealtime performance in children with spastic cerebral palsy and typic - Columbia Academic Commons, accessed December 7, 2025, <https://academiccommons.columbia.edu/doi/10.7916/D83203ND/download>