



Submittal Data Sheet


Daikin 1.5-Ton, 2-Port, Heat Pump, Ductless Outdoor Unit
2MXM18AVJU8

FEATURES

- Multi Zone Standard Efficiency
- Night Quiet Mode
- Automatic Defrost
- Quick Warming Function
- Automatic Defrosting
- Priority Room Setting
- Cool/Heat mode lock
- Self Diagnosis
- Wiring error check function
- Anti-corrosion treatment of outdoor
- heat exchanger

BENEFITS

- 12 Year registered warranty
- PAM control
- Energy efficient operation
- Quiet outdoor unit operation
- Unit performs self diagnosis and indicates using LED lights





Submittal Data Sheet

Daikin 1.5-Ton, 2-Port, Heat Pump, Ductless Outdoor Unit
2MXM18AVJU8

EFFICIENCY					PERFORMANCE	
	SEER2	EER2	HSPF2	COP	COOLING:	HEATING:
Non-Ducted:	21.00	12.00	10.00	1.80	Rated (Btu/hr): 17,200	Rated (Btu/hr): 18,500
Ducted:	16.00	10.00	8.50	1.80	Operating Range: 14°F - 115°F	Operating Range: 5°F - 60°F
Mixed:	18.50	11.00	9.25	1.80	Rated Cooling Conditions:	Rated Heating Conditions:
					Indoor (°F DB/DB): 80 / 67 Ambient (°F DB/WB): 95 / 75	Indoor (°F DB/WB): 70 / 60 Ambient (°F DB/WB): 47 / 43


ELECTRICAL			PIPING		
Power Supply (V/Hz/Ph): *See Engineering Manuals for other voltages.	*208-230 / 60 / 1		Max. System Piping Length: (feet):	164	Gas Conn. (inch): 3/8
System MCA: (Min.circuit amps)	15.6		Max. Interunit Piping Length: (feet):	164	Liquid Conn. (inch): 1/4
System MFA: (Max.fuse amps)	20.0		Max. Height Difference IDU to ODU (feet):	49.25	Drain Conn. (inch): 5/8
Compressor RLA: (Rated load amps)	14.0		Max. Height Difference IDU to IDU (feet):	24.6	
Outdoor fan motor FLA: (Full load amps)	0.3		Refrigerant Pre-Charged Pipe Length (ft):	98.4	
Outdoor fan motor W: (Rated output watts)	150.0				

SPECIFICATIONS			
Compressor Type:	Swing	Compressor Stage:	Inverter
Refrigerant Type:	R-32	Refrigerant Oil:	FW68DA
Factory Charge (Lbs):	3.3	Additional Refrigerant Charge (Ozs/ft):	0.22
COOLING - Airflow Rate (cfm):		HEATING - Airflow Rate (cfm):	
High:	2,112	High:	2,140
Med:		Med:	
Low:		Low:	
Sound Level (dBA):	52	Sound Level (dBA):	54
Dimensions (HxWxD) (in):	29-1/2 x 34-1/4 x 12-5/8	Net Weight (lb):	127

Submittal Data Sheet

Daikin 1.5-Ton, 2-Port, Heat Pump, Ductless Outdoor Unit
2MXM18AVJU8

DIMENSIONAL DRAWING





Submittal Data Sheet

Daikin 1.5-Ton, 2-Port, Heat Pump, Ductless Outdoor Unit
2MXM18AVJU8

ACCESSORIES

PART NUMBER	DESCRIPTION	INCLUDED
KEH064A41	Drain Pan Heater	No
KKG063A44	Back Protection Wire Net	No
KKP937A4	Drain Plug for OD Unit	Yes
KPS063A41	Snow hood (intake side plate) (15, 18 & 24)	No
KPS063A44	Snow hood (intake rear plate) (15,18,24,30 & 36)	No
KPS063A47	Snow hood (outlet) (15, 18 & 24)	No
KPW063B4	Air direction adjustment grille	No