



Submittal Data Sheet

VISTA R-32 1.25 Ton 2 X 2 Ceiling Cassette

FFA15AVJU9

FEATURES

- AUTO mode with automatic cooling/heating selection based on indoor temperature
- COOL / HEAT / DRY / FAN operating modes
- Configurable airflow pattern (2, 3, or 4-way discharge)
- Indoor airflow direction adjustable via remote control (field setting)
- Built-in drain pump with float switch safety control
- Air filter cleaning indicator with adjustable intervals
- COOL/HEAT mode lock function (field programmable)
- Auto-restart function after power interruption
- Automatic system protection (voltage fluctuation, compressor delay, defrost cycle)
- Quiet and continuous airflow operation with indoor air circulation
- Ceiling-mounted cassette design with compact installation footprint
- R32 refrigerant system for improved efficiency and environmental compliance
- Flexible installation with suspension mounting and configurable piping/wiring

BENEFITS

- Customized airflow and temperature distribution for enhanced occupant comfort
- Reliable and consistent performance with intelligent auto mode, restart capability, and system protection features
- Improved indoor air quality & maintenance convenience with filter cleaning alerts and easy service access
- Reduced downtime and long-term reliability through built-in drain pump, safety mechanisms, and protection controls
- Energy-efficient and eco-friendly operation using R32 refrigerant technology
- Easy installation and adaptability for various ceiling applications and room configuration.





Submittal Data Sheet
VISTA R-32 1.25 Ton 2 X 2 Ceiling Cassette
FFA15AVJU9

ELECTRICAL		PIPING	
Power Supply (V/Hz/Ph):		Gas Connection: (inch)	
/ 60 /		1/2	
		Liquid Connection: (inch)	
		1/4	
		Drain Connection: (inch)	
		1-1/32	


SPECIFICATIONS			
COOLING - Airflow Rate (cfm):		COOLING - Sound Level (dBA):	
High:	420	High:	40
Med:	367	Med:	37
Low:	293	Low:	31
SuperLow:		SuperLow:	
HEATING - Airflow Rate (cfm):		HEATING - Sound Level (dBA):	
High:	441	High:	40
Med:	385	Med:	37
Low:	307	Low:	31
SuperLow:		SuperLow:	
Dimensions (HxWxD) (in):		Net Weight (lb):	
10-1/4 x 22-5/8 x 22-5/8		36	

Submittal Data Sheet

VISTA R-32 1.25 Ton 2 X 2 Ceiling Cassette

FFA15AVJU9

DIMENSIONAL DRAWING





Submittal Data Sheet
VISTA R-32 1.25 Ton 2 X 2 Ceiling Cassette
FFA15AVJU9

ACCESSORIES

PART NUMBER	DESCRIPTION	INCLUDED
BDBHQ44C60	Air Discharge Sealing Memeber	No
BRC1NRV71	R32 Navigation Remote Controller	No
BRYQ60AAW	Sensor Kit	No
BYFQ60C3W2W	VISTA Decoration Panel	No
DCS302C71	Centralized Controller	No
DST301BA61	Schedule Timer	No
KAF441C60	Replacement Long Life Filter	No
KDDQ44XA60	Fresh Air Intake Kit (Duct Flange)	No
KRCS01-6B	Remote Sensor	No
KRP1C77	Wiring Adapter PCB	No
KRP4A74	Group Control Adaptor PCB (Installation box for adaptor PCB "KRP1BB101" is necessary)	No