



9652 - The hot dusty phase of active galaxies as observed by JWST interferometry

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Enrique Lopez-Rodriguez (PI)	University of South Carolina
Dr. Santiago Garcia-Burillo (CoI) (ESA Member)	Observatorio Astronomico Nacional
Dra. Omaira Gonzalez-Martin (CoI)	Institute of Radio Astronomy and Astrophysics - UNAM
Dr. Erin K S Hicks (CoI)	University of Alaska Anchorage
Dr. David J. V. Rosario (CoI) (ESA Member)	Newcastle University
Dr. Miguel Pereira Santaella (CoI) (ESA Member)	Instituto de Fisica Fundamental (CSIC)
Dra. Enrica Bellocchi (CoI) (ESA Member)	Universidad Complutense de Madrid
Dr. Masatoshi Imanishi (CoI)	National Astronomical Observatory of Japan (NAOJ)
Dr. Almudena Alonso-Herrero (CoI) (ESA Member)	Centro de Astrobiologia - CAB
Dr. Alvaro Labiano (CoI) (ESA Member)	ESA, European Space Astronomy Centre
Dr. Francoise Combes (CoI) (ESA Member)	Observatoire de Paris
Dra. Cristina Ramos Almeida (CoI) (ESA Member)	Instituto de Astrofisica de Canarias
Dr. Chris Packham (CoI)	University of Texas at San Antonio
Dr. Steph Campbell (CoI) (ESA Member)	Newcastle University
Prof. Sebastian F Hoenig (CoI) (ESA Member)	University of Southampton
Dr. Rogemar Andre Riffel (CoI)	Universidade Federal de Santa Maria
Dr. Ismael Garcia Bernete (CoI) (ESA Member)	Centro de Astrobiologia - CAB
Dr. Robert Nikutta (CoI)	NOIRLab - (AZ)
Dr. Nancy A. Levenson (CoI)	Space Telescope Science Institute
Prof. Martin J. Ward (CoI) (ESA Member)	Durham University
Anelise Audibert (CoI) (ESA Member)	Instituto de Astrofisica de Canarias
Prof. Dimitra Rigopoulou (CoI) (ESA Member)	University of Oxford
Marko Stalevski (CoI)	Astronomical Observatory Belgrade

<i>Name</i>	<i>Institution</i>
Prof. Poshak Gandhi (CoI) (ESA Member)	University of Southampton

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Observation Folder				
	1	CenA	NIRISS Aperture Masking Interferometry	(1) CentaurusA
	2	CenA	NIRISS Aperture Masking Interferometry	(1) CentaurusA
	3	NGC4826	NIRISS Aperture Masking Interferometry	(2) NGC4826
	4	NGC4826	NIRISS Aperture Masking Interferometry	(2) NGC4826
	5	NGC5236	NIRISS Aperture Masking Interferometry	(3) NGC5236
	6	NGC5236	NIRISS Aperture Masking Interferometry	(3) NGC5236
	7	M51	NIRISS Aperture Masking Interferometry	(4) M51
	8	M51	NIRISS Aperture Masking Interferometry	(4) M51
	9	NGC1808	NIRISS Aperture Masking Interferometry	(5) NGC1808
	10	NGC1808	NIRISS Aperture Masking Interferometry	(5) NGC1808
	11	NGC2903	NIRISS Aperture Masking Interferometry	(6) NGC2903
	12	NGC2903	NIRISS Aperture Masking Interferometry	(6) NGC2903
	55	NGC1672	NIRISS Aperture Masking Interferometry	(26) NGC1672
	56	NGC1672	NIRISS Aperture Masking Interferometry	(26) NGC1672
	15	NGC6300	NIRISS Aperture Masking Interferometry	(7) NGC6300
	16	NGC6300	NIRISS Aperture Masking Interferometry	(7) NGC6300
	17	M87	NIRISS Aperture Masking Interferometry	(8) M87
	18	M87	NIRISS Aperture Masking Interferometry	(8) M87
	19	NGC4579	NIRISS Aperture Masking Interferometry	(9) NGC4579
	20	NGC4579	NIRISS Aperture Masking Interferometry	(9) NGC4579
	21	NGC5643	NIRISS Aperture Masking Interferometry	(10) NGC5643
	22	NGC5643	NIRISS Aperture Masking Interferometry	(10) NGC5643
	23	NGC613	NIRISS Aperture Masking Interferometry	(11) NGC613
	24	NGC613	NIRISS Aperture Masking Interferometry	(11) NGC613
	25	NGC7582	NIRISS Aperture Masking Interferometry	(12) NGC7582
	26	NGC7582	NIRISS Aperture Masking Interferometry	(12) NGC7582
	27	NGC3227	NIRISS Aperture Masking Interferometry	(13) NGC3227

JWST Proposal 9652 (Created: Tuesday, June 23, 2026, 4:01:34PM Eastern Standard Time) - Overview

Folder	Observation	Label	Observing Template	Science Target
	28	NGC3227	NIRISS Aperture Masking Interferometry	(13) NGC3227
	29	PSF_CenA	NIRISS Aperture Masking Interferometry	(14) PSF_CentaurusA
	30	PSF_CenA	NIRISS Aperture Masking Interferometry	(14) PSF_CentaurusA
	31	PSF_NGC4826	NIRISS Aperture Masking Interferometry	(15) PSF_NGC4826
	32	PSF_NGC4826	NIRISS Aperture Masking Interferometry	(15) PSF_NGC4826
	33	PSF_NGC5236	NIRISS Aperture Masking Interferometry	(16) PSF_NGC5236
	34	PSF_NGC5236	NIRISS Aperture Masking Interferometry	(16) PSF_NGC5236
	35	PSF_M51	NIRISS Aperture Masking Interferometry	(17) PSF_M51
	36	PSF_M51	NIRISS Aperture Masking Interferometry	(17) PSF_M51
	37	PSF_NGC1808	NIRISS Aperture Masking Interferometry	(18) PSF_NGC1808
	38	PSF_NGC1808	NIRISS Aperture Masking Interferometry	(18) PSF_NGC1808
	39	PSF_NGC2903	NIRISS Aperture Masking Interferometry	(19) PSF_NGC2903
	40	PSF_NGC2903	NIRISS Aperture Masking Interferometry	(19) PSF_NGC2903
	57	PSF_NGC1672	NIRISS Aperture Masking Interferometry	(27) PSF_NGC1672
	58	PSF_NGC1672	NIRISS Aperture Masking Interferometry	(27) PSF_NGC1672
	41	PSF_NGC6300	NIRISS Aperture Masking Interferometry	(20) PSF_NGC6300
	42	PSF_NGC6300	NIRISS Aperture Masking Interferometry	(20) PSF_NGC6300
	43	PSF_M87	NIRISS Aperture Masking Interferometry	(21) PSF_M87_NGC4579
	44	PSF_M87	NIRISS Aperture Masking Interferometry	(21) PSF_M87_NGC4579
	45	PSF_NGC4579	NIRISS Aperture Masking Interferometry	(21) PSF_M87_NGC4579
	46	PSF_NGC4579	NIRISS Aperture Masking Interferometry	(21) PSF_M87_NGC4579
	47	PSF_NGC5643	NIRISS Aperture Masking Interferometry	(22) PSF_NGC5643
	48	PSF_NGC5643	NIRISS Aperture Masking Interferometry	(22) PSF_NGC5643
	49	PSF_NGC613	NIRISS Aperture Masking Interferometry	(23) PSF_NGC613
	50	PSF_NGC613	NIRISS Aperture Masking Interferometry	(23) PSF_NGC613
	51	PSF_NGC7582	NIRISS Aperture Masking Interferometry	(24) PSF_NGC7582
	52	PSF_NGC7582	NIRISS Aperture Masking Interferometry	(24) PSF_NGC7582
	53	PSF_NGC3227	NIRISS Aperture Masking Interferometry	(25) PSF_NGC3227
	54	PSF_NGC3227	NIRISS Aperture Masking Interferometry	(25) PSF_NGC3227

ABSTRACT

JWST Proposal 9652 (Created: Tuesday, June 23, 2026, 4:01:34PM Eastern Standard Time) - Overview

The dusty and molecular torus is one of the most elusive structures in active galactic nuclei (AGN), yet its importance is unequivocal for understanding the effects of accretion and feedback during galaxy evolution. Near-Infrared (NIR) observations are sensitive to the hot dust (500-1500K), which traces the sublimation radius of the torus, the base of torus walls, and/or dusty winds. Surprisingly, the measured 3-5 μ m excess emission in AGN, first observed in the early '90s, still remains a mystery. This observed NIR excess is thought to arise from hot dusty winds, hot graphite dust within the torus, and/or the broad line region.

JWST AMI has measured the host dust in the central 30 pc of the two prototypical AGN, Circinus and NGC1068, at 1.6 and 4.8pc resolutions, respectively. AMI improves the angular resolution two-fold (0.07" vs 0.14" at 4.3 μ m), while minimizing the PSF artifacts. These observations found that most of the NIR emission arises from the funnel and body of the torus (feeding mechanism), and the increase in AGN activity increases the relative amount of extended NIR emission in the form of heated dust by the jet in the surrounding medium (feedback mechanism). We request 3.8-4.8 μ m AMI observations of 14 AGN at 1.6-8.9pc resolutions to quantify the role of the hot dusty phase in feeding and feedback mechanisms at 10s pc-scales. This project is poised to provide a new signature for studying the role of the hot dusty phase during the build-up and feedback stages within 50 pc of local AGN.

OBSERVING DESCRIPTION

Target Acquisition:

During the target acquisition the AMIFAIN mode will be used with the NISRAPID readout pattern using 11 groups and 1 integration, yielding 0.566s. Except for Centaurus A and the PSFs, where AMIBRIGHT mode and 3 groups will be used. There is no risk of saturation for any of our objects and PSFs.

Observing Configuration:

All observations will use the AMI-specific SUB80 80x80 subarray with the NISRAPID readout patterns paired with the filters F380M (3.83 μ m), F430M (4.28 μ m), and F480M (4.82 μ m). The target and calibrator will be observed without dithers to minimize persistence (latent images). For each visit, the observing sequence is: 1) PSF calibrators at F380M, F430M, and F480M, and 2) AGN at F380M, F430M, and F480M.

Observing Time:

For the PSF calibrators, we used their spectral type and normalized to the magnitude at K-band (Johnson) from Simbad.

The fluxes within the AMI filters were estimated by assuming a power-law, F proportional λ^3 . The shape of the source in the ETC was

JWST Proposal 9652 (Created: Tuesday, June 23, 2026, 4:01:34PM Eastern Standard Time) - Overview

assumed to be point-like because the central source dominates the thermal emission. The exposure time is such that a contrast of 10^{-3} is achieved, which corresponds to the ratio between the peak emission and the emission from the lowest contour in Figure 2.

The total number of photons to detect this contrast is $N_{\text{ph}} = 1.5 \times N_{\text{hole}}^2 / \text{CR}^2$, where $N_{\text{hole}} = 7$ is the number of apertures in AMI and $\text{CR} = 10^{-3}$ is the contrast ratio from the peak pixel. Thus, $N_{\text{ph}} = 7.35 \times 10^7$ ph. The total number of integrations is estimated as $N_{\text{int}} = N_{\text{ph}} / (F \times N_{\text{g}} \times t_{\text{frame}})$, where F is the flux from the ETC, and $t_{\text{frame}} = 0.07544\text{s}$ is the frame time of NIRISS. We used the fluxes provided by the ETC to help us estimate N_{int} per band per AGN, while avoiding saturation levels.

Steps per visit:

- PSFs:
 - set NRM in AMIBRIGHT, NISRAPID, and F480M
 - perform target acquisition
 - set SUB80 detection readout in NISRAPID mode (dither: NONE) - Take exposure at F480M
 - Take exposure at F430M
 - Take exposure at F380M
- AGN:
 - NRM in AMIFAINTE, NISRAPID, and F480M
 - perform target acquisition
 - set SUB80 detection readout in NISRAPID mode (dither: NONE) - Take exposure at F480M
 - Take exposure at F430M
 - Take exposure at F380M
 - The PSF is observed using the same sequence as the science target. The observation of the PSF is linked with science target observations using GROUP non-interruptive special requirement.

These steps will be performed at two different PAs, in the sequence: - Visit 1 at PA1

- Visit 2 at $\text{PA2} = \text{PA1} + 90^\circ \pm 30^\circ$.
- These observations are linked using V3 PA Offset special requirement.
- If there are objects with potential overlap with the meteoroid zone, then use a PA Offset of 25° .

The observations will use the AMI-specific SUB80 80x80 subarray with the NISRAPID readout patterns. The target and calibrator will be observed without dithers. No saturation effects are expected for any target. Centaurus A will use AMIBRIGHT but there are enough groups before saturation.

Proposal 9652 - Targets - The hot dusty phase of active galaxies as observed by JWST interferometry

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	CentaurusA	RA: 13 25 27.6152 (201.3650633d) Dec: -43 01 8.81 (-43.01911d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]</i> <i>Extended=YES</i>	Epoch of Position: 2000	
	(2)	NGC4826	RA: 12 56 43.6960 (194.1820667d) Dec: +21 40 57.57 (21.68266d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei]</i>	Epoch of Position: 2000	
	(3)	NGC5236	RA: 13 37 0.9192 (204.2538300d) Dec: -29 51 56.74 (-29.86576d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei, Active galaxies]</i> <i>Extended=YES</i>	Proper Motion RA: 0 Proper Motion Dec: 0 Epoch of Position: 2000	
	(4)	M51	RA: 13 29 52.6980 (202.4695750d) Dec: +47 11 42.93 (47.19526d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei]</i>	Epoch of Position: 2000	
	(5)	NGC1808	RA: 05 07 42.3430 (76.9264292d) Dec: -37 30 46.98 (-37.51305d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]</i> <i>Extended=YES</i>	Epoch of Position: 2000	
	(6)	NGC2903	RA: 09 32 10.1110 (143.0421292d) Dec: +21 30 2.99 (21.50083d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]</i> <i>Extended=YES</i>	Epoch of Position: 2000	
	(7)	NGC6300	RA: 17 16 59.5418 (259.2480908d) Dec: -62 49 13.95 (-62.82054d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]</i> <i>Extended=YES</i>	Epoch of Position: 2000	

Proposal 9652 - Targets - The hot dusty phase of active galaxies as observed by JWST interferometry

(8)	M87	RA: 12 30 49.4234 (187.7059308d) Dec: +12 23 28.04 (12.39112d) Equinox: J2000	Proper Motion RA: -8.029 mas/yr Proper Motion Dec: 10.734 mas/yr Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Galaxy Description=[Active galactic nuclei]			
(9)	NGC4579	RA: 12 37 43.5975 (189.4316563d) Dec: +11 49 5.12 (11.81809d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES			
(10)	NGC5643	RA: 14 32 40.7780 (218.1699083d) Dec: -44 10 28.60 (-44.17461d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES			
(11)	NGC613	RA: 01 34 18.2350 (23.5759792d) Dec: -29 25 6.56 (-29.41849d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Galaxy Description=[Active galactic nuclei]			
(12)	NGC7582	RA: 23 18 23.6000 (349.5983333d) Dec: -42 22 13.30 (-42.37036d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES			
(13)	NGC3227	RA: 10 23 30.5765 (155.8774021d) Dec: +19 51 54.28 (19.86508d) Equinox: J2000	Proper Motion RA: 0.16 mas/yr Proper Motion Dec: -0.38100006349850446 mas/yr Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Galaxy Description=[Active galactic nuclei]			

Proposal 9652 - Targets - The hot dusty phase of active galaxies as observed by JWST interferometry

(14)	PSF_CentaurusA	RA: 13 18 5.1043 (199.5212679d) Dec: -44 03 19.38 (-44.05538d) Equinox: J2000	Proper Motion RA: -30.729000000000003 mas/yr Proper Motion Dec: -20.072999927833735 mas/yr Parallax: 0.0083595" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric] Extended=NO			
(15)	PSF_NGC4826	RA: 12 58 59.3062 (194.7471092d) Dec: +20 52 36.82 (20.87689d) Equinox: J2000	Proper Motion RA: -1.7650000000000001 mas/yr Proper Motion Dec: 4.272 mas/yr Parallax: 0.0012986" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(16)	PSF_NGC5236	RA: 13 25 48.8465 (201.4535271d) Dec: -28 22 26.35 (-28.37399d) Equinox: J2000	Proper Motion RA: -451.693 mas/yr Proper Motion Dec: -103.84699999121949 mas/yr Parallax: 0.0649887" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(17)	PSF_M51	RA: 13 33 26.4567 (203.3602363d) Dec: +48 10 30.11 (48.17503d) Equinox: J2000	Proper Motion RA: 23.841 mas/yr Proper Motion Dec: -32.97599996585632 mas/yr Parallax: 0.001494" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(18)	PSF_NGC1808	RA: 05 03 52.7306 (75.9697108d) Dec: -40 36 28.03 (-40.60779d) Equinox: J2000	Proper Motion RA: -9.621 mas/yr Proper Motion Dec: -58.758999944075185 mas/yr Parallax: 0.0186221" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			

Proposal 9652 - Targets - The hot dusty phase of active galaxies as observed by JWST interferometry

(19)	PSF_NGC2903	RA: 09 38 54.6627 (144.7277612d) Dec: +20 17 51.23 (20.29756d) Equinox: J2000	Proper Motion RA: -17.891 mas/yr Proper Motion Dec: -19.55099992301257 mas/yr Parallax: 0.004358900000000001" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(20)	PSF_NGC6300	RA: 16 55 24.6888 (253.8528700d) Dec: -63 16 10.78 (-63.26966d) Equinox: J2000	Proper Motion RA: 8.003 mas/yr Proper Motion Dec: -14.188000022841152 mas/yr Parallax: 0.0057727" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(21)	PSF_M87_NGC4579	RA: 12 37 38.0453 (189.4085221d) Dec: +12 40 10.40 (12.66956d) Equinox: J2000	Proper Motion RA: -13.003 mas/yr Proper Motion Dec: 1.873 mas/yr Parallax: 0.0011402" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(22)	PSF_NGC5643	RA: 14 30 9.9768 (217.5415700d) Dec: -43 51 50.02 (-43.86389d) Equinox: J2000	Proper Motion RA: -28.739 mas/yr Proper Motion Dec: -21.851999940736277 mas/yr Parallax: 0.0086402" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			
(23)	PSF_NGC613	RA: 01 33 4.7578 (23.2698242d) Dec: -29 05 31.70 (-29.09214d) Equinox: J2000	Proper Motion RA: -9.223 mas/yr Proper Motion Dec: -23.775999920871982 mas/yr Parallax: 0.0023556" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]			

Proposal 9652 - Targets - The hot dusty phase of active galaxies as observed by JWST interferometry

(24)	PSF_NGC7582	RA: 23 15 12.5375 (348.8022396d) Dec: -41 57 19.14 (-41.95532d) Equinox: J2000	Proper Motion RA: -0.749 mas/yr Proper Motion Dec: -9.001000034913886 mas/yr Parallax: 0.0016496" Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Calibration Description=[Photometric]			
(25)	PSF_NGC3227	RA: 10 16 44.8672 (154.1869467d) Dec: +19 53 29.01 (19.89139d) Equinox: J2000	Proper Motion RA: -35.952 mas/yr Proper Motion Dec: -29.96099992742529 mas/yr Parallax: 6.787E-4" Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Calibration Description=[Photometric]			
(26)	NGC1672	RA: 04 45 42.5520 (71.4273000d) Dec: -59 14 50.68 (-59.24741d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Galaxy Description=[Active galactic nuclei] Extended=YES			
(27)	PSF_NGC1672	RA: 04 44 14.2967 (71.0595696d) Dec: -58 39 0.16 (-58.65004d) Equinox: J2000	Proper Motion RA: 5.541 mas/yr Proper Motion Dec: 4.491 mas/yr Parallax: 0.0033908000000000002" Epoch of Position: 2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Calibration Description=[Photometric] Extended=NO			

Proposal 9652 - Observation 1 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 1: CenA										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(CenA (Obs 1)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(1)	CentaurusA	RA: 13 25 27.6152 (201.3650633d)			Epoch of Position: 2000					
			Dec: -43 01 8.81 (-43.01911d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	20	132	1	132	211.823	261984	false	
	2	F380M	NISRAPID	30	110	1	110	259.503	261984	false	
	3	F430M	NISRAPID	30	97	1	97	228.835	261984	false	
PSF References	PSF_CenA (Obs 29) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 1 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 2 After 1 by 60 Days to 120 Days Group Observations 1, 29, Non-interruptible V3 PA Offset 1 from 2 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 2 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 2: CenA										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(CenA (Obs 2)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(1)	CentaurusA	RA: 13 25 27.6152 (201.3650633d)			Epoch of Position: 2000					
			Dec: -43 01 8.81 (-43.01911d)								
			Equinox: J2000								
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	20	132	1	132	211.823	261984	false	
	2	F380M	NISRAPID	30	110	1	110	259.503	261984	false	
	3	F430M	NISRAPID	30	97	1	97	228.835	261984	false	
PSF References	PSF_CenA (Obs 30) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 2 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 2 After 1 by 60 Days to 120 Days Group Observations 2, 30, Non-interruptible V3 PA Offset 1 from 2 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 3 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 3: NGC4826										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC4826 (Obs 3)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	NGC4826	RA: 12 56 43.6960 (194.1820667d)			Epoch of Position: 2000					
			Dec: +21 40 57.57 (21.68266d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei]										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	2 NGC4826	AMIFAINT	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	300	36	1	36	818.205		false	
	2	F380M	NISRAPID	500	38	1	38	1437.005		false	
	3	F430M	NISRAPID	500	34	1	34	1285.741		false	
PSF References	PSF_NGC4826 (Obs 31) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 3 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 4 After 3 by 60 Days to 120 Days Group Observations 3, 31, Non-interruptible V3 PA Offset 3 from 4 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 4 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 4: NGC4826									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (NGC4826 (Obs 4)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.									
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous			
	(2)	NGC4826	RA: 12 56 43.6960 (194.1820667d) Dec: +21 40 57.57 (21.68266d) Equinox: J2000		Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	2 NGC4826	AMIFAINTE	F480M	NISRAPID	11	1	1	0.566	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers				Subpixel Positions				
	1	NONE				NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	300	36	1	36	818.205	261984	false
	2	F380M	NISRAPID	500	38	1	38	1437.005	261984	false
	3	F430M	NISRAPID	500	34	1	34	1285.741	261984	false
PSF References	PSF_NGC4826 (Obs 32) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false									

Proposal 9652 - Observation 4 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 4 After 3 by 60 Days to 120 Days Group Observations 4, 32, Non-interruptible V3 PA Offset 3 from 4 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 5 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 5: NGC5236										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRISS Aperture Masking Interferometry										
	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(NGC5236 (Obs 5)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(3)	NGC5236	RA: 13 37 0.9192 (204.2538300d)			Proper Motion RA: 0					
			Dec: -29 51 56.74 (-29.86576d)			Proper Motion Dec: 0					
			Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies]										
	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	3 NGC5236	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	150	27	1	27	308.122	261984	false	
	2	F380M	NISRAPID	170	42	1	42	542.67	261984	false	
	3	F430M	NISRAPID	170	37	1	37	478.067	261984	false	
PSF References	PSF_NGC5236 (Obs 33) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 5 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 6 After 5 by 60 Days to 120 Days Group Observations 5, 33, Non-interruptible V3 PA Offset 5 from 6 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 6 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 6: NGC5236										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC5236 (Obs 6)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(3)	NGC5236	RA: 13 37 0.9192 (204.2538300d)			Proper Motion RA: 0					
			Dec: -29 51 56.74 (-29.86576d)			Proper Motion Dec: 0					
			Equinox: J2000			Epoch of Position: 2000					
		Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies]										
	Extended=YES										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	3 NGC5236	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	150	27	1	27	308.122	261984	false	
	2	F380M	NISRAPID	170	42	1	42	542.67	261984	false	
	3	F430M	NISRAPID	170	37	1	37	478.067	261984	false	
PSF References	PSF_NGC5236 (Obs 34) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 6 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 6 After 5 by 60 Days to 120 Days Group Observations 6, 34, Non-interruptible V3 PA Offset 5 from 6 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 7 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 7: M51										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRISS Aperture Masking Interferometry										
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(M51 (Obs 7)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(4)	M51	RA: 13 29 52.6980 (202.4695750d) Dec: +47 11 42.93 (47.19526d) Equinox: J2000			Epoch of Position: 2000					
Acquisition	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	4 M51	AMIFAINT	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	250	25	1	25	473.898	261984	false	
PSF References	2	F380M	NISRAPID	300	37	1	37	840.933	261984	false	
	3	F430M	NISRAPID	300	32	1	32	727.293	261984	false	
PSF References	PSF_M51 (Obs 35) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 7 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 8 After 7 by 60 Days to 120 Days Group Observations 7, 35, Non-interruptible V3 PA Offset 7 from 8 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 8 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 8: M51									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(M51 (Obs 8)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(4)	M51	RA: 13 29 52.6980 (202.4695750d) Dec: +47 11 42.93 (47.19526d) Equinox: J2000			Epoch of Position: 2000				
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	4 M51	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	250	25	1	25	473.898	261984	false
	2	F380M	NISRAPID	300	37	1	37	840.933	261984	false
	3	F430M	NISRAPID	300	32	1	32	727.293	261984	false
PSF References	PSF_M51 (Obs 36) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false									

Proposal 9652 - Observation 8 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 8 After 7 by 60 Days to 120 Days Group Observations 8, 36, Non-interruptible V3 PA Offset 7 from 8 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 9 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 9: NGC1808										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC1808 (Obs 9)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(5)	NGC1808	RA: 05 07 42.3430 (76.9264292d)			Epoch of Position: 2000					
			Dec: -37 30 46.98 (-37.51305d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
	Extended=YES										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	5 NGC1808	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	27	1	27	1530.25	261984	false	
	2	F380M	NISRAPID	750	58	1	58	3287.203	261984	false	
	3	F430M	NISRAPID	750	43	1	43	2437.065	261984	false	
PSF References	PSF_NGC1808 (Obs 37) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 9 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 10 After 9 by 60 Days to 120 Days Group Observations 9, 37, Non-interruptible V3 PA Offset 9 from 10 by 20 to 110 Degrees (Same offsets in Aperture)
-----------------------------	--

Proposal 9652 - Observation 10 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 10: NGC1808										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC1808 (Obs 10)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(5)	NGC1808	RA: 05 07 42.3430 (76.9264292d) Dec: -37 30 46.98 (-37.51305d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
Acquisition	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	5 NGC1808	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	27	1	27	1530.25	261984	false	
	2	F380M	NISRAPID	750	58	1	58	3287.203	261984	false	
	3	F430M	NISRAPID	750	43	1	43	2437.065	261984	false	
PSF References	PSF_NGC1808 (Obs 38) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 10 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 10 After 9 by 60 Days to 120 Days Group Observations 10, 38, Non-interruptible V3 PA Offset 9 from 10 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 11 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 11: NGC2903										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 11:1) Warning (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
	(NGC2903 (Obs 11)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(6)	NGC2903	RA: 09 32 10.1110 (143.0421292d)			Epoch of Position: 2000					
			Dec: +21 30 2.99 (21.50083d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES								
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	6 NGC2903	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	500	25	1	25	945.398	261984	false	
	2	F380M	NISRAPID	600	37	1	37	1678.317	261984	false	
	3	F430M	NISRAPID	630	30	1	30	1428.694	261984	false	
PSF References	PSF_NGC2903 (Obs 39) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 11 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 12 After 11 by 60 Days to 120 Days Group Observations 11, 39, Non-interruptible V3 PA Offset 11 from 12 by 0 to 180 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 12 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 12: NGC2903										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC2903 (Obs 12)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(6)	NGC2903	RA: 09 32 10.1110 (143.0421292d)			Epoch of Position: 2000					
			Dec: +21 30 2.99 (21.50083d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	6 NGC2903	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	500	25	1	25	945.398	261984	false	
	2	F380M	NISRAPID	600	37	1	37	1678.317	261984	false	
	3	F430M	NISRAPID	630	30	1	30	1428.694	261984	false	
PSF References	PSF_NGC2903 (Obs 40) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 12 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 12 After 11 by 60 Days to 120 Days Group Observations 12, 40, Non-interruptible V3 PA Offset 11 from 12 by 0 to 180 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 55 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 55: NGC1672										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 55:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC1672 (Obs 55)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(26)	NGC1672	RA: 04 45 42.5520 (71.4273000d)			Epoch of Position: 2000					
			Dec: -59 14 50.68 (-59.24741d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei]										
	Extended=YES										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	26 NGC1672	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	39	1	39	2210.361	261984	false	
	2	F380M	NISRAPID	750	68	1	68	3853.963	261984	false	
	3	F430M	NISRAPID	750	60	1	60	3400.555	261984	false	
PSF References	PSF_NGC1672 (Obs 57) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 55 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 56 After 55 by 60 Days to 120 Days Group Observations 55, 57, Non-interruptible V3 PA Offset 55 from 56 by 90 to 180 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 56 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 56: NGC1672										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 56:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC1672 (Obs 56)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(26)	NGC1672	RA: 04 45 42.5520 (71.4273000d)			Epoch of Position: 2000					
			Dec: -59 14 50.68 (-59.24741d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei] Extended=YES								
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	26 NGC1672	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	39	1	39	2210.361	261984	false	
	2	F380M	NISRAPID	750	68	1	68	3853.963	261984	false	
	3	F430M	NISRAPID	750	60	1	60	3400.555	261984	false	
PSF References	PSF_NGC1672 (Obs 58) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 56 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 56 After 55 by 60 Days to 120 Days Group Observations 56, 58, Non-interruptible V3 PA Offset 55 from 56 by 90 to 180 Degrees (Same offsets in Aperture)
----------------------	--

Proposal 9652 - Observation 15 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 15: NGC6300										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRISS Aperture Masking Interferometry										
	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(NGC6300 (Obs 15)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
Acquisition	(7)	NGC6300	RA: 17 16 59.5418 (259.2480908d)			Epoch of Position: 2000					
			Dec: -62 49 13.95 (-62.82054d)								
Template			Equinox: J2000								
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
Dithers	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
Spectral Elements	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
PSF References	1	7 NGC6300	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
PSF References	Subarray										
	SUB80										
PSF References	#	Primary Dithers				Subpixel Positions					
	1	NONE				NONE					
PSF References	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	720	25	1	25	1360.318	261984	false	
PSF References	2	F380M	NISRAPID	750	42	1	42	2380.389	261984	false	
	3	F430M	NISRAPID	750	26	1	26	1473.574	261984	false	
PSF References											
	PSF_NGC6300 (Obs 41) (PSF Reference; Filters [F380M, F430M, F480M])										
PSF References	Additional Justification: false										

Proposal 9652 - Observation 15 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 16 After 15 by 60 Days to 120 Days Group Observations 15, 41, Non-interruptible V3 PA Offset 15 from 16 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 16 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 16: NGC6300										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC6300 (Obs 16)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(7)	NGC6300	RA: 17 16 59.5418 (259.2480908d)			Epoch of Position: 2000					
			Dec: -62 49 13.95 (-62.82054d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
	Extended=YES										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	7 NGC6300	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	720	25	1	25	1360.318	261984	false	
	2	F380M	NISRAPID	750	42	1	42	2380.389	261984	false	
	3	F430M	NISRAPID	750	26	1	26	1473.574	261984	false	
PSF References	PSF_NGC6300 (Obs 42) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 16 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 16 After 15 by 60 Days to 120 Days Group Observations 16, 42, Non-interruptible V3 PA Offset 15 from 16 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 17 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 17: M87										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 17:1) Warning (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
	(M87 (Obs 17)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(8)	M87	RA: 12 30 49.4234 (187.7059308d)			Proper Motion RA: -8.029 mas/yr					
			Dec: +12 23 28.04 (12.39112d)			Proper Motion Dec: 10.734 mas/yr					
			Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Galaxy										
	Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	8 M87	AMIFAINT	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	29	1	29	1643.602	261984	false	
	2	F380M	NISRAPID	750	50	1	50	2833.796	261984	false	
	3	F430M	NISRAPID	750	45	1	45	2550.416	261984	false	

Proposal 9652 - Observation 17 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF_M87 (Obs 43) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false
Special Requirements	No Parallel Attachments 18 After 17 by 60 Days to 120 Days Group Observations 17, 43, Non-interruptible V3 PA Offset 17 from 18 by 90 to 180 Degrees (Same offsets in Aperture)

Proposal 9652 - Observation 18 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 18: M87										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(M87 (Obs 18)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(8)	M87	RA: 12 30 49.4234 (187.7059308d)			Proper Motion RA: -8.029 mas/yr					
			Dec: +12 23 28.04 (12.39112d)			Proper Motion Dec: 10.734 mas/yr					
			Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Galaxy										
	Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	8 M87	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	29	1	29	1643.602	261984	false	
	2	F380M	NISRAPID	750	50	1	50	2833.796	261984	false	
	3	F430M	NISRAPID	750	45	1	45	2550.416	261984	false	

Proposal 9652 - Observation 18 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF_M87 (Obs 44) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false
Special Requirements	No Parallel Attachments 18 After 17 by 60 Days to 120 Days Group Observations 18, 44, Non-interruptible V3 PA Offset 17 from 18 by 90 to 180 Degrees (Same offsets in Aperture)

Proposal 9652 - Observation 19 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 19: NGC4579									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Diagnostics	Observing Template: NIRISS Aperture Masking Interferometry									
	(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(NGC4579 (Obs 19)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.									
	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
Acquisition	(9)	NGC4579	RA: 12 37 43.5975 (189.4316563d)			Epoch of Position: 2000				
			Dec: +11 49 5.12 (11.81809d)							
Template			Equinox: J2000							
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
Dithers	Category=Galaxy									
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]									
Spectral Elements	Extended=YES									
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
PSF References	1	9 NGC4579	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984
Dithers	Subarray									
	SUB80									
Spectral Elements	#	Primary Dithers				Subpixel Positions				
	1	NONE				NONE				
PSF References	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	750	25	1	25	1416.898	261984	false
PSF References	2	F380M	NISRAPID	750	60	1	60	3400.555	261984	false
	3	F430M	NISRAPID	750	50	1	50	2833.796	261984	false
PSF References	PSF_NGC4579 (Obs 45) (PSF Reference; Filters [F380M, F430M, F480M])									
	Additional Justification: false									

Proposal 9652 - Observation 19 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 20 After 19 by 60 Days to 120 Days Group Observations 19, 45, Non-interruptible V3 PA Offset 19 from 20 by 20 to 100 Degrees (Same offsets in Aperture)
----------------------	--

Proposal 9652 - Observation 20 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 20: NGC4579										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRISS Aperture Masking Interferometry										
	(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(NGC4579 (Obs 20)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(9)	NGC4579	RA: 12 37 43.5975 (189.4316563d)			Epoch of Position: 2000					
	Dec: +11 49 5.12 (11.81809d)										
	Equinox: J2000										
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
Acquisition	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	9 NGC4579	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	25	1	25	1416.898	261984	false	
	2	F380M	NISRAPID	750	60	1	60	3400.555	261984	false	
	3	F430M	NISRAPID	750	50	1	50	2833.796	261984	false	
PSF References											
	PSF_NGC4579 (Obs 46) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 20 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 20 After 19 by 60 Days to 120 Days Group Observations 20, 46, Non-interruptible V3 PA Offset 19 from 20 by 20 to 100 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 21 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 21: NGC5643										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (NGC5643 (Obs 21)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(10)	NGC5643	RA: 14 32 40.7780 (218.1699083d) Dec: -44 10 28.60 (-44.17461d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	10 NGC5643	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	50	1	50	2833.796	261984	false	
	2	F380M	NISRAPID	750	89	1	89	5044.157	261984	false	
	3	F430M	NISRAPID	750	80	1	80	4534.074	261984	false	
PSF References	PSF_NGC5643 (Obs 47) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false										

Proposal 9652 - Observation 21 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 22 After 21 by 60 Days to 120 Days Group Observations 21, 47, Non-interruptible V3 PA Offset 21 from 22 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 22 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 22: NGC5643										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (NGC5643 (Obs 22)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(10)	NGC5643	RA: 14 32 40.7780 (218.1699083d) Dec: -44 10 28.60 (-44.17461d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
Acquisition	Extended=YES										
	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	10 NGC5643	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
SUB80											
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	50	1	50	2833.796	261984	false	
	2	F380M	NISRAPID	750	89	1	89	5044.157	261984	false	
	3	F430M	NISRAPID	750	80	1	80	4534.074	261984	false	
PSF References	PSF_NGC5643 (Obs 48) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false										

Proposal 9652 - Observation 22 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 22 After 21 by 60 Days to 120 Days Group Observations 22, 48, Non-interruptible V3 PA Offset 21 from 22 by 20 to 110 Degrees (Same offsets in Aperture)
----------------------	---

Proposal 9652 - Observation 23 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 23: NGC613										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRISS Aperture Masking Interferometry										
	(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(Visit 23:1) Warning (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(11)	NGC613	RA: 01 34 18.2350 (23.5759792d) Dec: -29 25 6.56 (-29.41849d) Equinox: J2000			Epoch of Position: 2000					
Acquisition	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	11 NGC613	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	45	1	45	2550.416	261984	false	
	2	F380M	NISRAPID	750	80	1	80	4534.074	261984	false	
	3	F430M	NISRAPID	750	71	1	71	4023.99	261984	false	
PSF References	PSF_NGC613 (Obs 49) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 23 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 24 After 23 by 60 Days to 120 Days Group Observations 23, 49, Non-interruptible
----------------------	--

Proposal 9652 - Observation 24 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 24: NGC613 Diagnostic Status: Warning Observing Template: NIRISS Aperture Masking Interferometry									Tue Jun 23 21:01:35 GMT 2026
Diagnostics	(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(11)	NGC613	RA: 01 34 18.2350 (23.5759792d) Dec: -29 25 6.56 (-29.41849d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Active galactic nuclei]</i>			Epoch of Position: 2000				
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	11 NGC613	AMIFAINT	F480M	NISRAPID	11	1	1	0.566	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	750	45	1	45	2550.416	261984	false
	2	F380M	NISRAPID	750	80	1	80	4534.074	261984	false
	3	F430M	NISRAPID	750	71	1	71	4023.99	261984	false
PSF References	PSF_NGC613 (Obs 50) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false									

Proposal 9652 - Observation 24 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 24 After 23 by 60 Days to 120 Days Group Observations 24, 50, Non-interruptible
----------------------	---

Proposal 9652 - Observation 25 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 25: NGC7582										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 25:1) Warning (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(12)	NGC7582	RA: 23 18 23.6000 (349.5983333d) Dec: -42 22 13.30 (-42.37036d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies]										
Extended=YES											
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	12 NGC7582	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	23	1	23	1303.546	261984	false	
	2	F380M	NISRAPID	750	45	1	45	2550.416	261984	false	
	3	F430M	NISRAPID	750	36	1	36	2040.333	261984	false	
PSF References	PSF_NGC7582 (Obs 51) (PSF Reference; Filters [F380M, F430M, F480M])										
	Additional Justification: false										

Proposal 9652 - Observation 25 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 26 After 25 by 60 Days to 120 Days Group Observations 25, 51, Non-interruptible
----------------------	---

Proposal 9652 - Observation 26 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 26: NGC7582										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(12)	NGC7582	RA: 23 18 23.6000 (349.5983333d)			Epoch of Position: 2000					
			Dec: -42 22 13.30 (-42.37036d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Active galaxies, Seyfert galaxies] Extended=YES								
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	12 NGC7582	AMIFAIN	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	23	1	23	1303.546	261984	false	
	2	F380M	NISRAPID	750	45	1	45	2550.416	261984	false	
	3	F430M	NISRAPID	750	36	1	36	2040.333	261984	false	
PSF References	PSF_NGC7582 (Obs 52) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false										

Proposal 9652 - Observation 26 - The hot dusty phase of active galaxies as observed by JWST interferometry

Special Requirements	No Parallel Attachments 26 After 25 by 60 Days to 120 Days Group Observations 26, 52, Non-interruptible
----------------------	---

Proposal 9652 - Observation 27 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 27: NGC3227										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 27:1) Warning (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
	(NGC3227 (Obs 27)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(13)	NGC3227	RA: 10 23 30.5765 (155.8774021d)			Proper Motion RA: 0.16 mas/yr					
			Dec: +19 51 54.28 (19.86508d)			Proper Motion Dec: -0.38100006349850446 mas/yr					
			Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Galaxy										
	Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	13 NGC3227	AMIFAINT	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	750	40	1	40	2267.037	261984	false	
	2	F380M	NISRAPID	750	68	1	68	3853.963	261984	false	
	3	F430M	NISRAPID	750	60	1	60	3400.555	261984	false	

Proposal 9652 - Observation 27 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF_NGC3227 (Obs 53) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false
Special Requirements	No Parallel Attachments 28 After 27 by 60 Days to 120 Days Group Observations 27, 53, Non-interruptible V3 PA Offset 27 from 28 by 90 to 180 Degrees (Same offsets in Aperture)

Proposal 9652 - Observation 28 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 28: NGC3227										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(NGC3227 (Obs 28)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(13)	NGC3227	RA: 10 23 30.5765 (155.8774021d)			Proper Motion RA: 0.16 mas/yr					
			Dec: +19 51 54.28 (19.86508d)			Proper Motion Dec: -0.38100006349850446 mas/yr					
			Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Galaxy										
	Description=[Active galactic nuclei]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	13 NGC3227	AMIFAINT	F480M	NISRAPID	11	1	1	0.566	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	760	40	1	40	2297.213	261984	false	
	2	F380M	NISRAPID	750	68	1	68	3853.963	261984	false	
	3	F430M	NISRAPID	750	60	1	60	3400.555	261984	false	

Proposal 9652 - Observation 28 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF_NGC3227 (Obs 54) (PSF Reference; Filters [F380M, F430M, F480M]) Additional Justification: false
Special Requirements	No Parallel Attachments 28 After 27 by 60 Days to 120 Days Group Observations 28, 54, Non-interruptible V3 PA Offset 27 from 28 by 90 to 180 Degrees (Same offsets in Aperture)

Proposal 9652 - Observation 29 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 29: PSF_CenA									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(14)	PSF_CentaurusA	RA: 13 18 5.1043 (199.5212679d) Dec: -44 03 19.38 (-44.05538d) Equinox: J2000			Proper Motion RA: -30.729000000000003 mas/yr Proper Motion Dec: -20.072999927833735 mas/yr Parallax: 0.0083595" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric] Extended=NO									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 29 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 1, 29, Non-interruptible

Proposal 9652 - Observation 30 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 30: PSF_CenA Tue Jun 23 21:01:35 GMT 2026 Diagnostic Status: Warning Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections			Miscellaneous		
	(14)	PSF_CentaurusA	RA: 13 18 5.1043 (199.5212679d) Dec: -44 03 19.38 (-44.05538d) Equinox: J2000		Proper Motion RA: -30.729000000000003 mas/yr Proper Motion Dec: -20.072999927833735 mas/yr Parallax: 0.0083595" Epoch of Position: 2000			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric] Extended=NO		
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 30 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 2, 30, Non-interruptible

Proposal 9652 - Observation 31 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 31: PSF_NGC4826									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(15)	PSF_NGC4826	RA: 12 58 59.3062 (194.7471092d) Dec: +20 52 36.82 (20.87689d) Equinox: J2000			Proper Motion RA: -1.7650000000000001 mas/yr Proper Motion Dec: 4.272 mas/yr Parallax: 0.0012986" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 31 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 3, 31, Non-interruptible

Proposal 9652 - Observation 32 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 32: PSF_NGC4826									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(15)	PSF_NGC4826	RA: 12 58 59.3062 (194.7471092d) Dec: +20 52 36.82 (20.87689d) Equinox: J2000			Proper Motion RA: -1.7650000000000001 mas/yr Proper Motion Dec: 4.272 mas/yr Parallax: 0.0012986" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 32 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 4, 32, Non-interruptible

Proposal 9652 - Observation 33 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 33: PSF_NGC5236										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRISS Aperture Masking Interferometry											
Diagnostics	(Visit 33:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(16)	PSF_NGC5236	RA: 13 25 48.8465 (201.4535271d) Dec: -28 22 26.35 (-28.37399d) Equinox: J2000			Proper Motion RA: -451.693 mas/yr Proper Motion Dec: -103.84699999121949 mas/yr Parallax: 0.0649887" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration Description=[Photometric]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false	
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false	
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false	

Proposal 9652 - Observation 33 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 5, 33, Non-interruptible

Proposal 9652 - Observation 34 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 34: PSF_NGC5236									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 34:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(16)	PSF_NGC5236	RA: 13 25 48.8465 (201.4535271d) Dec: -28 22 26.35 (-28.37399d) Equinox: J2000			Proper Motion RA: -451.693 mas/yr Proper Motion Dec: -103.84699999121949 mas/yr Parallax: 0.0649887" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 34 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 6, 34, Non-interruptible

Proposal 9652 - Observation 35 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 35: PSF_M51									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 35:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(17)	PSF_M51	RA: 13 33 26.4567 (203.3602363d) Dec: +48 10 30.11 (48.17503d) Equinox: J2000			Proper Motion RA: 23.841 mas/yr Proper Motion Dec: -32.97599996585632 mas/yr Parallax: 0.001494" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 35 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 7, 35, Non-interruptible

Proposal 9652 - Observation 36 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 36: PSF_M51										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 36:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(17)	PSF_M51	RA: 13 33 26.4567 (203.3602363d) Dec: +48 10 30.11 (48.17503d) Equinox: J2000			Proper Motion RA: 23.841 mas/yr Proper Motion Dec: -32.97599996585632 mas/yr Parallax: 0.001494" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration Description=[Photometric]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false	
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false	
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false	

Proposal 9652 - Observation 36 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 8, 36, Non-interruptible

Proposal 9652 - Observation 37 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 37: PSF_NGC1808									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 37:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(18)	PSF_NGC1808	RA: 05 03 52.7306 (75.9697108d) Dec: -40 36 28.03 (-40.60779d) Equinox: J2000			Proper Motion RA: -9.621 mas/yr Proper Motion Dec: -58.758999944075185 mas/yr Parallax: 0.0186221" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 37 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 9, 37, Non-interruptible

Proposal 9652 - Observation 38 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 38: PSF_NGC1808									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 38:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(18)	PSF_NGC1808	RA: 05 03 52.7306 (75.9697108d) Dec: -40 36 28.03 (-40.60779d) Equinox: J2000			Proper Motion RA: -9.621 mas/yr Proper Motion Dec: -58.758999944075185 mas/yr Parallax: 0.0186221" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 38 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 10, 38, Non-interruptible

Proposal 9652 - Observation 39 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 39: PSF_NGC2903									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 39:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(19)	PSF_NGC2903	RA: 09 38 54.6627 (144.7277612d) Dec: +20 17 51.23 (20.29756d) Equinox: J2000			Proper Motion RA: -17.891 mas/yr Proper Motion Dec: -19.55099992301257 mas/yr Parallax: 0.004358900000000001" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 39 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 11, 39, Non-interruptible

Proposal 9652 - Observation 40 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 40: PSF_NGC2903									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 40:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(19)	PSF_NGC2903	RA: 09 38 54.6627 (144.7277612d) Dec: +20 17 51.23 (20.29756d) Equinox: J2000			Proper Motion RA: -17.891 mas/yr Proper Motion Dec: -19.55099992301257 mas/yr Parallax: 0.004358900000000001" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 40 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 12, 40, Non-interruptible

Proposal 9652 - Observation 57 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 57: PSF_NGC1672									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 57:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(27)	PSF_NGC1672	RA: 04 44 14.2967 (71.0595696d) Dec: -58 39 0.16 (-58.65004d) Equinox: J2000			Proper Motion RA: 5.541 mas/yr Proper Motion Dec: 4.491 mas/yr Parallax: 0.0033908000000000002" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric] Extended=NO									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	27 PSF_NGC1672	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409		false
	2	F380M	NISRAPID	5	115	1	115	54.409		false
	3	F430M	NISRAPID	5	115	1	115	54.409		false

Proposal 9652 - Observation 57 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 55, 57, Non-interruptible

Proposal 9652 - Observation 58 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 58: PSF_NGC1672									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 58:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(27)	PSF_NGC1672	RA: 04 44 14.2967 (71.0595696d) Dec: -58 39 0.16 (-58.65004d) Equinox: J2000			Proper Motion RA: 5.541 mas/yr Proper Motion Dec: 4.491 mas/yr Parallax: 0.0033908000000000002" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric] Extended=NO									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	27 PSF_NGC1672	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409		false
	2	F380M	NISRAPID	5	115	1	115	54.409		false
	3	F430M	NISRAPID	5	115	1	115	54.409		false

Proposal 9652 - Observation 58 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 56, 58, Non-interruptible

Proposal 9652 - Observation 41 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 41: PSF_NGC6300									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 41:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(20)	PSF_NGC6300	RA: 16 55 24.6888 (253.8528700d) Dec: -63 16 10.78 (-63.26966d) Equinox: J2000			Proper Motion RA: 8.003 mas/yr Proper Motion Dec: -14.188000022841152 mas/yr Parallax: 0.0057727" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409	261984	false
	2	F380M	NISRAPID	5	115	1	115	54.409	261984	false
	3	F430M	NISRAPID	5	115	1	115	54.409	261984	false

Proposal 9652 - Observation 41 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 15, 41, Non-interruptible

Proposal 9652 - Observation 42 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 42: PSF_NGC6300									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 42:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(20)	PSF_NGC6300	RA: 16 55 24.6888 (253.8528700d) Dec: -63 16 10.78 (-63.26966d) Equinox: J2000			Proper Motion RA: 8.003 mas/yr Proper Motion Dec: -14.188000022841152 mas/yr Parallax: 0.0057727" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409	261984	false
	2	F380M	NISRAPID	5	115	1	115	54.409	261984	false
	3	F430M	NISRAPID	5	115	1	115	54.409	261984	false

Proposal 9652 - Observation 42 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 16, 42, Non-interruptible

Proposal 9652 - Observation 43 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 43: PSF_M87									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 43:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(21)	PSF_M87_NGC4579	RA: 12 37 38.0453 (189.4085221d) Dec: +12 40 10.40 (12.66956d) Equinox: J2000			Proper Motion RA: -13.003 mas/yr Proper Motion Dec: 1.873 mas/yr Parallax: 0.0011402" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409	261984	false
	2	F380M	NISRAPID	5	115	1	115	54.409	261984	false
	3	F430M	NISRAPID	5	115	1	115	54.409	261984	false

Proposal 9652 - Observation 43 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 17, 43, Non-interruptible

Proposal 9652 - Observation 44 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 44: PSF_M87									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 44:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(21)	PSF_M87_NGC4579	RA: 12 37 38.0453 (189.4085221d) Dec: +12 40 10.40 (12.66956d) Equinox: J2000			Proper Motion RA: -13.003 mas/yr Proper Motion Dec: 1.873 mas/yr Parallax: 0.0011402" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409	261984	false
	2	F380M	NISRAPID	5	115	1	115	54.409	261984	false
	3	F430M	NISRAPID	5	115	1	115	54.409	261984	false

Proposal 9652 - Observation 44 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 18, 44, Non-interruptible

Proposal 9652 - Observation 45 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 45: PSF_NGC4579									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 45:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(21)	PSF_M87_NGC4579	RA: 12 37 38.0453 (189.4085221d) Dec: +12 40 10.40 (12.66956d) Equinox: J2000			Proper Motion RA: -13.003 mas/yr Proper Motion Dec: 1.873 mas/yr Parallax: 0.0011402" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409	261984	false
	2	F380M	NISRAPID	5	115	1	115	54.409	261984	false
	3	F430M	NISRAPID	5	115	1	115	54.409	261984	false

Proposal 9652 - Observation 45 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 19, 45, Non-interruptible

Proposal 9652 - Observation 46 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 46: PSF_NGC4579									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 46:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(21)	PSF_M87_NGC4579	RA: 12 37 38.0453 (189.4085221d) Dec: +12 40 10.40 (12.66956d) Equinox: J2000			Proper Motion RA: -13.003 mas/yr Proper Motion Dec: 1.873 mas/yr Parallax: 0.0011402" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	5	115	1	115	54.409	261984	false
	2	F380M	NISRAPID	5	115	1	115	54.409	261984	false
	3	F430M	NISRAPID	5	115	1	115	54.409	261984	false

Proposal 9652 - Observation 46 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 20, 46, Non-interruptible

Proposal 9652 - Observation 47 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 47: PSF_NGC5643									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 47:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(22)	PSF_NGC5643	RA: 14 30 9.9768 (217.5415700d) Dec: -43 51 50.02 (-43.86389d) Equinox: J2000			Proper Motion RA: -28.739 mas/yr Proper Motion Dec: -21.851999940736277 mas/yr Parallax: 0.0086402" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 47 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 21, 47, Non-interruptible

Proposal 9652 - Observation 48 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 48: PSF_NGC5643										Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 48:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(22)	PSF_NGC5643	RA: 14 30 9.9768 (217.5415700d) Dec: -43 51 50.02 (-43.86389d) Equinox: J2000			Proper Motion RA: -28.739 mas/yr Proper Motion Dec: -21.851999940736277 mas/yr Parallax: 0.0086402" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration Description=[Photometric]										
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984	
Template	Subarray										
	SUB80										
Dithers	#	Primary Dithers					Subpixel Positions				
	1	NONE					NONE				
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image	
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false	
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false	
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false	

Proposal 9652 - Observation 48 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 22, 48, Non-interruptible

Proposal 9652 - Observation 49 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 49: PSF_NGC613									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 49:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(23)	PSF_NGC613	RA: 01 33 4.7578 (23.2698242d) Dec: -29 05 31.70 (-29.09214d) Equinox: J2000			Proper Motion RA: -9.223 mas/yr Proper Motion Dec: -23.775999920871982 mas/yr Parallax: 0.0023556" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 49 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 23, 49, Non-interruptible

Proposal 9652 - Observation 50 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 50: PSF_NGC613									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRISS Aperture Masking Interferometry										
Diagnostics	(Visit 50:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(23)	PSF_NGC613	RA: 01 33 4.7578 (23.2698242d) Dec: -29 05 31.70 (-29.09214d) Equinox: J2000			Proper Motion RA: -9.223 mas/yr Proper Motion Dec: -23.775999920871982 mas/yr Parallax: 0.0023556" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 50 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 24, 50, Non-interruptible

Proposal 9652 - Observation 51 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 51: PSF_NGC7582									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 51:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(24)	PSF_NGC7582	RA: 23 15 12.5375 (348.8022396d) Dec: -41 57 19.14 (-41.95532d) Equinox: J2000			Proper Motion RA: -0.749 mas/yr Proper Motion Dec: -9.001000034913886 mas/yr Parallax: 0.0016496" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	10	76	1	76	64.624	261984	false
	2	F380M	NISRAPID	10	76	1	76	64.624	261984	false
	3	F430M	NISRAPID	10	76	1	76	64.624	261984	false

Proposal 9652 - Observation 51 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 25, 51, Non-interruptible

Proposal 9652 - Observation 52 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 52: PSF_NGC7582									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 52:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(24)	PSF_NGC7582	RA: 23 15 12.5375 (348.8022396d) Dec: -41 57 19.14 (-41.95532d) Equinox: J2000			Proper Motion RA: -0.749 mas/yr Proper Motion Dec: -9.001000034913886 mas/yr Parallax: 0.0016496" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	10	76	1	76	64.624	261984	false
	2	F380M	NISRAPID	10	76	1	76	64.624	261984	false
	3	F430M	NISRAPID	10	76	1	76	64.624	261984	false

Proposal 9652 - Observation 52 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 26, 52, Non-interruptible

Proposal 9652 - Observation 53 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 53: PSF_NGC3227									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 53:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(25)	PSF_NGC3227	RA: 10 16 44.8672 (154.1869467d) Dec: +19 53 29.01 (19.89139d) Equinox: J2000			Proper Motion RA: -35.952 mas/yr Proper Motion Dec: -29.96099992742529 mas/yr Parallax: 6.787E-4" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 53 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 27, 53, Non-interruptible

Proposal 9652 - Observation 54 - The hot dusty phase of active galaxies as observed by JWST interferometry

Observation	Proposal 9652, Observation 54: PSF_NGC3227									Tue Jun 23 21:01:35 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRISS Aperture Masking Interferometry									
Diagnostics	(Visit 54:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(25)	PSF_NGC3227	RA: 10 16 44.8672 (154.1869467d) Dec: +19 53 29.01 (19.89139d) Equinox: J2000			Proper Motion RA: -35.952 mas/yr Proper Motion Dec: -29.96099992742529 mas/yr Parallax: 6.787E-4" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.									
	Category=Calibration Description=[Photometric]									
Acquisition	#	Target	Acquisition Mode	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	SAME	AMIBRIGHT	F480M	NISRAPID	3	1	1	0.202	261984
Template	Subarray									
	SUB80									
Dithers	#	Primary Dithers					Subpixel Positions			
	1	NONE					NONE			
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	Direct Image
	1	F480M	NISRAPID	20	85	1	85	136.401	261984	false
	2	F380M	NISRAPID	20	85	1	85	136.401	261984	false
	3	F430M	NISRAPID	20	85	1	85	136.401	261984	false

Proposal 9652 - Observation 54 - The hot dusty phase of active galaxies as observed by JWST interferometry

PSF References	PSF Reference: true
Special Requirements	No Parallel Attachments Group Observations 28, 54, Non-interruptible