



9841 - Growing the most distant radio-loud quasars in the structure formation paradigm

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Feige Wang (PI)	University of Michigan
Eduardo Banados (CoI) (ESA Member) (CoPI)	Max Planck Institute for Astronomy
Dr. Jinyi Yang (CoI) (CoPI)	University of Michigan
Dr. Chiara Giulia Mazzucchelli (CoI) (CoPI)	Universidad Diego Portales
Prof. Xiaohui Fan (CoI)	University of Arizona
Prof. Joseph Hennawi (CoI)	University of California - Santa Barbara
Dr. Aaron J. Barth (CoI)	University of California - Irvine
Dr. Jaclyn Champagne (CoI)	Space Telescope Science Institute
Mr. Wei Leong Tee (CoI)	The Pennsylvania State University
Dr. Silvia Belladitta (CoI) (ESA Member)	Max Planck Institute for Astronomy
Dr. Rebekka Bieri (CoI) (ESA Member)	Universitat Zurich
Dr. Sarah E. I. Bosman (CoI) (ESA Member)	Universitat Heidelberg
Dr. Zheng Cai (CoI)	Tsinghua University
Ashlen Coburn (CoI)	University of Michigan
Dr. Thomas Connor (CoI)	Smithsonian Institution Astrophysical Observatory
Dr. Frederick Davies (CoI) (ESA Member)	Max Planck Institute for Astronomy
Dr. Gisella De Rosa (CoI)	Space Telescope Science Institute
Dr. Alyssa Bryony Drake (CoI) (ESA Member)	University of Hertfordshire
Prof. Anna-Christina Eilers (CoI)	Massachusetts Institute of Technology
Dr. Ryan Endsley (CoI)	University of Texas at Austin
Dr. Emanuele Paolo Farina (CoI)	NOIRLab - Gemini North (HI)

JWST Proposal 9841 (Created: Friday, May 22, 2026, 10:01:45AM Eastern Standard Time) - Overview

Name	Institution
Olivier Gilbert (CoI)	University of Michigan
Prof. Melanie Habouzit (CoI) (ESA Member)	University of Geneva, Department of Astronomy
Prof. Linhua Jiang (CoI)	Peking University
Mr. Bingcheng Jin (CoI)	University of Michigan
Dr. Xiangyu Jin (CoI)	University of Michigan
Dr. Hyunsung Jun (CoI)	Northwestern College
Dr. Girish Kulkarni (CoI)	Tata Institute of Fundamental Research, Bombay
Mingyu Li (CoI)	Tsinghua University
Mr. Zihao Li (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute
Ms. Xiaojing Lin (CoI)	Tsinghua University
Dr. Jianwei Lyu (CoI)	University of Arizona
Maria Pudoka (CoI)	University of Arizona
Raymond Remigio (CoI)	University of California - Irvine
Dra. Sofia Rojas (CoI)	University of California - Los Angeles
Dr. Jan-Torge Schindler (CoI) (ESA Member)	Universitat Hamburg
Dr. Michael A. Strauss (CoI)	Princeton University
Dr. Fengwu Sun (CoI)	Harvard University
Prof. Benny Trakhtenbrot (CoI)	Tel Aviv University - Wise Observatory
Dr. Maxime Trebitsch (CoI) (ESA Member)	Observatoire de Paris
Dr. Bram Venemans (CoI) (ESA Member)	Universiteit Leiden
Dr. Marianne Vestergaard (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute
Prof. Marta Volonteri (CoI) (ESA Member)	CNRS, Institut d'Astrophysique de Paris
Dr. Fabian Walter (CoI) (ESA Member)	Max Planck Institute for Astronomy
Mr. Shouyi Wang (CoI)	Peking University
Dr. Yunjing Wu (CoI)	Kavli Inst for the Physics and Mathematics of the Universe
Liang Xie (CoI) (ESA Member)	Max Planck Institute for Astronomy
Dr. Haowen Zhang (CoI) (CSA Member)	Canadian Institute for Theoretical Astrophysics
Dr. Siwei Zou (CoI)	Universidad de Chile

OBSERVATIONS

Folder	Observation	Label	Observing Template	Science Target
Observation Folder				

JWST Proposal 9841 (Created: Friday, May 22, 2026, 10:01:45AM Eastern Standard Time) - Overview

Folder	Observation	Label	Observing Template	Science Target
	1	J0309+2717	NIRCam Wide Field Slitless Spectroscopy	(1) J0309+2717
	2	J0320-3521	NIRCam Wide Field Slitless Spectroscopy	(2) J0320-3521
	3	J0322-1841	NIRCam Wide Field Slitless Spectroscopy	(3) J0322-1841
	4	J0341-0048	NIRCam Wide Field Slitless Spectroscopy	(4) J0341-0048
	5	J0836+0054	NIRCam Wide Field Slitless Spectroscopy	(5) J0836+0054
	6	J0901+1615	NIRCam Wide Field Slitless Spectroscopy	(6) J0901+1615
	7	J0232+1946	NIRCam Wide Field Slitless Spectroscopy	(24) J0232+1946
	8	J1037+4033	NIRCam Wide Field Slitless Spectroscopy	(8) J1037+4033
	9	J1133+4814	NIRCam Wide Field Slitless Spectroscopy	(9) J1133+4814
	10	J0616-1338	NIRCam Wide Field Slitless Spectroscopy	(26) J0616-1338
	11	J1350+3748	NIRCam Wide Field Slitless Spectroscopy	(11) J1350+3748
	12	J1718+1017	NIRCam Wide Field Slitless Spectroscopy	(27) J1718+1017
	13	J1427+3312	NIRCam Wide Field Slitless Spectroscopy	(13) J1427+3312
	14	J1429+5447	NIRCam Wide Field Slitless Spectroscopy	(14) J1429+5447
	15	J1523+2935	NIRCam Wide Field Slitless Spectroscopy	(15) J1523+2935
	16	J2201+2338	NIRCam Wide Field Slitless Spectroscopy	(16) J2201+2338
	17	J2228+0110	NIRCam Wide Field Slitless Spectroscopy	(17) J2228+0110
	18	J2242+0334	NIRCam Wide Field Slitless Spectroscopy	(18) J2242+0334
	19	J2318-3113	NIRCam Wide Field Slitless Spectroscopy	(19) J2318-3113
	20	J2329-1520	NIRCam Wide Field Slitless Spectroscopy	(20) J2329-1520
	21	J2336+1842	NIRCam Wide Field Slitless Spectroscopy	(21) J2336+1842
	22	J0209-5626	NIRCam Wide Field Slitless Spectroscopy	(22) J0209-5626
	23	J1613+1113	NIRCam Wide Field Slitless Spectroscopy	(25) J1613+1113

ABSTRACT

The origins of the radio-loud vs. radio-quiet quasar dichotomy remain unclear after 60 years of research. Understanding this is crucial since radio jets could influence supermassive black hole growth and host galaxy assembly. We address this by comparing two luminosity-matched samples of radio-loud and radio-quiet quasars at the highest redshifts, minimizing evolutionary effects seen in lower redshift systems.

We propose NIRCam/WFSS observation of all 23 radio-loud quasars known at $5.55 < z < 5.75$ (putting the H β +[OIII] lines in the sweet spot of NIRCam/WFSS) with the same strategy as the JWST ASPIRE and EIGER programs, that targeted radio-quiet quasars at similar redshifts. We will

JWST Proposal 9841 (Created: Friday, May 22, 2026, 10:01:45AM Eastern Standard Time) - Overview

spectroscopically confirm ~ 630 galaxies at $5.3 < z < 6.9$ in 23 quasar fields, including ~ 190 galaxies physically associated with the quasars. This program will allow us to measure the dark matter halo mass and black hole mass, characterize quasar outflows, and study the host galaxies of these radio-loud quasars. This program will finally resolve the long-standing puzzle of whether the radio-loud quasars live in different dark matter halos from that of radio-quiet quasars and allow us to understand their growth in the structure formation paradigm. By comparing the properties between the radio-loud and radio-quiet populations across multiple scales and phases, we will be able to establish the main factors responsible for strong radio emission. Finally, this program will enable a legacy galaxy redshift survey and provide critical information on cosmic reionization and galaxy evolution in the early universe.

OBSERVING DESCRIPTION

We will use ~ 58 hours to carry out NIRCам Wide-Field Slitless Spectroscopy (WFSS) along 23 sightlines of radio-loud quasars at the end of cosmic reionization.

We will perform spectroscopic observations with the R-grism and the F356W filter, placing the H β + [OIII] complex of the quasars and galaxies associated with them at the sweet spot of WFSS sensitivity. We will also obtain deep imaging in F200W simultaneously in the short wavelength module (SW) to image the quasar host galaxy and their close companions. The direct imaging (for source identification) in LW F356W and SW F150W will be conducted at the end of the exposure series, fully covering the in-field and out-of-field region of the spectroscopic field-of-view. These direct images will also be valuable for constraining the rest-frame optical emissions of quasar host galaxies and their close companions. As demonstrated by several Cycle 1 programs, the line confusion caused by only using R-grism can be resolved using the H β + [OIII] complex.

We will use both module A and B to maximize the sky area coverage. The quasar will be put on a carefully designed position ($X_{\text{offset}} = -60.5$, $Y_{\text{offset}} = 7.5$) in module A to ensure a full wavelength coverage of the quasar. We employ the SHALLOW4 readout pattern and 3-point INTRAMODULEX, with 2-point sub-pixel positions for all exposures. The total on-source time per target is 2834s.

Proposal 9841 - Targets - Growing the most distant radio-loud quasars in the structure formation paradigm

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	J0309+2717	RA: 03 09 47.4900 (47.4478750d) Dec: +27 17 57.31 (27.29925d) Equinox: J2000 <i>Comments: z=6.1</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(2)	J0320-3521	RA: 03 20 21.4350 (50.0893125d) Dec: -35 21 4.19 (-35.35116d) Equinox: J2000 <i>Comments: z=6.13</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(3)	J0322-1841	RA: 03 22 14.5400 (50.5605833d) Dec: -18 41 17.43 (-18.68818d) Equinox: J2000 <i>Comments: z=6.09</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(4)	J0341-0048	RA: 03 41 41.8500 (55.4243750d) Dec: -00 48 12.76 (-.80354d) Equinox: J2000 <i>Comments: z=5.7183</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(5)	J0836+0054	RA: 08 36 43.8500 (129.1827083d) Dec: +00 54 53.30 (.91481d) Equinox: J2000 <i>Comments: z=5.8342</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(6)	J0901+1615	RA: 09 01 32.6500 (135.3860417d) Dec: +16 15 6.77 (16.25188d) Equinox: J2000 <i>Comments: z=5.7183</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(7)	J0202-1708	RA: 02 02 28.5300 (30.6188750d) Dec: -17 08 27.75 (-17.14104d) Equinox: J2000 <i>Comments: z=5.57</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		
	(8)	J1037+4033	RA: 10 37 58.1800 (159.4924167d) Dec: +40 33 28.74 (40.55798d) Equinox: J2000 <i>Comments: z=6.07</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>		

Proposal 9841 - Targets - Growing the most distant radio-loud quasars in the structure formation paradigm

(9)	J1133+4814	RA: 11 33 50.4300 (173.4601250d) Dec: +48 14 31.22 (48.24201d) Equinox: J2000 <i>Comments: z=6.23</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(10)	J1253-0246	RA: 12 53 35.8200 (193.3992500d) Dec: -02 46 55.29 (-2.78202d) Equinox: J2000 <i>Comments: z=5.8</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(11)	J1350+3748	RA: 13 50 23.6000 (207.5983333d) Dec: +37 48 35.72 (37.80992d) Equinox: J2000 <i>Comments: z=5.72</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(12)	J1400+5546	RA: 14 00 1.3100 (210.0054583d) Dec: +55 46 19.33 (55.77204d) Equinox: J2000 <i>Comments: z=5.85</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(13)	J1427+3312	RA: 14 27 38.5900 (216.9107917d) Dec: +33 12 41.00 (33.21139d) Equinox: J2000 <i>Comments: z=6.1178</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(14)	J1429+5447	RA: 14 29 52.1700 (217.4673750d) Dec: +54 47 17.70 (54.78825d) Equinox: J2000 <i>Comments: z=6.1188</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(15)	J1523+2935	RA: 15 23 30.6700 (230.8777917d) Dec: +29 35 39.67 (29.59435d) Equinox: J2000 <i>Comments: z=5.74</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(16)	J2201+2338	RA: 22 01 7.6100 (330.2817083d) Dec: +23 38 37.95 (23.64387d) Equinox: J2000 <i>Comments: z=5.83</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>

Proposal 9841 - Targets - Growing the most distant radio-loud quasars in the structure formation paradigm

(17)	J2228+0110	RA: 22 28 43.5400 (337.1814167d) Dec: +01 10 32.20 (1.17561d) Equinox: J2000 <i>Comments: z=5.95</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(18)	J2242+0334	RA: 22 42 37.5500 (340.6564583d) Dec: +03 34 21.60 (3.57267d) Equinox: J2000 <i>Comments: z=5.88</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(19)	J2318-3113	RA: 23 18 18.3500 (349.5764583d) Dec: -31 13 46.34 (-31.22954d) Equinox: J2000 <i>Comments: z=6.4435</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(20)	J2329-1520	RA: 23 29 36.8360 (352.4034833d) Dec: -15 20 14.46 (-15.33735d) Equinox: J2000 <i>Comments: z=5.84</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(21)	J2336+1842	RA: 23 36 24.6900 (354.1028750d) Dec: +18 42 48.71 (18.71353d) Equinox: J2000 <i>Comments: z=6.6</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(22)	J0209-5626	RA: 02 09 16.9300 (32.3205417d) Dec: -56 26 50.44 (-56.44734d) Equinox: J2000 <i>Comments: z=5.61</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(23)	J1011-0130	RA: 10 11 55.5400 (152.9814167d) Dec: -01 30 52.69 (-1.51464d) Equinox: J2000 <i>Comments: z=5.58</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(24)	J0232+1946	RA: 02 32 6.2140 (38.0258917d) Dec: +19 46 31.67 (19.77546d) Equinox: J2000 <i>Comments: z=5.6984</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>

Proposal 9841 - Targets - Growing the most distant radio-loud quasars in the structure formation paradigm

(25)	J1613+1113	RA: 16 13 6.0550 (243.2752292d) Dec: +11 13 58.97 (11.23305d) Equinox: J2000 <i>Comments: z=5.8136</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(26)	J0616-1338	RA: 06 16 24.3800 (94.1015833d) Dec: -13 38 6.40 (-13.63511d) Equinox: J2000 <i>Comments: z=5.6234</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>
(27)	J1718+1017	RA: 17 18 34.0430 (259.6418458d) Dec: +10 17 35.41 (10.29317d) Equinox: J2000 <i>Comments: z=6.0</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>

Proposal 9841 - Observation 1 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 1: J0309+2717											Fri May 22 15:01:45 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0309+2717 (Obs 1)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0309+2717 (Obs 1)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(1)	J0309+2717	RA: 03 09 47.4900 (47.4478750d) Dec: +27 17 57.31 (27.29925d) Equinox: J2000									
	Comments: z=6.1 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 1 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 2 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 2: J0320-3521											Fri May 22 15:01:45 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0320-3521 (Obs 2)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0320-3521 (Obs 2)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(2)	J0320-3521	RA: 03 20 21.4350 (50.0893125d) Dec: -35 21 4.19 (-35.35116d) Equinox: J2000									
	Comments: z=6.13 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 2 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 3 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 3: J0322-1841										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0322-1841 (Obs 3)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0322-1841 (Obs 3)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(3)	J0322-1841	RA: 03 22 14.5400 (50.5605833d) Dec: -18 41 17.43 (-18.68818d) Equinox: J2000									
	Comments: z=6.09 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 3 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 4 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 4: J0341-0048										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0341-0048 (Obs 4)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0341-0048 (Obs 4)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(4)	J0341-0048	RA: 03 41 41.8500 (55.4243750d) Dec: -00 48 12.76 (-.80354d) Equinox: J2000									
	Comments: z=5.7183 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 4 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 5 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 5: J0836+0054										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0836+0054 (Obs 5)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0836+0054 (Obs 5)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(5)	J0836+0054	RA: 08 36 43.8500 (129.1827083d) Dec: +00 54 53.30 (.91481d) Equinox: J2000									
	Comments: z=5.8342 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 5 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 6 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 6: J0901+1615										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0901+1615 (Obs 6)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0901+1615 (Obs 6)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(6)	J0901+1615	RA: 09 01 32.6500 (135.3860417d) Dec: +16 15 6.77 (16.25188d) Equinox: J2000									
	Comments: z=5.7183 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 6 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 7 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 7: J0232+1946										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0232+1946 (Obs 7)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0232+1946 (Obs 7)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(24)	J0232+1946	RA: 02 32 6.2140 (38.0258917d) Dec: +19 46 31.67 (19.77546d) Equinox: J2000									
	Comments: z=5.6984 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 7 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 8 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 8: J1037+4033										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1037+4033 (Obs 8)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1037+4033 (Obs 8)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(8)	J1037+4033	RA: 10 37 58.1800 (159.4924167d) Dec: +40 33 28.74 (40.55798d) Equinox: J2000									
	Comments: z=6.07 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 8 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 9 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 9: J1133+4814										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1133+4814 (Obs 9)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1133+4814 (Obs 9)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(9)	J1133+4814	RA: 11 33 50.4300 (173.4601250d) Dec: +48 14 31.22 (48.24201d) Equinox: J2000									
	Comments: z=6.23 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 9 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 10 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 10: J0616-1338										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0616-1338 (Obs 10)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0616-1338 (Obs 10)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 10:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(26)	J0616-1338	RA: 06 16 24.3800 (94.1015833d) Dec: -13 38 6.40 (-13.63511d) Equinox: J2000 Comments: z=5.6234 Category=Galaxy Description=[Quasars]									
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 10 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 35.0 to 60.0 Degrees (V3 35.0 to 60.0) Aperture PA Range 275.0 to 330.0 Degrees (V3 275.0 to 330.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---

Proposal 9841 - Observation 11 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 11: J1350+3748											Fri May 22 15:01:45 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1350+3748 (Obs 11)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1350+3748 (Obs 11)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(11)	J1350+3748	RA: 13 50 23.6000 (207.5983333d) Dec: +37 48 35.72 (37.80992d) Equinox: J2000									
	Comments: z=5.72 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 11 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 12 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 12: J1718+1017										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1718+1017 (Obs 12)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1718+1017 (Obs 12)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(27)	J1718+1017	RA: 17 18 34.0430 (259.6418458d) Dec: +10 17 35.41 (10.29317d) Equinox: J2000									
	Comments: z=6.0 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 12 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 80.0 to 150.0 Degrees (V3 80.0 to 150.0) Aperture PA Range 260.0 to 300.0 Degrees (V3 260.0 to 300.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---

Proposal 9841 - Observation 13 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 13: J1427+3312											Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J1427+3312 (Obs 13)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(J1427+3312 (Obs 13)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous			
	(13)	J1427+3312	RA: 14 27 38.5900 (216.9107917d) Dec: +33 12 41.00 (33.21139d) Equinox: J2000										
	Comments: z=6.1178 Category=Galaxy Description=[Quasars]												
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement			
	ALL		FULL				GRISMR			Module gap (large extended source)			
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions				
	1	INTRAMODULEX				3			2-Point				
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6	
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2	

Proposal 9841 - Observation 13 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 160.0 to 220.0 Degrees (V3 160.0 to 220.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---

Proposal 9841 - Observation 14 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 14: J1429+5447												Fri May 22 15:01:45 GMT 2026
	Diagnostic Status: Warning												
Observing Template: NIRCam Wide Field Slitless Spectroscopy													
Diagnostics	(J1429+5447 (Obs 14)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(J1429+5447 (Obs 14)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(14)	J1429+5447	RA: 14 29 52.1700 (217.4673750d) Dec: +54 47 17.70 (54.78825d) Equinox: J2000										
Comments: z=6.1188 Category=Galaxy Description=[Quasars]													
Template	Module		Subarray					Grism (Long Wavelength)			Target Placement		
	ALL		FULL					GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX					3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6	
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2	

Proposal 9841 - Observation 14 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 110.0 to 150.0 Degrees (V3 110.0 to 150.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---

Proposal 9841 - Observation 15 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 15: J1523+2935										Fri May 22 15:01:45 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1523+2935 (Obs 15)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1523+2935 (Obs 15)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(15)	J1523+2935	RA: 15 23 30.6700 (230.8777917d) Dec: +29 35 39.67 (29.59435d) Equinox: J2000									
	Comments: z=5.74 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 15 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 130.0 to 220.0 Degrees (V3 130.0 to 220.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---

Proposal 9841 - Observation 16 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 16: J2201+2338											Fri May 22 15:01:45 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J2201+2338 (Obs 16)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J2201+2338 (Obs 16)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(16)	J2201+2338	RA: 22 01 7.6100 (330.2817083d) Dec: +23 38 37.95 (23.64387d) Equinox: J2000									
	Comments: z=5.83 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 16 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 17 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 17: J2228+0110											Fri May 22 15:01:46 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J2228+0110 (Obs 17)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J2228+0110 (Obs 17)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(17)	J2228+0110	RA: 22 28 43.5400 (337.1814167d) Dec: +01 10 32.20 (1.17561d) Equinox: J2000									
	Comments: z=5.95 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 17 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 18 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 18: J2242+0334											Fri May 22 15:01:46 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J2242+0334 (Obs 18)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J2242+0334 (Obs 18)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(18)	J2242+0334	RA: 22 42 37.5500 (340.6564583d) Dec: +03 34 21.60 (3.57267d) Equinox: J2000									
	Comments: z=5.88 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 18 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 19 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 19: J2318-3113										Fri May 22 15:01:46 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J2318-3113 (Obs 19)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J2318-3113 (Obs 19)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(19)	J2318-3113	RA: 23 18 18.3500 (349.5764583d) Dec: -31 13 46.34 (-31.22954d) Equinox: J2000									
	Comments: z=6.4435 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 19 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 20 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 20: J2329-1520										Fri May 22 15:01:46 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J2329-1520 (Obs 20)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J2329-1520 (Obs 20)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(20)	J2329-1520	RA: 23 29 36.8360 (352.4034833d) Dec: -15 20 14.46 (-15.33735d) Equinox: J2000									
	Comments: z=5.84 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 20 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 21 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 21: J2336+1842										Fri May 22 15:01:46 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J2336+1842 (Obs 21)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J2336+1842 (Obs 21)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(21)	J2336+1842	RA: 23 36 24.6900 (354.1028750d) Dec: +18 42 48.71 (18.71353d) Equinox: J2000									
	Comments: z=6.6 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 21 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 50.0 to 70.0 Degrees (V3 50.0 to 70.0) Aperture PA Range 210.0 to 230.0 Degrees (V3 210.0 to 230.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---

Proposal 9841 - Observation 22 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 22: J0209-5626										Fri May 22 15:01:46 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0209-5626 (Obs 22)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0209-5626 (Obs 22)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(22)	J0209-5626	RA: 02 09 16.9300 (32.3205417d) Dec: -56 26 50.44 (-56.44734d) Equinox: J2000									
	Comments: z=5.61 Category=Galaxy Description=[Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 22 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Offset -60.5 arcsec, 7.5 arcsec
----------------------	---------------------------------

Proposal 9841 - Observation 23 - Growing the most distant radio-loud quasars in the structure formation paradigm

Observation	Proposal 9841, Observation 23: J1613+1113										Fri May 22 15:01:46 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1613+1113 (Obs 23)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1613+1113 (Obs 23)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 23:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(25)	J1613+1113	RA: 16 13 6.0550 (243.2752292d) Dec: +11 13 58.97 (11.23305d) Equinox: J2000 Comments: z=5.8136 Category=Galaxy Description=[Quasars]									
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F150W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F150W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 9841 - Observation 23 - Growing the most distant radio-loud quasars in the structure formation paradigm

Special Requirements	Aperture PA Range 160.0 to 270.0 Degrees (V3 160.0 to 270.0) Offset -60.5 arcsec, 7.5 arcsec
----------------------	---