



11571 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Yumi Choi (PI)	NOIRLab - (AZ)
Dr. Karoline Gilbert (CoI)	Space Telescope Science Institute
Dr. Knut Anders Grova Olsen (CoI)	NOIRLab - Vera C. Rubin Operations (AZ)
Dr. Christina C Williams (CoI)	University of Arizona
Prof. Eric F. Bell (CoI)	University of Michigan
Dr. Benjamin F. Williams (CoI)	University of Washington
Dr. Andrew Eugene Dolphin (CoI)	Raytheon Company
Dr. Adam Smercina (CoI)	Space Telescope Science Institute
Dr. Joel Leja (CoI)	The Pennsylvania State University
Dr. Katherine Suess (CoI)	University of Colorado at Boulder
Dr. Zhiyuan Ji (CoI)	University of Arizona

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
NGC4449				
	1		NIRCam Imaging	(1) NGC-4449
NGC4228				
	2		NIRCam Imaging	(2) NGC-4228
NGC5253				
	3		NIRCam Imaging	(3) NGC-5253
NGC1569				

Folder	Observation	Label	Observing Template	Science Target
	4		NIRCam Imaging	(4) NGC-1569
IC4662				
	5		NIRCam Imaging	(5) IC-4662
NGC6822				
	6		NIRCam Imaging	(6) NGC-6822
NGC4068				
	7		NIRCam Imaging	(7) NGC-4068
NGC2366				
	8		NIRCam Imaging	(8) NGC-2366
UGC6541				
	9		NIRCam Imaging	(9) Z-242-46
UGC6456				
	10		NIRCam Imaging	(10) Z-351-62
UGC4483				
	11		NIRCam Imaging	(11) Z-331-51

ABSTRACT

Stellar mass is the currency of galaxy evolution: it anchors the stellar–halo relation, sets quenching thresholds, shapes the mass–metallicity relation, and underpins galaxy mass functions. Yet at high redshift, where JWST has revealed surprisingly massive galaxies at $z > 6$, masses from integrated SED fits remain vulnerable to systematics, including "outshining" by young bright stars, bursty SFHs, dust–age–metallicity degeneracy, and nebular emission. A precise, empirical calibration to unbiased masses is urgent and is only possible in nearby systems where JWST resolves individual stars beyond HST limits in near-IR, yielding precise measurements that are immune to outshining.

We will collect deep JWST/NIRCam, HST/WFC3, and archival imaging, spanning near-UV to near-IR bands, of resolved stars in a complete sample of nearby (<4.5 Mpc) starburst dwarf galaxies suitable for our program. These panchromatic data allow us to derive high-precision SFHs from multi-band color-magnitude diagrams (CMDs). Combined with per-star SED fits, we will break key degeneracies and anchor unbiased stellar masses across a range of galaxy mass, metallicity, dust content, and star formation activity. CMD-anchored, unbiased stellar masses serve as ground truth and will be used to calibrate integrated SED fits. Using matched apertures, we will directly compare CMD-based masses to integrated SED inferences, quantify biases as functions of galaxy and SFH properties, and deliver empirical corrections, template SFHs and SEDs for bursty clumps/HII regions, and SFH priors for unresolved systems.

OBSERVING DESCRIPTION

We will obtain panchromatic imaging of 11 nearby (<4.5 Mpc) starburst dwarf galaxies with NIRCam in 3 SW filters (F090W, F150W, F200W) and 3 LW filters (F277W, F405N, F444W). F090W-F150W give deep, low-crowding NIR CMDs. F200W anchors the Rayleigh-Jeans slope and separates RGB/AGB, stabilizing ages and metallicities. F277W extends the stellar-continuum baseline with minimal ISM contamination. F405N and F444W provides an extinction-robust census of embedded star formation absent from NUV/optical CMDs. F405N also provides a clean way to partition SF and non-SF regions (continuum subtraction using F277W/F444W).

Full-galaxy coverage is not necessary; our CMD-SED mass comparison uses matched apertures. The key is therefore to maximize the overlap with existing JWST/HST footprints, which already cover the most actively SF regions of our target galaxies. Depending on the archival footprints, we will use either both NIRCam modules or just Module B, providing higher long-wavelength throughput.

To recover high-fidelity SFHs, we will reach the red clump at $S/N > 4$ in the SW filters. For Br-alpha emission, we will have $S/N > 3$ per pixel around faint features ($\sim 0.5 \sim \text{MJy/sr}$). We will observe in SW/LW pairs, with exposure times set by the longer-exposure filter in each pair. In total, we request 50 hr with NIRCam. We select either the BRIGHT2 (when observing in missing filters to avoid saturation) or SHALLOW4 (when adding extra exposures, no saturation concerns) readout patterns.

Proposal 11571 - Targets - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	NGC-4449	RA: 12 28 11.1180 (187.0463250d) Dec: +44 05 36.81 (44.09356d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(2)	NGC-4228	RA: 12 15 39.1740 (183.9132250d) Dec: +36 19 36.80 (36.32689d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(3)	NGC-5253	RA: 13 39 55.9900 (204.9832917d) Dec: -31 38 24.11 (-31.64003d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(4)	NGC-1569	RA: 04 30 49.1860 (67.7049417d) Dec: +64 50 52.52 (64.84792d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(5)	IC-4662	RA: 17 47 9.1920 (266.7883000d) Dec: -64 38 19.25 (-64.63868d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(6)	NGC-6822	RA: 19 44 56.1990 (296.2341625d) Dec: -14 47 51.29 (-14.79758d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(7)	NGC-4068	RA: 12 04 3.2650 (181.0136042d) Dec: +52 35 26.05 (52.59057d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	
	(8)	NGC-2366	RA: 07 28 52.4529 (112.2185538d) Dec: +69 12 38.86 (69.21079d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Galaxy</i> <i>Description=[Dwarf galaxies, Starburst galaxies]</i>	Epoch of Position: 2000	

Proposal 11571 - Targets - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

(9)	Z-242-46	RA: 11 33 29.1200 (173.3713333d) Dec: +49 14 17.40 (49.23817d) Equinox: J2000	Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Dwarf galaxies, Starburst galaxies]			
(10)	Z-351-62	RA: 11 27 59.9000 (171.9995833d) Dec: +78 59 39.00 (78.99417d) Equinox: J2000	Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Dwarf galaxies, Starburst galaxies]			
(11)	Z-331-51	RA: 08 37 3.0000 (129.2625000d) Dec: +69 46 31.00 (69.77528d) Equinox: J2000	Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Dwarf galaxies, Starburst galaxies]			

Proposal 11571 - Observation 1 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 1										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCam Imaging										
Diagnostics	(Observation 1) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 1:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 1:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 1:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 1:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 1:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(1)	NGC-4449	RA: 12 28 11.1180 (187.0463250d) Dec: +44 05 36.81 (44.09356d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Dwarf galaxies, Starburst galaxies]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		6TIGHT		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	SHALLOW4	4	1	24	24	4895.967		
	2	F150W	F277W	BRIGHT2	6	1	24	24	3092.19		
	3	F200W	F444W	BRIGHT2	5	1	24	24	2576.825		
Special Requirements	Sequence Visits within 53.0 Days Visits Same PA										

Proposal 11571 - Observation 2 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 2										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	NGC-4228	RA: 12 15 39.1740 (183.9132250d)			Epoch of Position: 2000					
			Dec: +36 19 36.80 (36.32689d)								
			Equinox: J2000								
		Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Dwarf galaxies, Starburst galaxies]									
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F150W	F277W	BRIGHT2	5	1	16	16	1717.883		

Proposal 11571 - Observation 3 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 3									Fri Mar 13 21:08:13 GMT 2026	
	Diagnostic Status: Warning										
Observing Template: NIRCam Imaging											
Diagnostics	(Observation 3) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(Visit 3:1) Warning (Form): Data Excess over middle threshold										
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(3)	NGC-5253	RA: 13 39 55.9900 (204.9832917d)			Epoch of Position: 2000					
			Dec: -31 38 24.11 (-31.64003d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Template	Category=Galaxy										
	Description=[Dwarf galaxies, Starburst galaxies]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		6TIGHT		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F444W	BRIGHT2	8	1	24	24	4122.92		
	2	F200W	F277W	BRIGHT2	4	1	24	24	2061.46		

Proposal 11571 - Observation 4 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 4										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(4)	NGC-1569	RA: 04 30 49.1860 (67.7049417d)			Epoch of Position: 2000					
			Dec: +64 50 52.52 (64.84792d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Dwarf galaxies, Starburst galaxies]								
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	SHALLOW4	4	1	16	16	3263.978		
	2	F150W	F277W	BRIGHT2	5	1	16	16	1717.883		
	3	F200W	F444W	BRIGHT2	5	1	16	16	1717.883		

Proposal 11571 - Observation 5 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 5										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(5)	IC-4662	RA: 17 47 9.1920 (266.7883000d)			Epoch of Position: 2000					
			Dec: -64 38 19.25 (-64.63868d)								
			Equinox: J2000								
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Dwarf galaxies, Starburst galaxies]										
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F200W	F444W	BRIGHT2	7	1	16	16	2405.036		
	2	F115W	F277W	BRIGHT2	4	1	16	16	1374.307		
	3	F070W	F405N+F444W	BRIGHT2	7	1	16	16	2405.036		

Proposal 11571 - Observation 6 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 6									Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRCam Imaging										
Diagnostics	(Observation 6) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(Visit 6:1) Warning (Form): Data Excess over lower threshold									
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(6)	NGC-6822	RA: 19 44 56.1990 (296.2341625d)			Epoch of Position: 2000				
			Dec: -14 47 51.29 (-14.79758d)							
			Equinox: J2000							
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.							
Template	Category=Galaxy									
	Description=[Dwarf galaxies, Starburst galaxies]									
Template	Module				Subarray				Target Placement	
	ALL				FULL				Module gap (large extended source)	
Dithers	#	Primary Dither Type			Primary Dithers		Subpixel Dither Type		Subpixel Positions	
	1	FULLBOX			6TIGHT		STANDARD		4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F090W	F405N+F444W	BRIGHT2	7	1	24	24	3607.555	
	2	F150W	F277W	BRIGHT2	3	1	24	24	1546.095	

Proposal 11571 - Observation 7 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 7										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(7)	NGC-4068	RA: 12 04 3.2650 (181.0136042d)			Epoch of Position: 2000					
			Dec: +52 35 26.05 (52.59057d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Template	Category=Galaxy										
	Description=[Dwarf galaxies, Starburst galaxies]										
Module	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	SHALLOW4	5	1	16	16	4122.92		
	2	F150W	F277W	BRIGHT2	6	1	16	16	2061.46		
	3	F200W	F444W	BRIGHT2	6	1	16	16	2061.46		

Proposal 11571 - Observation 8 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 8									Fri Mar 13 21:08:13 GMT 2026	
	Diagnostic Status: Warning										
Observing Template: NIRCam Imaging											
Diagnostics	(Observation 8) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(Visit 8:1) Warning (Form): Data Excess over middle threshold										
	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(8)	NGC-2366	RA: 07 28 52.4529 (112.2185538d)			Epoch of Position: 2000					
			Dec: +69 12 38.86 (69.21079d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
Template	Category=Galaxy										
	Description=[Dwarf galaxies, Starburst galaxies]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		6TIGHT		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	BRIGHT2	8	1	24	24	4122.92		
	2	F150W	F277W	BRIGHT2	4	1	24	24	2061.46		
	3	F200W	F444W	BRIGHT2	5	1	24	24	2576.825		

Proposal 11571 - Observation 9 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 9									Fri Mar 13 21:08:13 GMT 2026	
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(9)	Z-242-46	RA: 11 33 29.1200 (173.3713333d)			Epoch of Position: 2000					
			Dec: +49 14 17.40 (49.23817d)								
			Equinox: J2000								
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Dwarf galaxies, Starburst galaxies]										
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	SHALLOW4	5	1	16	16	4122.92		
	2	F150W	F277W	BRIGHT2	6	1	16	16	2061.46		
	3	F200W	F444W	BRIGHT2	6	1	16	16	2061.46		

Proposal 11571 - Observation 10 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 10										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning										
Observing Template: NIRCam Imaging											
Diagnostics	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(10)	Z-351-62	RA: 11 27 59.9000 (171.9995833d)			Epoch of Position: 2000					
	Dec: +78 59 39.00 (78.99417d)										
Equinox: J2000											
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.											
Category=Galaxy											
Description=[Dwarf galaxies, Starburst galaxies]											
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	SHALLOW4	5	1	16	16	4122.92		
	2	F150W	F277W	BRIGHT2	6	1	16	16	2061.46		
	3	F200W	F444W	BRIGHT2	6	1	16	16	2061.46		

Proposal 11571 - Observation 11 - Blinded by the Light: Calibrating Outshining Bias in High-z Galaxies with Low-z Starbursting Dwarfs

Observation	Proposal 11571, Observation 11										Fri Mar 13 21:08:13 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(11)	Z-331-51	RA: 08 37 3.0000 (129.2625000d)			Epoch of Position: 2000					
			Dec: +69 46 31.00 (69.77528d)								
			Equinox: J2000								
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Dwarf galaxies, Starburst galaxies]										
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				4	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F405N+F444W	SHALLOW4	4	1	16	16	3263.978		
	2	F150W	F444W	BRIGHT2	5	1	16	16	1717.883		
	3	F200W	F277W	BRIGHT2	5	1	16	16	1717.883		