



10046 - Resolving Stellar Feedback in Action via NIRCам and MIRI Imaging of Very Nearby Galaxies

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Adam Leroy (PI)	The Ohio State University
Dr. Erik Rosolowsky (CoI) (CSA Member) (CoPI) (Contact)	University of Alberta
Dr. Angela Adamo (CoI) (ESA Member) (CoPI) (Contact)	Stockholm University
Prof. Alberto Bolatto (CoI)	University of Maryland
Dr. Remy Indebetouw (CoI)	The University of Virginia
Dr. Eric Koch (CoI)	Smithsonian Institution Astrophysical Observatory
Dr. Karin Marie Sandstrom (CoI)	University of California - San Diego
Dr. Jiayi Sun (CoI)	University of Kentucky
Dr. Gagandeep Singh Anand (CoI)	Space Telescope Science Institute
Dr. Zein Bazzi (CoI) (ESA Member)	Argelander-Institut für Astronomie
Dr. Francesco Belfiore (CoI) (ESA Member)	European Southern Observatory - Germany
Dr. Ryan Chown (CoI)	Algoma University
Dr. Enrico Congiu (CoI) (ESA Member)	European Southern Observatory - Chile
Dr. Daniel Dale (CoI)	University of Wyoming
Dr. Oleg Egorov (CoI) (ESA Member)	Universität Heidelberg
Dr. Cosima Eibensteiner (CoI)	National Radio Astronomical Observatory
Davide Quintino Elia (CoI) (ESA Member)	INAF - Istituto di Astrofisica e Planetologia Spaziali
Dr. Kimberly Emig (CoI)	Associated Universities, Inc.
Dr. Chris Faesi (CoI)	University of Connecticut
Dr. Helena Faustino Vieira (CoI) (ESA Member)	Stockholm University
Dr. Simon Glover (CoI) (ESA Member)	Universität Heidelberg

JWST Proposal 10046 (Created: Thursday, May 21, 2026, 12:00:17AM Eastern Standard Time) - Overview

Name	Institution
Annie Hughes (CoI) (ESA Member)	Universite de Toulouse
Dr. Chang-Goo Kim (CoI)	Princeton University
Jaeyeon Kim (CoI)	Kyung Hee University
Grace Noelle Krahm (CoI)	The Ohio State University
Dr. Mark R. Krumholz (CoI)	Australian National University
Dr. Kirsten L. Larson (CoI)	Space Telescope Science Institute
Prof. Laura Lopez (CoI)	The Ohio State University
Rebecca McClain (CoI)	The Ohio State University
Dr. Anna Faye McLeod (CoI) (ESA Member)	Durham University
Dr. Sharon Meidt (CoI) (ESA Member)	Universiteit Gent
Elias K Oakes (CoI)	University of Connecticut
Deb Pathak (CoI)	The Ohio State University
Mr. Alex Pedrini (CoI) (ESA Member)	Stockholm University
Dr. Sumit K Sarbadhicary (CoI)	The Johns Hopkins University
Dr. Eva Schinnerer (CoI) (ESA Member)	Max Planck Institute for Astronomy
Dr. Jessica Sutter (CoI)	Whitman College
Dr. David Thilker (CoI)	The Johns Hopkins University
Dr. Todd A. Thompson (CoI)	The Ohio State University
Dr. Thomas Williams (CoI) (ESA Member)	University of Manchester

OBSERVATIONS

Folder	Observation	Label	Observing Template	Science Target
NGC 300 Mosaic				
	1	MIRI On NGC 300	MIRI Imaging	(1) NGC-300
	2	MIRI Off NGC 300	MIRI Imaging	(2) NGC-300-off
	15	NIRCam NGC 300 opt 2	NIRCam Imaging	(1) NGC-300
NGC 5236 Mosaic				
	7	NGC 5236 MIRI Short	MIRI Imaging	(7) NGC-5236
	8	NGC 5236 MIRI Short OFF	MIRI Imaging	(8) NGC-5236-off
	9	NGC 5236 MIRI Long	MIRI Imaging	(7) NGC-5236

Folder	Observation	Label	Observing Template	Science Target
	10	NGC 5236 MIRI Long OFF	MIRI Imaging	(8) NGC-5236-off
	11	NGC 5236 NIRCcam - opt2	NIRCcam Imaging	(7) NGC-5236
NGC 7793 Mosaic				
	4	MIRI On NGC 7793	MIRI Imaging	(3) NGC-7793
	5	MIRI Off NGC 7793	MIRI Imaging	(4) NGC-7793-off
	6	NIRCcam NGC 7793	NIRCcam Imaging	(3) NGC-7793
NGC 253 Mosaic				
	12	MIRI On NGC 253	MIRI Imaging	(9) NGC-253
	13	MIRI Off NGC 253	MIRI Imaging	(10) NGC-253-off
	14	NIRCcam NGC 253	NIRCcam Imaging	(9) NGC-253

ABSTRACT

A cycle linking cold gas, star formation, and stellar feedback drives galaxy growth and is the context for star and planet formation. But the efficiencies, timescales, and mechanisms underpinning this cycle remain poorly constrained because current observations do not resolve large samples of individual star-forming regions.

To take a major step forward, we propose NIRCcam and MIRI imaging covering four of the closest ($D < 5$ Mpc) galaxies: NGC 253, 300, 5236, and 7793. At this distance, JWST resolves tracers of star formation and feedback on 1-10 pc scales: young stellar clusters, embedded HII regions, and dust/PAH emission. Critically, these are the only galaxies with awarded full-disk 10 pc resolution ALMA mapping tracing the fuel for star formation. Combining JWST, ALMA, and VLT+HST data, we will resolve >50,000 star forming regions across all stages of their evolution, from quiescent cloud to HII region to gas dispersal.

We will use the data to address the open questions surrounding the gas-star-feedback cycle: How long does star formation take to begin once a molecular cloud forms? How long do the earliest, embedded phases last? What feedback mechanisms drive the emergence of young clusters and disruption of cold gas? How do molecular cloud properties set the ultimate efficiency of star formation?

The results will test the latest generations of numerical simulations, provide context for Milky Way studies, and reveal the “subgrid” physics unresolved in more distant galaxies. We will release image mosaics and catalogs of young stellar clusters and HII regions, and a multiwavelength

cutout library of the full star formation cycle.

OBSERVING DESCRIPTION

We will obtain MIRI and NIRCam mosaics that cover the area of active star formation (identified from H-alpha and Spitzer imaging and selected to match ongoing ALMA observations). We target the four very nearby galaxies NGC 253, NGC 300, NGC 5236/M83, and NGC 7793.

With MIRI we target the PAH-sensitive F770W and F1130W filters (88s per field) and the dust continuum-dominated F1000W (88s) and F2100W filter (344s).

With NIRCam we use three pairs of filters: (1) F150W and F300M, which are mostly dominated by stellar continuum, and (2) F187N and F335M, which capture the Paschen-alpha line and the 3.3 micron PAH feature, and (3) F187N and F360M, which capture Paschen alpha and the stellar and dust continuum. Each pair is observed for 687s, which yields double the integration time on Paschen alpha (which is crucial, but relatively faint and many integrations help suppress 1/f noise).

The F150W, F300M, F360M, F1000W, F2100W filters together allow stellar and dust continuum subtraction to isolate the PAH features in F770W and F1130W. The F300M and F360M filters allow continuum subtraction from F335M to isolate the PAH feature. And F150W and F300M allow continuum subtraction of the stellar emission to isolate the line in F187N.

We design mosaics that cover the target area with MIRI. For NIRCam the targets are big enough to map using both modules at once and we use a FULLBOX dither and design a pattern that covers the whole area. This is more efficient than mapping with a single module, but will lead to some mild variations in sensitivity across the mosaic from filter to filter. Given the good expected S/N of the NIRCam, this is worth it.

Because each galaxy fills the MIRI field of view, we require an off-target background measurement. We obtain these via a dedicated 2x2 field for each galaxy selected to be free of IR emission in archival imaging from previous IR missions. The 2x2 field means the backgrounds have 2 times lower noise than each on-galaxy field. Since the pipeline subtracts pixel-by-pixel this lowers the noise in the images by a factor of $\sqrt{2}$. The 2x2 field also makes us robust to any unexpected features contaminating the off too faint to be seen in previous imaging.

Proposal 10046 - Targets - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	NGC-300	RA: 00 54 53.4466 (13.7226942d) Dec: -37 41 3.17 (-37.68421d) Equinox: J2000	Parallax: 2.06E-5" Epoch of Position: 2000	
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Galaxy Description=[Disk galaxies]				
	(2)	NGC-300-off	RA: 00 54 48.5500 (13.7022917d) Dec: -37 26 49.30 (-37.44703d) Equinox: J2000	Parallax: 2.06E-5" Epoch of Position: 2000	
	Comments: This is an OFF galaxy pointing near NGC 300 used to obtain a MIRI background. Category=Galaxy Description=[Disk galaxies]				
	(3)	NGC-7793	RA: 23 57 49.7540 (359.4573083d) Dec: -32 35 27.70 (-32.59103d) Equinox: J2000	Epoch of Position: 2000	
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Galaxy Description=[Disk galaxies]				
	(4)	NGC-7793-off	RA: 23 58 22.7600 (359.5948333d) Dec: -32 43 17.71 (-32.72159d) Equinox: J2000	Epoch of Position: 2000	
	Comments: This is an OFF galaxy pointing near NGC 7793 used to obtain a MIRI background. Category=Galaxy Description=[Disk galaxies]				
	(7)	NGC-5236	RA: 13 37 0.9192 (204.2538300d) Dec: -29 51 56.74 (-29.86576d) Equinox: J2000	Epoch of Position: 2000	
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Spiral galaxies]				
	(8)	NGC-5236-off	RA: 13 36 36.8000 (204.1533333d) Dec: -29 36 50.18 (-29.61394d) Equinox: J2000	Epoch of Position: 2000	
	Comments: This is an OFF galaxy pointing near NGC 5236 used to obtain a MIRI background. We selected it from the IRAC4 Spitzer image to be free of bright stars (though there are a few fainter) and visible dust emission. Category=Galaxy Description=[Spiral galaxies]				
	(9)	NGC-253	RA: 00 47 33.1200 (11.8880000d) Dec: -25 17 17.59 (-25.28822d) Equinox: J2000		
	Comments: This object was generated by the targetselector and retrieved from the NED database. Category=Galaxy Description=[Barred spiral galaxies] Extended=YES				

Proposal 10046 - Targets - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

(10)	NGC-253-off	RA: 00 49 3.3130 (12.2638042d)
		Dec: -25 16 22.24 (-25.27284d)
		Equinox: J2000

Comments: Right now 5 arcmin down from center. Shoulds tweak.

Category=Calibration

Description=[Telescope/sky background]

Extended=YES

Proposal 10046 - Observation 1 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 1: MIRI On NGC 300							Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning							
Observing Template: MIRI Imaging								
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:13) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:14) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:15) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:16) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:17) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:18) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:19) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:20) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
	(Visit 1:21) Warning (Form): Overheads are provisional until the Visit Planner has been run.							
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous			
	(1)	NGC-300	RA: 00 54 53.4466 (13.7226942d)	Parallax: 2.06E-5"				
			Dec: -37 41 3.17 (-37.68421d)	Epoch of Position: 2000				
			Equinox: J2000					
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.								
Category=Galaxy								
Description=[Disk galaxies]								
Template	Subarray							
	FULL							
Mosaic	Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order	
	3	7	10.0	10.0	0.0	16.0	DEFAULT	

Proposal 10046 - Observation 1 - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	3	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	4	F2100W	FASTR1	15	2	1	Dither 1	4	8	344.105	275221
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 39.83544897 to 59.83544897 Degrees (V3 35.0 to 55.0) Visits Same PA										
	Sequence Observations 1, 2, Non-interruptible										

Proposal 10046 - Observation 2 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 2: MIRI Off NGC 300										Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 2:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 2:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 2:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	NGC-300-off	RA: 00 54 48.5500 (13.7022917d)			Parallax: 2.06E-5"					
			Dec: -37 26 49.30 (-37.44703d)			Epoch of Position: 2000					
			Equinox: J2000								
Template	Comments: This is an OFF galaxy pointing near NGC 300 used to obtain a MIRI background.										
	Category=Galaxy										
	Description=[Disk galaxies]										
Subarray											
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)	Column shift (deg)		Tile Order	
	2	2	10.0		10.0		0.0	0.0		DEFAULT	
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	3	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	4	F2100W	FASTR1	15	2	1	Dither 1	4	8	344.105	275221
Special Requirements	Group Visits within 53.0 Days										
	Visits Same PA										
	Sequence Observations 1, 2, Non-interruptible										

Proposal 10046 - Observation 15 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 15: NIRCcam NGC 300 opt2				Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging				
Diagnostics	(NIRCcam NGC 300 opt2 (Obs 15)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.				
	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:13) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:14) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:15) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:16) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:17) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:18) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:19) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:20) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:21) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:22) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:23) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
	(Visit 15:24) Warning (Form): Overheads are provisional until the Visit Planner has been run.				
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	NGC-300	RA: 00 54 53.4466 (13.7226942d) Dec: -37 41 3.17 (-37.68421d) Equinox: J2000	Parallax: 2.06E-5" Epoch of Position: 2000	
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.				
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.				
	Category=Galaxy Description=[Disk galaxies]				
Template	Module	Subarray		Target Placement	
	ALL	FULL		Module gap (large extended source)	

Proposal 10046 - Observation 15 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)		Tile Order	
	2	2	-17.5		10.0		0.0		10.0		DEFAULT	
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions		
	1	FULLBOX		4		SMALL-GRID-DITHER				2		
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID		
	1	F187N	F360M	BRIGHT1	4	1	8	8	601.259	275221		
	2	F187N	F335M	BRIGHT1	4	1	8	8	601.259	275221		
	3	F150W	F300M	BRIGHT1	4	1	8	8	601.259	275221		
Special Requirements	Sequence Visits within 53.0 Days											
	Aperture PA Range 34.92542306 to 54.92542306 Degrees (V3 35.0 to 55.0)											
	Visits Same PA											

Proposal 10046 - Observation 7 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 7: NGC 5236 MIRI Short Diagnostic Status: Warning Observing Template: MIRI Imaging	Thu May 21 05:00:17 GMT 2026
Diagnostics	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:2) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:3) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:4) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:5) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:6) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:7) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:8) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:9) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:10) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:11) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:12) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:13) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:14) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:15) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:16) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:17) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:18) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:19) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:20) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:21) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:22) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:23) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:24) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:25) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:26) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:27) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:28) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:29) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:30) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:31) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:32) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:33) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:34) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 7:35) Warning (Form): Overheads are provisional until the Visit Planner has been run.	

Proposal 10046 - Observation 7 - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(7)	NGC-5236	RA: 13 37 0.9192 (204.2538300d) Dec: -29 51 56.74 (-29.86576d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy										
	Description=[Spiral galaxies]										
Template	Subarray										
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)	Column shift (deg)	Tile Order		
	5	7	10.0		10.0		0.0	0.0	HILBERT_CURVE		
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 104.83544897 to 114.83544897 Degrees (V3 100.0 to 110.0) Visits Same PA										
	Sequence Observations 7, 8, Non-interruptible										

Proposal 10046 - Observation 8 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 8: NGC 5236 MIRI Short OFF										Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 8:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 8:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 8:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(8)	NGC-5236-off	RA: 13 36 36.8000 (204.1533333d)			Epoch of Position: 2000					
			Dec: -29 36 50.18 (-29.61394d)								
			Equinox: J2000								
		Comments: This is an OFF galaxy pointing near NGC 5236 used to obtain a MIRI background. We selected it from the IRAC4 Spitzer image to be free of bright stars (though there are a few fainter) and visible dust emission. Category=Galaxy Description=[Spiral galaxies]									
Template	Subarray										
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)		Tile Order
	2	2	10.0		10.0		0.0		0.0		DEFAULT
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221

Proposal 10046 - Observation 8 - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Special Requirements	Group Visits within 53.0 Days Visits Same PA Sequence Observations 7, 8, Non-interruptible
----------------------	--

Proposal 10046 - Observation 9 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 9: NGC 5236 MIRI Long Diagnostic Status: Warning Observing Template: MIRI Imaging
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:2) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:3) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:4) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:5) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:6) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:7) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:8) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:9) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:10) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:11) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:12) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:13) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:14) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:15) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:16) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:17) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:18) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:19) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:20) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:21) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:22) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:23) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:24) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:25) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:26) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:27) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:28) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:29) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:30) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:31) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:32) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:33) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:34) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 9:35) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Proposal 10046 - Observation 9 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(7)	NGC-5236	RA: 13 37 0.9192 (204.2538300d) Dec: -29 51 56.74 (-29.86576d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Spiral galaxies]										
	Template	Subarray									
		FULL									
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)	Column shift (deg)	Tile Order		
	5	7	10.0		10.0		0.0	0.0	HILBERT_CURVE		
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F2100W	FASTR1	15	2	1	Dither 1	4	8	344.105	275221
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 104.83544897 to 114.83544897 Degrees (V3 100.0 to 110.0) Visits Same PA										
	Sequence Observations 9, 10, Non-interruptible										

Proposal 10046 - Observation 10 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 10: NGC 5236 MIRI Long OFF										Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 10:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 10:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 10:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(8)	NGC-5236-off	RA: 13 36 36.8000 (204.1533333d)			Epoch of Position: 2000					
			Dec: -29 36 50.18 (-29.61394d)								
			Equinox: J2000								
		Comments: This is an OFF galaxy pointing near NGC 5236 used to obtain a MIRI background. We selected it from the IRAC4 Spitzer image to be free of bright stars (though there are a few fainter) and visible dust emission. Category=Galaxy Description=[Spiral galaxies]									
Template	Subarray										
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)		Tile Order
	2	2	10.0		10.0		0.0		0.0		DEFAULT
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F2100W	FASTR1	15	2	1	Dither 1	4	8	344.105	275221

Proposal 10046 - Observation 10 - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Special Requirements	Group Visits within 53.0 Days Visits Same PA Sequence Observations 9, 10, Non-interruptible
----------------------	---

Proposal 10046 - Observation 11 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 11: NGC 5236 NIRCcam - opt2									Thu May 21 05:00:17 GMT 2026	
	Diagnostic Status: Warning										
	Observing Template: NIRCcam Imaging										
Diagnostics	(NGC 5236 NIRCcam - opt2 (Obs 11)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 11:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 11:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 11:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 11:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(Visit 11:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(7)	NGC-5236	RA: 13 37 0.9192 (204.2538300d) Dec: -29 51 56.74 (-29.86576d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	Category=Galaxy Description=[Spiral galaxies]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)		Tile Order
	3	2	-17.5		10.0		0.0		0.0		DEFAULT
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		4		SMALL-GRID-DITHER				2	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F187N	F335M	BRIGHT1	4	1	8	8	601.259	275221	
	2	F187N	F360M	BRIGHT1	4	1	8	8	601.259	275221	
	3	F150W	F300M	BRIGHT1	4	1	8	8	601.259	275221	

Proposal 10046 - Observation 11 - Resolving Stellar Feedback in Action via NIRCам and MIRI Imaging of Very Nearby Galaxies

Special Requirements	Sequence Visits within 53.0 Days Aperture PA Range 109.92542306 to 114.92542306 Degrees (V3 110.0 to 115.0) Visits Same PA
----------------------	--

Proposal 10046 - Observation 4 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 4: MIRI On NGC 7793										Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning										
Observing Template: MIRI Imaging											
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:13) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:14) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:15) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections		Miscellaneous	
(3)		NGC-7793	RA: 23 57 49.7540 (359.4573083d)				Epoch of Position: 2000				
			Dec: -32 35 27.70 (-32.59103d)								
			Equinox: J2000								
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Galaxy										
	Description=[Disk galaxies]										
Template	Subarray										
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)	Column shift (deg)	Tile Order		
	3	5	10.0		10.0		0.0	20.0	DEFAULT		
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	

Proposal 10046 - Observation 4 - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	3	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	4	F2100W	FASTR1	15	2	1	Dither 1	4	8	344.105	275221
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 34.83544897 to 64.83544897 Degrees (V3 30.0 to 60.0) Visits Same PA										
	Sequence Observations 4, 5, Non-interruptible										

Proposal 10046 - Observation 5 - Resolving Stellar Feedback in Action via NIRCam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 5: MIRI Off NGC 7793										Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 5:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 5:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 5:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(4)	NGC-7793-off	RA: 23 58 22.7600 (359.5948333d) Dec: -32 43 17.71 (-32.72159d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This is an OFF galaxy pointing near NGC 7793 used to obtain a MIRI background.										
	Category=Galaxy Description=[Disk galaxies]										
Template	Subarray										
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order			
	2	2	10.0		10.0	0.0	0.0	DEFAULT			
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	3	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	4	F2100W	FASTR1	15	2	1	Dither 1	4	8	344.105	275221
Special Requirements	Group Visits within 53.0 Days Visits Same PA										
	Sequence Observations 4, 5, Non-interruptible										

Proposal 10046 - Observation 6 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 6: NIRCcam NGC 7793						Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging						
Diagnostics	(NIRCcam NGC 7793 (Obs 6)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.						
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous
	(3)	NGC-7793	RA: 23 57 49.7540 (359.4573083d) Dec: -32 35 27.70 (-32.59103d) Equinox: J2000		Epoch of Position: 2000		
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.						
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Galaxy Description=[Disk galaxies]						
Template	Module		Subarray		Target Placement		
	ALL		FULL		Module gap (large extended source)		
Mosaic	Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order
	2	1	10.0	10.0	20.0	0.0	DEFAULT
Dithers	#	Primary Dither Type	Primary Dithers	Subpixel Dither Type		Dither Size	Subpixel Positions
	1	FULLBOX	4	SMALL-GRID-DITHER			2

Proposal 10046 - Observation 6 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F187N	F335M	BRIGHT1	4	1	8	8	601.259	275221
	2	F187N	F360M	BRIGHT1	4	1	8	8	601.259	275221
	3	F150W	F300M	BRIGHT1	4	1	8	8	601.259	275221
Special Requirements	Sequence Visits within 53.0 Days Aperture PA Range 29.92542306 to 59.92542306 Degrees (V3 30.0 to 60.0) Visits Same PA									

Proposal 10046 - Observation 12 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 12: MIRI On NGC 253 Thu May 21 05:00:17 GMT 2026			
	Diagnostic Status: Warning Observing Template: MIRI Imaging <i>Comments: The orthogonal scheduling option is possible, meets science goals, and actually has more time during Cycle 2. But this generates micrometeorite warnings, and so we have opted for this choice as more conservative. It would be easy to adjust according to scheduling pressure during Phase 2 if relevant.</i>			
Diagnostics	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:13) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:14) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:15) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:16) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:17) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:18) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:19) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:20) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:21) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:22) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:23) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:24) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:25) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:26) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:27) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:28) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:29) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:30) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:31) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
	(Visit 12:32) Warning (Form): Overheads are provisional until the Visit Planner has been run.			
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections
	(9)	NGC-253	RA: 00 47 33.1200 (11.8880000d) Dec: -25 17 17.59 (-25.28822d) Equinox: J2000	Miscellaneous
	<i>Comments: This object was generated by the targetselector and retrieved from the NED database.</i>			
	<i>Category=Galaxy</i>			
	<i>Description=[Barred spiral galaxies]</i>			
	<i>Extended=YES</i>			

Proposal 10046 - Observation 12 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Template	Subarray									
	FULL									
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)	Tile Order
	11	3	10.0		10.0		10.0		0.0	HILBERT_CURVE
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size
	1	CYCLING	1	4		6	1			LARGE
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time
	1	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002
	2	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 39.17544897 to 41.97544897 Degrees (V3 34.34 to 37.14) Visits Same PA									
	Sequence Observations 12, 13, Non-interruptible									

Proposal 10046 - Observation 13 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Observation	Proposal 10046, Observation 13: MIRI Off NGC 253										Thu May 21 05:00:17 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 13:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 13:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 13:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(10)	NGC-253-off	RA: 00 49 3.3130 (12.2638042d)								
			Dec: -25 16 22.24 (-25.27284d)								
			Equinox: J2000								
			Comments: Right now 5 arcmin down from center. Shoulds tweak.								
		Category=Calibration									
		Description=[Telescope/sky background]									
		Extended=YES									
Template	Subarray										
	FULL										
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)		Tile Order
	2	2	10.0		10.0		10.0		0.0		DEFAULT
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4		6	1			LARGE	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221
	2	F1130W	FASTR1	10	1	1	Dither 1	4	4	111.002	275221

Proposal 10046 - Observation 13 - Resolving Stellar Feedback in Action via NIRCам and MIRI Imaging of Very Nearby Galaxies

Special Requirements	Group Visits within 53.0 Days Visits Same PA Sequence Observations 12, 13, Non-interruptible
----------------------	--

Observation	Proposal 10046, Observation 14: NIRCам NGC 253 Diagnostic Status: Warning Observing Template: NIRCам Imaging Thu May 21 05:00:17 GMT 2026
-------------	---

Proposal 10046 - Observation 14 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

Diagnostics

(NIRCcam NGC 253 (Obs 14)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.

(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:13) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:14) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:15) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:16) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:17) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:18) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:19) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:20) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:21) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:22) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:23) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:24) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:25) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:26) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:27) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:28) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:29) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:30) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:31) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:32) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:33) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:34) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:35) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:36) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:37) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:38) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:39) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:40) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:41) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:42) Warning (Form): Overheads are provisional until the Visit Planner has been run.

(Visit 14:43) Warning (Form): Overheads are provisional until the Visit Planner has been run.

Proposal 10046 - Observation 14 - Resolving Stellar Feedback in Action via NIRCcam and MIRI Imaging of Very Nearby Galaxies

	(Visit 14:44) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:45) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:46) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:47) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:48) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:49) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:50) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:51) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:52) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:53) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 14:54) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections			Miscellaneous		
	(9)	NGC-253	RA: 00 47 33.1200 (11.8880000d) Dec: -25 17 17.59 (-25.28822d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the NED database.</i> <i>Category=Galaxy</i> <i>Description=[Barred spiral galaxies]</i> <i>Extended=YES</i>							
Template	Module		Subarray			Target Placement				
	ALL		FULL			Module gap (large extended source)				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)	Tile Order
	9	1	10.0		10.0		15.0		0.0	DEFAULT
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	FULLBOX		4		SMALL-GRID-DITHER				2
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F187N	F335M	BRIGHT1	4	1	8	8	601.259	275221
	2	F187N	F360M	BRIGHT1	4	1	8	8	601.259	275221
	3	F150W	F300M	BRIGHT1	4	1	8	8	601.259	275221

Proposal 10046 - Observation 14 - Resolving Stellar Feedback in Action via NIRCам and MIRI Imaging of Very Nearby Galaxies

Special Requirements	Sequence Visits within 53.0 Days Aperture PA Range 34.26542306 to 37.06542306 Degrees (V3 34.34 to 37.14) Visits Same PA
----------------------	--