



10208 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectroscopy

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Ivana Barisic (PI)	University of California - Davis
Prof. Tucker Jones (CoI) (CoPI) (US Admin CoI) (Contact)	University of California - Davis
Dr. Ryan Sanders (CoI)	University of Kentucky
Dr. Kevin A. Bundy (CoI)	University of California - Santa Cruz
Prof. Karl Glazebrook (CoI)	Swinburne University of Technology
Dr. Themiya Nanayakkara (CoI)	Swinburne University of Technology
Dr. Kyle Westfall (CoI)	University of California - Santa Cruz
Dr. Alaina L. Henry (CoI)	Space Telescope Science Institute
Prof. Matthew A. Malkan (CoI)	University of California - Los Angeles
Prof. Tommaso L. Treu (CoI)	University of California - Los Angeles
Dr. Takahiro Morishita (CoI)	Astronomical Institute, Tohoku University
Dr. Xin Wang (CoI)	Chinese Academy of Sciences
Dr. Juan Manuel Espejo (CoI) (ESA Member)	Max Planck Institute for Extraterrestrial Physics
Prof. James S. Bullock (CoI)	University of California - Irvine
Dr. Danail Obreschkow (CoI)	University of Western Australia
Prof. Alice E. Shapley (CoI)	University of California - Los Angeles
Namrata Roy (CoI)	Arizona State University
Dr. Claude-Andre Faucher-Giguere (CoI)	Northwestern University
Dr. Mengting Ju (CoI)	Chinese Academy of Sciences
Paige Kelly (CoI)	University of California - Davis
Dr. Takafumi Tsukui (CoI)	Kavli Inst for the Physics and Mathematics of the Universe

<i>Name</i>	<i>Institution</i>
Mr. Hang Zhou (CoI)	University of Chinese Academy of Sciences

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Observation Folder				
	1	OBS1_G140H_p1_G23 5H_p2_z2z1	NIRSpec MultiObject Spectroscopy	(8) COSMOS_cosmicnoon_sample
	2	OBS2_G140H_p3_G23 5H_p4_z2z1	NIRSpec MultiObject Spectroscopy	(8) COSMOS_cosmicnoon_sample

ABSTRACT

Ambitious integral field spectroscopy (IFS) surveys of nearby galaxies have transformed our understanding of their structure and evolutionary pathways. Leveraging JWST's sensitivity, high angular resolution, and spectroscopic capabilities, we propose to conduct a SDSS/MaNGA-like survey of galaxy emission line properties spanning Cosmic Noon, a period when the majority of present-day stellar mass is formed, and when galaxy structures transform from irregular/clumpy disks into the modern Hubble sequence. Emission line measurements from this program will establish the evolution of disk properties and merger fractions, gas-phase metallicity gradients in emerging disks, resolved star formation morphology and “in situ” growth of bulges and disks, and supermassive black hole activity (AGN).

We will use the multiplexed NIRSpec MSA in slit-stepping mode to build a representative sample of ~ 180 star-forming galaxies with 3D spectroscopy at ~ 1 kpc resolution, with uniform sampling across $z=0.5-3.5$ and stellar masses $\log(M^*/M_{\text{sun}})=9.3-11$. Slit-stepping is by far the most efficient method to survey large galaxy samples. Our program leverages previous investments with JWST, with ~ 40 galaxies at each of $z\sim 1$ and $z\sim 3$ observed using the same strategy. This program builds a complete evolutionary survey of main-sequence galaxies across their most formative epoch of Cosmic Noon, needed to establish scaling relations with stellar mass and other properties. We can achieve this with only $\sim 100\text{h}$ of charged time, cf. $>2000\text{h}$ for equivalent data with the traditional IFU mode!

We waive the proprietary period, and will publicly release all 3D datacubes and software tools as a service to the community.

OBSERVING DESCRIPTION

We propose a multiplexed integral field spectroscopy (IFS) survey of ~ 100 galaxies at $z=0.5-3.6$ in the COSMOS field with the NIRSpec MSA. We use a slit-stepping methodology to obtain pseudo-IFU datacubes in 2 pointings. Our targets are selected to span the star-forming “main sequence”,

JWST Proposal 10208 (Created: Thursday, June 18, 2026, 10:02:09AM Eastern Standard Time) - Overview

uniformly sampling stellar masses $> 10^{9.3} \text{ Msun}$. The slit stepping approach is ~ 15 times more efficient than the NIRSpec IFU thanks to the sensitivity and multiplexing capability of the MSA.

Given the large size of the target COSMOS field, the optimal pointings for this program might be significantly offset from the coordinates of the example masks used in the APT.

Slit-stepping dither pattern: We utilize a slit-stepping pattern with 7 (in G235H) and 9 (in G140H) "steps" of 0.2arcsec (= 1 slitlet width) along the dispersion direction, and 7 dithers of 0.075 arcsec (= 1 bar shadow width) along the cross-dispersion direction. Cross-dispersion steps will eliminate bar shadows and ensure almost perfectly uniform sensitivity across the resulting pseudo-IFU datacubes. We use between 3-5 slitlets per target. The total area of each datacube is then $(1.4\text{-}1.8) \times (2.0\text{-}3.0)$ arcsec for $(7\text{-}9 \text{ steps}) \times (3\text{-}5 \text{ slitlets plus } 0.5 \text{ arcsec dithers})$. The number of steps is driven by the typical galaxy sizes, which are larger at $z \sim 1$ (observed in G140H only).

Instrument setup, depth, and exposure times: To achieve our targeted number of galaxies, we observe 2 pointings. We seek to map the strong nebular emission lines Hbeta; [O III]4959,5007; Halpha; [N II]6548,6584; and [S II]6717,6731 in all targets. We will also map [O II] 3726,3729 at $z \sim 2$ and additional emission lines in many cases. To map all requisite emission lines for each target, we observe in two gratings (G140H + G235H) and customize grating-filter configurations according to target redshift, as follows:

G140H/F100LP: $z \sim 1$ (all lines), and $z \sim 2$ ([O II], Hbeta, [O III])

G235H/F170LP: $z \sim 2$ (Halpha, [N II], [S II]), and $z \sim 3$ (all lines)

Strategy: A single MSA pointing can accommodate 40-50 galaxies at a time. Our science goals require a large sample at $z \sim 2$ and a high-mass sample at $z \sim 1$. Our test mask designs demonstrate that each pointing can conservatively achieve 30+ galaxies at $z \sim 2$ (in both G140H and G235H gratings) and ~ 10 massive galaxies at $z \sim 1$ (in G140H only), supplemented with ~ 10 galaxies as fillers at $z \sim 3$ (in G235H only). This gives approximately 50 total galaxies per pointing (10,30,10 at $z=1,2,3$). With two pointings we achieve ~ 100 unique targets (20,60,20 at $z=1,2,3$).

We will use the nebular emission lines to measure spatially resolved kinematics, metallicity, star formation rate, and BPT ionization diagnostics on 0.1×0.2 arcsecond spatial scales. The high resolution gratings are needed to measure kinematics. We require 10-sigma sensitivity for the Halpha emission line at the rotation curve turnover radius ($= 2.2 R_s$) for our targets. Assuming an exponential disk profile (Sersic $n=1$) with average R_e and average total Halpha flux estimated from previous JWST/NIRSpec observations (e.g. CEERS), the NIRSpec ETC indicates we can reach this sensitivity with 2h30min on-source with G235H/F170LP ($z \sim 2$ targets), and 2h5min on-source with G140H/F100LP ($z \sim 1$ targets). We use the NRSIRS2 readout mode with 16 (G140H/F100LP) and 21 (G235H/F170LP) groups per integration, and 1 integration at each dither position. The

JWST Proposal 10208 (Created: Thursday, June 18, 2026, 10:02:09AM Eastern Standard Time) - Overview

dither pattern is such that each sky position is covered with 6 exposures (with a 1/7th affected by bar shadows), reaching our target sensitivity. The total science integration time requested is 82.6 hours, translating to 111.7 hours including overheads.

Proposal 10208 - Targets - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectroscopy

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(8)	COSMOS_cosmicnoon_sampl e	RA: 10 00 31.1208 (150.1296700d) Dec: +02 11 37.60 (2.19378d) Equinox: J2000		
	Comments: Description=[]				

Observation	Proposal 10208, Observation 1: OBS1_G140H_p1_G235H_p2_z2z1	Thu Jun 18 15:02:09 GMT 2026
	Diagnostic Status: Error	
	Observing Template: NIRSpec MultiObject Spectroscopy	

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

[illegible]

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

(OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#74) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#75) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#76) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#77) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#78) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#79) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#80) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#81) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#82) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#83) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#84) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#85) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#86) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#87) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#88) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#89) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#90) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#91) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#92) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#93) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#94) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#95) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#96) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#97) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#98) has 3 master background shutters affected by failed open or closed shutters. (OBS1_G140H_p1_G235H_p2_z2z1 (Obs 1)) Warning (Form): Config c5-2 (#99) has 3 master background shutters affected by failed open or closed shutters. (Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(8)	COSMOS_cosmicnoon_sample	RA: 10 00 31.1208 (150.1296700d) Dec: +02 11 37.60 (2.19378d) Equinox: J2000								
Comments: Description=[]											
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
	2		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	z2_new (8924 sources)	z1_new (6193 sources)	jwst-nirspec-hr	1.5			

Reference Stars	
-----------------	--

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172340172 21	-2.963	-0.429	1	1	1108.756
	2	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171853505 13	-2.222	-0.429	1	1	1108.756
	3	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171366827 48	-1.481	-0.429	1	1	1108.756
	4	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170880796 09	-0.741	-0.429	1	1	1108.756
	5	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170394097 26		-0.429	1	1	1108.756
	6	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169907387 87	0.741	-0.429	1	1	1108.756
	7	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169421324 65	1.481	-0.429	1	1	1108.756
	8	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365168934593 98	2.222	-0.429	1	1	1108.756
	9	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365168447852 67	2.963	-0.429	1	1	1108.756
	10	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169258913 92	2.963	-0.286	1	1	1108.756
	11	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169745645 5	2.222	-0.286	1	1	1108.756
	12	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170232366 42	1.481	-0.286	1	1	1108.756
	13	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170718419 89	0.741	-0.286	1	1	1108.756
	14	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171205119 58		-0.286	1	1	1108.756

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
15	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171691808 67	-0.741	-0.286	1	1	1108.756
16	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172177830 35	-1.481	-0.286	1	1	1108.756
17	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172664498 27	-2.222	-0.286	1	1	1108.756
18	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173151155 62	-2.963	-0.286	1	1	1108.756
19	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173962127 09	-2.963	-0.143	1	1	1108.756
20	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173475479 5	-2.222	-0.143	1	1	1108.756
21	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172988821 29	-1.481	-0.143	1	1	1108.756
22	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172502809 3	-0.741	-0.143	1	1	1108.756
23	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172016129 96		-0.143	1	1	1108.756
24	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171529439 99	0.741	-0.143	1	1	1108.756
25	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171043396 26	1.481	-0.143	1	1	1108.756
26	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170556685 06	2.222	-0.143	1	1	1108.756
27	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170069963 26	2.963	-0.143	1	1	1108.756
28	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170881000 67	2.963		1	1	1108.756

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
29	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171367712 72	2.222		1	1	1108.756
30	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171854414 16	1.481		1	1	1108.756
31	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172340448 17	0.741		1	1	1108.756
32	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172827128 45			1	1	1108.756
33	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173313798 02	-0.741		1	1	1108.756
34	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173799800 29	-1.481		1	1	1108.756
35	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174286448 76	-2.222		1	1	1108.756
36	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174773086 66	-2.963		1	1	1108.756
37	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175584034 32	-2.963	0.143	1	1	1108.756
38	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175097406 1	-2.222	0.143	1	1	1108.756
39	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174610767 35	-1.481	0.143	1	1	1108.756
40	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174124774 8	-0.741	0.143	1	1	1108.756
41	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173638114 9		0.143	1	1	1108.756
42	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173151444 42	0.741	0.143	1	1	1108.756

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
43	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172665420 13	1.481	0.143	1	1	1108.756
44	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172178728 44	2.222	0.143	1	1	1108.756
45	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171692026 14	2.963	0.143	1	1	1108.756
46	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172503039 67	2.963	0.286	1	1	1108.756
47	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172989732 23	2.222	0.286	1	1	1108.756
48	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173476414 2	1.481	0.286	1	1	1108.756
49	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173962428 76	0.741	0.286	1	1	1108.756
50	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174449089 5		0.286	1	1	1108.756
51	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174935739 66	-0.741	0.286	1	1	1108.756
52	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175421722 5	-1.481	0.286	1	1	1108.756
53	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175908351 55	-2.222	0.286	1	1	1108.756
54	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365176394970 04	-2.963	0.286	1	1	1108.756
55	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365177205893 83	-2.963	0.429	1	1	1108.756
56	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365176719285 06	-2.222	0.429	1	1	1108.756

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
57	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365176232665 75	-1.481	0.429	1	1	1108.756
58	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175746692 6	-0.741	0.429	1	1	1108.756
59	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175260052 17		0.429	1	1	1108.756
60	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174773401 14	0.741	0.429	1	1	1108.756
61	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174287396 31	1.481	0.429	1	1	1108.756
62	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173800724 1	2.222	0.429	1	1	1108.756
63	1 (G140H/F100LP)	c5		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173314041 3	2.963	0.429	1	1	1108.756
64	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171853505 13	-2.222	-0.429	1	1	1546.422
65	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171366827 48	-1.481	-0.429	1	1	1546.422
66	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170880796 09	-0.741	-0.429	1	1	1546.422
67	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170394097 26		-0.429	1	1	1546.422
68	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169907387 87	0.741	-0.429	1	1	1546.422
69	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169421324 65	1.481	-0.429	1	1	1546.422
70	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365168934593 98	2.222	-0.429	1	1	1546.422

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
71	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365169745645 5	2.222	-0.286	1	1	1546.422
72	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170232366 42	1.481	-0.286	1	1	1546.422
73	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170718419 89	0.741	-0.286	1	1	1546.422
74	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171205119 58		-0.286	1	1	1546.422
75	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171691808 67	-0.741	-0.286	1	1	1546.422
76	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172177830 35	-1.481	-0.286	1	1	1546.422
77	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172664498 27	-2.222	-0.286	1	1	1546.422
78	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173475479 5	-2.222	-0.143	1	1	1546.422
79	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172988821 29	-1.481	-0.143	1	1	1546.422
80	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172502809 3	-0.741	-0.143	1	1	1546.422
81	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172016129 96		-0.143	1	1	1546.422
82	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171529439 99	0.741	-0.143	1	1	1546.422
83	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171043396 26	1.481	-0.143	1	1	1546.422
84	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365170556685 06	2.222	-0.143	1	1	1546.422

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
85	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171367712 72	2.222		1	1	1546.422
86	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365171854414 16	1.481		1	1	1546.422
87	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172340448 17	0.741		1	1	1546.422
88	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172827128 45			1	1	1546.422
89	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173313798 02	-0.741		1	1	1546.422
90	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173799800 29	-1.481		1	1	1546.422
91	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174286448 76	-2.222		1	1	1546.422
92	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175097406 1	-2.222	0.143	1	1	1546.422
93	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174610767 35	-1.481	0.143	1	1	1546.422
94	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174124774 8	-0.741	0.143	1	1	1546.422
95	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173638114 9		0.143	1	1	1546.422
96	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173151444 42	0.741	0.143	1	1	1546.422
97	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172665420 13	1.481	0.143	1	1	1546.422
98	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172178728 44	2.222	0.143	1	1	1546.422

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
99	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365172989732 23	2.222	0.286	1	1	1546.422
100	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173476414 2	1.481	0.286	1	1	1546.422
101	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173962428 76	0.741	0.286	1	1	1546.422
102	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174449089 5		0.286	1	1	1546.422
103	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174935739 66	-0.741	0.286	1	1	1546.422
104	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175421722 5	-1.481	0.286	1	1	1546.422
105	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175908351 55	-2.222	0.286	1	1	1546.422
106	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365176719285 06	-2.222	0.429	1	1	1546.422
107	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365176232665 75	-1.481	0.429	1	1	1546.422
108	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175746692 6	-0.741	0.429	1	1	1546.422
109	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365175260052 17		0.429	1	1	1546.422
110	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174773401 14	0.741	0.429	1	1	1546.422
111	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365174287396 31	1.481	0.429	1	1	1546.422
112	2 (G235H/F170LP)	c5-2		149.87870091666 665 Degrees 2.2134180555555 556 Degrees	74.365173800724 1	2.222	0.429	1	1	1546.422

Proposal 10208 - Observation 1 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

Special Requirements	Group Visits within 53.0 Days Visits Same PA No Parallel Attachments MSA Scheduled Aperture PA 74.3752 to 74.3752 Degrees (V3 295.80063 to 295.80063)
----------------------	--

Observation	Proposal 10208, Observation 2: OBS2_G140H_p3_G235H_p4_z2z1 Thu Jun 18 15:02:09 GMT 2026 Diagnostic Status: Error Observing Template: NIRSpec MultiObject Spectroscopy
-------------	---

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

Diagnostics

[illegible]

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

[illegible]

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

(OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#74) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#75) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#76) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#77) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#78) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#79) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#80) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#81) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#82) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#83) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#84) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#85) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#86) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#87) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#88) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#89) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#90) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#91) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#92) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#93) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#94) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#95) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#96) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#97) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#98) has 1 master background shutters affected by failed open or closed shutters. (OBS2_G140H_p3_G235H_p4_z2z1 (Obs 2)) Warning (Form): Config c4-2 (#99) has 1 master background shutters affected by failed open or closed shutters. (Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 2:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(8)	COSMOS_cosmicnoon_sample	RA: 10 00 31.1208 (150.1296700d) Dec: +02 11 37.60 (2.19378d) Equinox: J2000								
Comments: Description=[]											
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
	2		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	z2_new (8924 sources)	z1_new (6193 sources)	jwst-nirspec-hr	1.5			

Reference Stars	
-----------------	--

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318014839 483	-2.963	-0.429	1	1	1108.756
	2	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318116235 404	-2.222	-0.429	1	1	1108.756
	3	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318217633 874	-1.481	-0.429	1	1	1108.756
	4	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318318898 054	-0.741	-0.429	1	1	1108.756
	5	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318420301 63		-0.429	1	1	1108.756
	6	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318521707 76	0.741	-0.429	1	1	1108.756
	7	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318622979 6	1.481	-0.429	1	1	1108.756
	8	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318724390 858	2.222	-0.429	1	1	1108.756
	9	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318825804 676	2.963	-0.429	1	1	1108.756
	10	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318755607 743	2.963	-0.286	1	1	1108.756
	11	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318654193 94	2.222	-0.286	1	1	1108.756
	12	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318552782 697	1.481	-0.286	1	1	1108.756
	13	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318451510 874	0.741	-0.286	1	1	1108.756
	14	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318350104 756		-0.286	1	1	1108.756

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
15	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318248701 193	-0.741	-0.286	1	1	1108.756
16	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318147437 03	-1.481	-0.286	1	1	1108.756
17	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318046038 573	-2.222	-0.286	1	1	1108.756
18	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317944642 664	-2.963	-0.286	1	1	1108.756
19	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317874446 635	-2.963	-0.143	1	1	1108.756
20	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317975842 53	-2.222	-0.143	1	1	1108.756
21	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318077240 975	-1.481	-0.143	1	1	1108.756
22	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318178505 13	-0.741	-0.143	1	1	1108.756
23	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318279908 68		-0.143	1	1	1108.756
24	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318381314 78	0.741	-0.143	1	1	1108.756
25	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318482586 59	1.481	-0.143	1	1	1108.756
26	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318583997 812	2.222	-0.143	1	1	1108.756
27	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318685411 598	2.963	-0.143	1	1	1108.756
28	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318615216 254	2.963		1	1	1108.756

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
29	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318513802 482	2.222		1	1	1108.756
30	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318412391 273	1.481		1	1	1108.756
31	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318311119 476	0.741		1	1	1108.756
32	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318209713 39			1	1	1108.756
33	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318108309 854	-0.741		1	1	1108.756
34	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318007045 716	-1.481		1	1	1108.756
35	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317905647 28	-2.222		1	1	1108.756
36	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317804251 402	-2.963		1	1	1108.756
37	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317734056 956	-2.963	0.143	1	1	1108.756
38	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317835452 826	-2.222	0.143	1	1	1108.756
39	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317936851 245	-1.481	0.143	1	1	1108.756
40	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318038115 368	-0.741	0.143	1	1	1108.756
41	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318139518 892		0.143	1	1	1108.756
42	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318240924 965	0.741	0.143	1	1	1108.756

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
43	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318342196 748	1.481	0.143	1	1	1108.756
44	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318443607 94	2.222	0.143	1	1	1108.756
45	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318545021 695	2.963	0.143	1	1	1108.756
46	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318474827 928	2.963	0.286	1	1	1108.756
47	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318373414 193	2.222	0.286	1	1	1108.756
48	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318272003 015	1.481	0.286	1	1	1108.756
49	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318170731 246	0.741	0.286	1	1	1108.756
50	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318069325 185		0.286	1	1	1108.756
51	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317967921 678	-0.741	0.286	1	1	1108.756
52	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317866657 564	-1.481	0.286	1	1	1108.756
53	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317765259 16	-2.222	0.286	1	1	1108.756
54	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317663863 3	-2.963	0.286	1	1	1108.756
55	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317593670 438	-2.963	0.429	1	1	1108.756
56	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317695066 288	-2.222	0.429	1	1	1108.756

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
57	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317796464 68	-1.481	0.429	1	1	1108.756
58	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317897728 78	-0.741	0.429	1	1	1108.756
59	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317999132 27		0.429	1	1	1108.756
60	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318100538 318	0.741	0.429	1	1	1108.756
61	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318201810 07	1.481	0.429	1	1	1108.756
62	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318303221 233	2.222	0.429	1	1	1108.756
63	1 (G140H/F100LP)	c4		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318404634 96	2.963	0.429	1	1	1108.756
64	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318116235 404	-2.222	-0.429	1	1	1546.422
65	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318217633 874	-1.481	-0.429	1	1	1546.422
66	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318318898 054	-0.741	-0.429	1	1	1546.422
67	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318420301 63		-0.429	1	1	1546.422
68	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318521707 76	0.741	-0.429	1	1	1546.422
69	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318622979 6	1.481	-0.429	1	1	1546.422
70	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318724390 858	2.222	-0.429	1	1	1546.422

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
71	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318654193 94	2.222	-0.286	1	1	1546.422
72	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318552782 697	1.481	-0.286	1	1	1546.422
73	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318451510 874	0.741	-0.286	1	1	1546.422
74	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318350104 756		-0.286	1	1	1546.422
75	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318248701 193	-0.741	-0.286	1	1	1546.422
76	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318147437 03	-1.481	-0.286	1	1	1546.422
77	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318046038 573	-2.222	-0.286	1	1	1546.422
78	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317975842 53	-2.222	-0.143	1	1	1546.422
79	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318077240 975	-1.481	-0.143	1	1	1546.422
80	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318178505 13	-0.741	-0.143	1	1	1546.422
81	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318279908 68		-0.143	1	1	1546.422
82	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318381314 78	0.741	-0.143	1	1	1546.422
83	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318482586 59	1.481	-0.143	1	1	1546.422
84	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318583997 812	2.222	-0.143	1	1	1546.422

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
85	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318513802 482	2.222		1	1	1546.422
86	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318412391 273	1.481		1	1	1546.422
87	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318311119 476	0.741		1	1	1546.422
88	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318209713 39			1	1	1546.422
89	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318108309 854	-0.741		1	1	1546.422
90	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318007045 716	-1.481		1	1	1546.422
91	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317905647 28	-2.222		1	1	1546.422
92	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317835452 826	-2.222	0.143	1	1	1546.422
93	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317936851 245	-1.481	0.143	1	1	1546.422
94	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318038115 368	-0.741	0.143	1	1	1546.422
95	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318139518 892		0.143	1	1	1546.422
96	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318240924 965	0.741	0.143	1	1	1546.422
97	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318342196 748	1.481	0.143	1	1	1546.422
98	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318443607 94	2.222	0.143	1	1	1546.422

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
99	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318373414 193	2.222	0.286	1	1	1546.422
100	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318272003 015	1.481	0.286	1	1	1546.422
101	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318170731 246	0.741	0.286	1	1	1546.422
102	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318069325 185		0.286	1	1	1546.422
103	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317967921 678	-0.741	0.286	1	1	1546.422
104	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317866657 564	-1.481	0.286	1	1	1546.422
105	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317765259 16	-2.222	0.286	1	1	1546.422
106	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317695066 288	-2.222	0.429	1	1	1546.422
107	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317796464 68	-1.481	0.429	1	1	1546.422
108	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317897728 78	-0.741	0.429	1	1	1546.422
109	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11317999132 27		0.429	1	1	1546.422
110	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318100538 318	0.741	0.429	1	1	1546.422
111	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318201810 07	1.481	0.429	1	1	1546.422
112	2 (G235H/F170LP)	c4-2		150.01342970833 332 Degrees 2.2138847222222 22 Degrees	244.11318303221 233	2.222	0.429	1	1	1546.422

Proposal 10208 - Observation 2 - Resolving the growth and evolution of galaxies across cosmic noon with JWST slit-stepping spectro...

Special Requirements	Group Visits within 53.0 Days Visits Same PA No Parallel Attachments MSA Scheduled Aperture PA 244.1176 to 244.1176 Degrees (V3 105.54307 to 105.54307)
----------------------	--