



10898 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Jaclyn Champagne (PI)	Space Telescope Science Institute
Dr. Feige Wang (CoI) (CoPI) (Contact)	University of Michigan
Prof. Xiaohui Fan (CoI)	University of Arizona
Dr. Fengwu Sun (CoI)	Harvard University
Mr. Zihao Li (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute
Dr. Zheng Cai (CoI)	Tsinghua University
Dr. Jinyi Yang (CoI)	University of Michigan
Maria Pudoka (CoI)	University of Arizona
Weizhe Liu (CoI)	University of Arizona
Dr. Yunjing Wu (CoI)	University of Arizona
Dr. Xiangyu Jin (CoI)	University of Michigan
Dr. Siwei Zou (CoI)	Universidad de Chile
Dr. Sarah E. I. Bosman (CoI) (ESA Member)	Universitat Heidelberg
Eduardo Banados (CoI) (ESA Member)	Max Planck Institute for Astronomy
Dr. Julien Anton Wolf (CoI) (ESA Member)	Max Planck Institute for Astronomy
Prof. Melanie Habouzit (CoI) (ESA Member)	University of Geneva, Department of Astronomy
Dra. Sofia Rojas (CoI)	University of California - Los Angeles
Prof. George D Becker (CoI)	University of California - Riverside

OBSERVATIONS

JWST Proposal 10898 (Created: Thursday, April 23, 2026, 4:00:46PM Eastern Standard Time) - Overview

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
J0218-cy5				
	1	J0218-GRISM	NIRCam Wide Field Slitless Spectroscopy	(1) J0218P0007
	2	J0218_cy5_30deg	NIRSpec MultiObject Spectroscopy	(9) J0218p0007_oiii
J0229-cy5				
	3	J0229_cy4_195deg	NIRSpec MultiObject Spectroscopy	(10) J0229m0808_oiii
	4	J0229-GRISM	NIRCam Wide Field Slitless Spectroscopy	(2) J0229M0808
J0244-cy5				
	5	J0244_cy4_200deg	NIRSpec MultiObject Spectroscopy	(11) J0244m5008_oiii
	6	J0244-GRISM	NIRCam Wide Field Slitless Spectroscopy	(3) J0244M5008
J0921-cy5				
	8	J0921-GRISM	NIRCam Wide Field Slitless Spectroscopy	(4) J0921P0007
	7	J0921_cy4_75deg_offset	NIRSpec MultiObject Spectroscopy	(12) J0921p0007_oiii
J0923-cy5				
	9	J0923_cy4_250deg	NIRSpec MultiObject Spectroscopy	(13) J0923p0402_oiii
	10	J0923-GRISM	NIRCam Wide Field Slitless Spectroscopy	(5) J0923P0402
J1048-cy5				
	11	J1048_cy4_250deg	NIRSpec MultiObject Spectroscopy	(14) J1048m0109_oiii
	12	J1048-GRISM	NIRCam Wide Field Slitless Spectroscopy	(6) J1048M0109
J1058-cy5				
	13	J1058_cy4_70deg	NIRSpec MultiObject Spectroscopy	(15) J1058p2930_oiii
	14	J1058-GRISM	NIRCam Wide Field Slitless Spectroscopy	(7) J1058P2930
J1526-cy5				
	15	J1526_cy4_60deg	NIRSpec MultiObject Spectroscopy	(16) J1526m2050_oiii
	16	J1526-GRISM	NIRCam Wide Field Slitless Spectroscopy	(8) J1526M2050

ABSTRACT

We propose to perform a 71-hour NIRSpec/MSA + NIRCam/WFSS followup survey of >150 bright [OIII] emitters, identified in the fields of $z > 6.5$ quasars in the ASPIRE survey. This blind grism survey yielded nearly 500 [OIII]5007 emitters in 25 fields with $\log(L \text{ [erg/s]}) > 42$ at $z > 6.5$, the largest homogenous sample of luminous $z > 6$ [OIII] emitters to date. Our program aims to derive the first measurements of the impact of environment on the ISM properties of a large sample of reionization-era star-forming galaxies. We do this by using NIRSpec prism and G395H to detect the major rest-UV/optical emission lines in the 8 densest ASPIRE fields. We will constrain the mass-metallicity relation, Type 1/2 AGN diagnostics, and

nebular dust attenuation as a function of local galaxy density, which have been impossible to measure at $z > 6$ without JWST.

All of the fields exhibit strong overdensities apparently associated with the quasar, indicating potential protocluster structures. With our requested sensitivity, we will produce the largest catalog of low-metallicity H β , H α and [NII]-emitters with great depth over 8 independent 18 arcmin² sightlines, minimizing cosmic variance. This will provide the community with a reference library of rest-optical spectra of hundreds of [OIII] emitters and field LBG candidates along with new grism-identified [OIII] emitters. Our dataset will allow for the first detailed statistical comparison of the effect of environment in galaxy evolution within first-generation overdensities, including metal enrichment history, the demographics of dusty galaxies, and the ionization states of their constituent ISM.

OBSERVING DESCRIPTION

We first request NIRCam WFSS (GRISMR) observations with F356W in the long filter and F200W in the short, along with direct imaging with F356W+F115W. These are adjacent parallel to existing grism observations which target a central quasar, so we propose to expand the area coverage by roughly 2x by placing NIRCam at the same PA as the original observations. We use INTRAMODULEX with 3 primary dithers and 2 subpixel positions for 9 groups/integration and 1 integration. These observations should be performed first to allow for adequate time to select new $z \sim 6$ sources to place on the MSA, which we describe below.

We place the NIRSpec MSA roughly matched to existing NIRCam WFSS coverage in 8 quasar sightlines which lie at $6.5 < z < 6.7$, but the exact PA will depend on selection of further line emitter candidates from the new grism observations. These fields were selected from the ASPIRE (GO-2078) parent sample which targeted 25 quasars with WFSS F356W and detected [OIII]5007 with $f_{\text{OIII}} > 2.5 \times 10^{-18}$ erg/s/cm² in more than 500 candidates. The eight fields of this sample represent those with the highest source density at $5.4 < z < 6.5$, all of which comprise substantial overdensities apparently associated with the quasar. We use the G395H/F290LP grating pair covering 2.8-5.1 microns in order to target [OIII]4363, H β , [OIII]5007, H α , and [NII] for targets at $z < 6.5$. As filler targets, we insert galaxies identified in the WFSS data that fall out of the redshift range in which all lines are covered, but we expect to detect [OII]3727 for targets at $z > 6.7$. We will also later include candidate galaxies as further filler targets, including LBGs and DSFG candidates as well as lower-redshift emission line galaxies (eg, $z \sim 4$ H α emitters).

We choose three dithered exposures of 25 groups, 2 integrations each for the high-resolution grating and 20 groups, 1 integration with PRISM, both with the recommended NRSIRS2 readout mode, giving a total exposure time of 11029 (grating) and 4420 (prism) sec per pointing. The current catalogs used for the MSA planning tool are dummy but schedulable positions, which will be updated with a new catalog (and flexible PA) prior to observations. We use the standard 3-shutter MSA slitlets with 3-point nodding, adopting midpoint shutter centering constraints. The current catalogs

JWST Proposal 10898 (Created: Thursday, April 23, 2026, 4:00:46PM Eastern Standard Time) - Overview

so far yield 90 total [OIII] targets, but with additional [OIII] catalogs and a filler catalog of photometric candidates to follow upon delivery of the new NIRCam/WFSS data.

Proposal 10898 - Targets - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	J0218P0007	RA: 02 18 47.0400 (34.6960000d) Dec: +00 07 15.20 (.12089d) Equinox: J2000 Comments: z=6.77 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(2)	J0229M0808	RA: 02 29 35.2460 (37.3968583d) Dec: -08 08 22.98 (-8.13972d) Equinox: J2000 Comments: z=6.72 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(3)	J0244M5008	RA: 02 44 1.0200 (41.0042500d) Dec: -50 08 53.70 (-50.14825d) Equinox: J2000 Comments: z=6.724 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(4)	J0921P0007	RA: 09 21 20.5600 (140.3356667d) Dec: +00 07 22.90 (.12303d) Equinox: J2000 Comments: z=6.56 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(5)	J0923P0402	RA: 09 23 47.1170 (140.9463208d) Dec: +04 02 54.58 (4.04849d) Equinox: J2000 Comments: z=6.63 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(6)	J1048M0109	RA: 10 48 19.0900 (162.0795417d) Dec: -01 09 40.21 (-1.16117d) Equinox: J2000 Comments: z=6.68 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(7)	J1058P2930	RA: 10 58 7.7200 (164.5321667d) Dec: +29 30 41.70 (29.51158d) Equinox: J2000 Comments: z=6.58 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	
	(8)	J1526M2050	RA: 15 26 37.8400 (231.6576667d) Dec: -20 50 0.66 (-20.83352d) Equinox: J2000 Comments: z=6.59 Category=Galaxy Description=[High-redshift galaxies, Quasars]	Epoch of Position: 2000	

Proposal 10898 - Targets - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

(9)	J0218p0007_oiii	RA: 02 19 2.4782 (34.7603258d) Dec: +00 07 58.08 (.13280d) Equinox: J2000
Comments: Description= []		
(10)	J0229m0808_oiii	RA: 02 29 36.4902 (37.4020425d) Dec: -08 09 2.06 (-8.15057d) Equinox: J2000
Comments: Description= []		
(11)	J0244m5008_oiii	RA: 02 44 3.2071 (41.0133629d) Dec: -50 08 56.26 (-50.14896d) Equinox: J2000
Comments: Description= []		
(12)	J0921p0007_oiii	RA: 09 21 19.7498 (140.3322908d) Dec: +00 06 0.60 (.10017d) Equinox: J2000
Comments: Description= []		
(13)	J0923p0402_oiii	RA: 09 23 45.7764 (140.9407350d) Dec: +04 02 39.73 (4.04437d) Equinox: J2000
Comments: Description= []		
(14)	J1048m0109_oiii	RA: 10 48 20.3540 (162.0848083d) Dec: -01 09 23.28 (-1.15647d) Equinox: J2000
Comments: Description= []		
(15)	J1058p2930_oiii	RA: 10 58 8.2544 (164.5343933d) Dec: +29 31 8.93 (29.51915d) Equinox: J2000
Comments: Description= []		
(16)	J1526m2050_oiii	RA: 15 26 37.8955 (231.6578979d) Dec: -20 50 5.82 (-20.83495d) Equinox: J2000
Comments: Description= []		

Proposal 10898 - Observation 1 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 1: J0218-GRISM											Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0218-GRISM (Obs 1)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0218-GRISM (Obs 1)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J0218-GRISM (Obs 1)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 1:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(1)	J0218P0007	RA: 02 18 47.0400 (34.6960000d) Dec: +00 07 15.20 (.12089d) Equinox: J2000				Epoch of Position: 2000					
	Comments: z=6.77 Category=Galaxy Description=[High-redshift galaxies, Quasars]											
Template	Module	Subarray				Grism (Long Wavelength)			Target Placement			
	ALL	FULL				GRISMR			Module gap (large extended source)			
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 1 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 252.5 to 254.5 Degrees (V3 252.5 to 254.5) Offset -60.0 arcsec, -115.0 arcsec 2 After 1 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 2 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 2: J0218_cy5_30deg Diagnostic Status: Warning Observing Template: NIRSpec MultiObject Spectroscopy										Thu Apr 23 21:00:46 GMT 2026
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections			Miscellaneous			
	(9)	J0218p0007_oiii	RA: 02 19 2.4782 (34.7603258d) Dec: +00 07 58.08 (.13280d) Equinox: J2000								Comments: Description=[]
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J0218p0007_oiii (31 sources)	J0218p0007_oiii (31 sources)	jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395H/F290LP)	c1	3 Shutter Slitlet	34.694524958333 33 Degrees 0.111088888888888 8889 Degrees	29.999975276754 87			3	6	11029.201
	2	2 (PRISM/CLEAR)	c1	3 Shutter Slitlet	34.694524958333 33 Degrees 0.111088888888888 8889 Degrees	29.999975276754 87			3	3	4420.434

Proposal 10898 - Observation 2 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 30.0000 to 30.0000 Degrees (V3 251.42543030000002 to 251.42543030000002) 2 After 1 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 3 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 3: J0229_cy4_195deg										Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
Diagnostics	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(10)	J0229m0808_oiii	RA: 02 29 36.4902 (37.4020425d) Dec: -08 09 2.06 (-8.15057d) Equinox: J2000								
	Comments: Description=[]										
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J0229m0808_oiii (20 sources)		jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	2 (G395H/F290LP)	c1	3 Shutter Slitlet	37.411319916666 67 Degrees - 8.159146388888 71 Degrees	194.99870968620 039			3	6	11029.201
	2	1 (PRISM/CLEAR)	c1	3 Shutter Slitlet	37.411319916666 67 Degrees - 8.159146388888 71 Degrees	194.99870968620 039			3	3	4420.434

Proposal 10898 - Observation 3 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 195.0000 to 195.0000 Degrees (V3 56.4254303 to 56.4254303) 3 After 4 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 4 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 4: J0229-GRISM											Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning											
Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J0229-GRISM (Obs 4)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0229-GRISM (Obs 4)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J0229-GRISM (Obs 4)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 4:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(2)	J0229M0808	RA: 02 29 35.2460 (37.3968583d) Dec: -08 08 22.98 (-8.13972d) Equinox: J2000 Comments: z=6.72 Category=Galaxy Description=[High-redshift galaxies, Quasars]				Epoch of Position: 2000					
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 4 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 256.8 to 258.8 Degrees (V3 256.8 to 258.8) Offset -60.0 arcsec, -115.0 arcsec 3 After 4 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 5 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 5: J0244_cy4_200deg Diagnostic Status: Warning Observing Template: NIRSpec MultiObject Spectroscopy										Thu Apr 23 21:00:46 GMT 2026
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections			Miscellaneous			
	(11)	J0244m5008_oiii	RA: 02 44 3.2071 (41.0133629d) Dec: -50 08 56.26 (-50.14896d) Equinox: J2000								Comments: Description=[]
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J0244m5008_oiii (32 sources)		jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	2 (G395H/F290LP)	c1	3 Shutter Slitlet	41.032922583333 33 Degrees - 50.171921388888 904 Degrees	199.98503558667 943			3	6	11029.201
	2	1 (PRISM/CLEAR)	c1	3 Shutter Slitlet	41.032922583333 33 Degrees - 50.171921388888 904 Degrees	199.98503558667 943			3	3	4420.434

Proposal 10898 - Observation 5 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 200.0000 to 200.0000 Degrees (V3 61.4254303 to 61.4254303) 5 After 6 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 6 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 6: J0244-GRISM											Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0244-GRISM (Obs 6)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0244-GRISM (Obs 6)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J0244-GRISM (Obs 6)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 6:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(3)	J0244M5008	RA: 02 44 1.0200 (41.0042500d) Dec: -50 08 53.70 (-50.14825d) Equinox: J2000				Epoch of Position: 2000					
	Comments: z=6.724 Category=Galaxy Description=[High-redshift galaxies, Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers				Subpixel Positions		
	1	INTRAMODULEX				3				2-Point		
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 6 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 266.2 to 268.2 Degrees (V3 266.2 to 268.2) Offset -60.0 arcsec, 130.0 arcsec 5 After 6 by 100 Days to 180 Days
----------------------	--

Proposal 10898 - Observation 8 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 8: J0921-GRISM											Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning											
Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J0921-GRISM (Obs 8)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0921-GRISM (Obs 8)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J0921-GRISM (Obs 8)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 8:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(4)	J0921P0007	RA: 09 21 20.5600 (140.3356667d) Dec: +00 07 22.90 (.12303d) Equinox: J2000				Epoch of Position: 2000					
Comments: z=6.56 Category=Galaxy Description=[High-redshift galaxies, Quasars]												
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 8 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 291.2 to 293.2 Degrees (V3 291.2 to 293.2) Offset -60.0 arcsec, -115.0 arcsec 7 After 8 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 7 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 7: J0921_cy4_75deg_offset										Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
Diagnostics	(J0921_cy4_75deg_offset (Obs 7)) Warning (Form): Config c1 (#1) has 1 primary slits affected by failed closed shutters.										
	(J0921_cy4_75deg_offset (Obs 7)) Warning (Form): Config c1 (#2) has 1 primary slits affected by failed closed shutters.										
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(12)	J0921p0007_oiii	RA: 09 21 19.7498 (140.3322908d) Dec: +00 06 0.60 (.10017d) Equinox: J2000								
	Comments: Description=[]										
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode		Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List		Spectral Overlap Map		Spectral Overlap Threshold
	MSATA	false		No	MSA Center	J0921p0007_oiii (33 sources)				jwst-nirspec-hr	1.5
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395H/F290LP)	c1	3 Shutter Slitlet	140.32690499999 998 Degrees 0.108189166666 6667 Degrees	75.000000503056 16			3	6	11029.201
	2	2 (PRISM/CLEAR)	c1	3 Shutter Slitlet	140.32690499999 998 Degrees 0.108189166666 6667 Degrees	75.000000503056 16			3	3	4420.434

Proposal 10898 - Observation 7 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 75.0000 to 75.0000 Degrees (V3 296.4254303 to 296.4254303) 7 After 8 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 9 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 9: J0923_cy4_250deg										Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(13)	J0923p0402_oiii	RA: 09 23 45.7764 (140.9407350d) Dec: +04 02 39.73 (4.04437d) Equinox: J2000								
	Comments: Description=[]										
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J0923p0402_oiii (25 sources)		jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	2 (G395H/F290LP)	c1	3 Shutter Slitlet	140.93621341666 667 Degrees 4.038145555555 55 Degrees	249.99969668189 416			3	6	11029.201
	2	1 (PRISM/CLEAR)	c1	3 Shutter Slitlet	140.93621341666 667 Degrees 4.038145555555 55 Degrees	249.99969668189 416			3	3	4420.434

Proposal 10898 - Observation 9 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 250.0000 to 250.0000 Degrees (V3 111.4254303 to 111.4254303) 9 After 10 by 100 Days to 180 Days
----------------------	--

Proposal 10898 - Observation 10 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 10: J0923-GRISM											Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning											
Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J0923-GRISM (Obs 10)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J0923-GRISM (Obs 10)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J0923-GRISM (Obs 10)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 10:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous	
	(5)	J0923P0402	RA: 09 23 47.1170 (140.9463208d) Dec: +04 02 54.58 (4.04849d) Equinox: J2000					Epoch of Position: 2000				
	Comments: z=6.63 Category=Galaxy Description=[High-redshift galaxies, Quasars]											
Template	Module		Subarray					Grism (Long Wavelength)			Target Placement	
	ALL		FULL					GRISMR			Module gap (large extended source)	
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions		
	1	INTRAMODULEX					3			2-Point		
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 10 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 290.1 to 292.1 Degrees (V3 290.1 to 292.1) Offset -60.0 arcsec, -115.0 arcsec 9 After 10 by 100 Days to 180 Days
----------------------	--

Proposal 10898 - Observation 11 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 11: J1048_cy4_250deg										Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
Diagnostics	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 11:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(14)	J1048m0109_oiii	RA: 10 48 20.3540 (162.0848083d) Dec: -01 09 23.28 (-1.15647d) Equinox: J2000								
	Comments: Description=[]										
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J1048m0109_oiii (18 sources)		jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	2 (G395H/F290LP)	c1	3 Shutter Slitlet	162.09007733333 334 Degrees - 1.140733055555 29 Degrees	249.99986008747 496			3	6	11029.201
	2	1 (PRISM/CLEAR)	c1	3 Shutter Slitlet	162.09007733333 334 Degrees - 1.140733055555 29 Degrees	249.99986008747 496			3	3	4420.434

Proposal 10898 - Observation 11 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 250.0000 to 250.0000 Degrees (V3 111.4254303 to 111.4254303) 11 After 12 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 12 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 12: J1048-GRISM										Thu Apr 23 21:00:46 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1048-GRISM (Obs 12)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1048-GRISM (Obs 12)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J1048-GRISM (Obs 12)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(6)	J1048M0109	RA: 10 48 19.0900 (162.0795417d) Dec: -01 09 40.21 (-1.16117d) Equinox: J2000				Epoch of Position: 2000					
	Comments: z=6.68 Category=Galaxy Description=[High-redshift galaxies, Quasars]											
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 12 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 106.9 to 108.9 Degrees (V3 106.9 to 108.9) Offset -60.0 arcsec, -115.0 arcsec 11 After 12 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 13 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 13: J1058_cy4_70deg										Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
Diagnostics	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 13:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(15)	J1058p2930_oiii	RA: 10 58 8.2544 (164.5343933d) Dec: +29 31 8.93 (29.51915d) Equinox: J2000								
	Comments: Description=[]										
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J1058p2930_oiii (31 sources)		jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	2 (G395H/F290LP)	c1	3 Shutter Slitlet	164.53946754166 668 Degrees 29.524188055555 555 Degrees	70.002513314621 48			3	6	11029.201
	2	1 (PRISM/CLEAR)	c1	3 Shutter Slitlet	164.53946754166 668 Degrees 29.524188055555 555 Degrees	70.002513314621 48			3	3	4420.434

Proposal 10898 - Observation 13 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 70.0000 to 70.0000 Degrees (V3 291.4254303 to 291.4254303) 13 After 14 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 14 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 14: J1058-GRISM											Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning											
Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J1058-GRISM (Obs 14)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1058-GRISM (Obs 14)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J1058-GRISM (Obs 14)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections		Miscellaneous		
	(7)	J1058P2930	RA: 10 58 7.7200 (164.5321667d) Dec: +29 30 41.70 (29.51158d) Equinox: J2000					Epoch of Position: 2000				
Comments: z=6.58 Category=Galaxy Description=[High-redshift galaxies, Quasars]												
Template	Module		Subarray					Grism (Long Wavelength)		Target Placement		
	ALL		FULL					GRISMR		Module gap (large extended source)		
Dithers	#	Primary Dither Type					Primary Dithers		Subpixel Positions			
	1	INTRAMODULEX					3		2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 14 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 109.0 to 117.0 Degrees (V3 109.0 to 117.0) Offset -60.0 arcsec, -115.0 arcsec 13 After 14 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 15 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 15: J1526_cy4_60deg										Thu Apr 23 21:00:46 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
Diagnostics	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(16)	J1526m2050_oiii	RA: 15 26 37.8955 (231.6578979d) Dec: -20 50 5.82 (-20.83495d) Equinox: J2000								
	Comments: Description=[]										
Acquisition	#	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1		SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	TA Method	HFF Readout Mode	Obtain Confirmation Images	Science Aperture	Primary Candidate List	Filler Candidate List	Spectral Overlap Map	Spectral Overlap Threshold			
	MSATA	false	No	MSA Center	J1526m2050_oiii (20 sources)		jwst-nirspec-hr	1.5			
Reference Stars											
Spectral Elements	#	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	2 (G395H/F290LP)	c1	3 Shutter Slitlet	231.647272625 Degrees - 20.822174444444 443 Degrees	60.003801128068 35			3	3	5514.6
	2	1 (PRISM/CLEAR)	c1	3 Shutter Slitlet	231.647272625 Degrees - 20.822174444444 443 Degrees	60.003801128068 35			3	3	4420.434

Proposal 10898 - Observation 15 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	MSA Planned Aperture PA 60.0000 to 60.0000 Degrees (V3 281.4254303 to 281.4254303) 15 After 16 by 100 Days to 180 Days
----------------------	---

Proposal 10898 - Observation 16 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Observation	Proposal 10898, Observation 16: J1526-GRISM										Thu Apr 23 21:00:46 GMT 2026	
	Diagnostic Status: Warning											
Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J1526-GRISM (Obs 16)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(J1526-GRISM (Obs 16)) Warning (Form): Some science pointings place the target outside of the aperture.											
	(J1526-GRISM (Obs 16)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 16:1) Informational (Form): Visit schedulable, but most scheduling windows are when JWST is pointed in direction of greatest micrometeoroid impact risk. This is likely due to scheduling special requirements.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(8)	J1526M2050	RA: 15 26 37.8400 (231.6576667d) Dec: -20 50 0.66 (-20.83352d) Equinox: J2000				Epoch of Position: 2000					
Comments: z=6.59 Category=Galaxy Description=[High-redshift galaxies, Quasars]												
Template	Module		Subarray				Grism (Long Wavelength)			Target Placement		
	ALL		FULL				GRISMR			Module gap (large extended source)		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			2-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	9	1	1	472.418		GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	9	1	6	2834.507		GRISMR	Grism (Long Wavelength)	6
	2	F115W	F356W	SHALLOW4	9	1	2	944.836			Out of Field	2

Proposal 10898 - Observation 16 - Ecosystems in the Early Universe: Aspiring to Grow in Quasar Neighborhoods

Special Requirements	Aperture PA Range 283.9 to 285.9 Degrees (V3 283.9 to 285.9) Offset -60.0 arcsec, -115.0 arcsec 15 After 16 by 100 Days to 180 Days
----------------------	---