



8726 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Cycle: 4, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Adam Smercina (PI)	Space Telescope Science Institute
Prof. JD Smith (CoI)	University of Toledo
Dr. K. Decker French (CoI)	University of Illinois at Urbana - Champaign
Dr. Daniel Dale (CoI)	University of Wyoming
Dr. Kate Rowlands (CoI) (ESA Member)	Space Telescope Science Institute - ESA - JWST
Dr. George Privon (CoI)	Associated Universities, Inc.
Dr. Katherine Anne Alatalo (CoI)	Space Telescope Science Institute
Dr. Kristina Nyland (CoI)	Naval Research Laboratory
Dr. Rupali Chandar (CoI)	University of Toledo
Justin Atsushi Otter (CoI)	The Johns Hopkins University
Mr. Akshat Tripathi (CoI)	University of Illinois at Urbana - Champaign
Dr. Yuanze Luo (CoI)	Texas A & M University

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Observation Folder				
	2	EA0480-OFF - MRS	MIRI Medium Resolution Spectroscopy	(6) EA0480-OFF
	1	EA0480 - MRS	MIRI Medium Resolution Spectroscopy	(1) EA0480
	3	EA0480 – NIRCcam	NIRCcam Imaging	(11) EA0480-NIRCcam
	4	EA0623 - MRS	MIRI Medium Resolution Spectroscopy	(2) EA0623
	5	EA0623-OFF - MRS	MIRI Medium Resolution Spectroscopy	(7) EA0623-OFF

Folder	Observation	Label	Observing Template	Science Target
	6	EA0623 – NIRCam	NIRCam Imaging	(12) EA0623-NIRCam
	7	EA0815 - MRS	MIRI Medium Resolution Spectroscopy	(3) EA0815
	8	EA0815-OFF - MRS	MIRI Medium Resolution Spectroscopy	(8) EA0815-OFF
	9	EA0815 – NIRCam	NIRCam Imaging	(13) EA0815-NIRCam
	10	EA0962 - MRS	MIRI Medium Resolution Spectroscopy	(4) EA0962
	11	EA0962-OFF - MRS	MIRI Medium Resolution Spectroscopy	(9) EA0962-OFF
	12	EA0962 – NIRCam	NIRCam Imaging	(14) EA0962-NIRCam
	13	EA2360 - MRS	MIRI Medium Resolution Spectroscopy	(5) EA2360
	14	EA2360-OFF - MRS	MIRI Medium Resolution Spectroscopy	(10) EA2360-OFF
	15	EA2360 – NIRCam	NIRCam Imaging	(15) EA2360-NIRCam

ABSTRACT

We propose a combined MIRI/MRS and NIRCam survey of 5 low-redshift rapidly quenched galaxies. Understanding the ‘quenching’ of star formation in galaxies is a premier frontier of galaxy evolution, and these apparently rapidly quenched systems are prototypes of this fundamental process. These low- z galaxies are essentially identical in their properties to analogous systems at cosmic noon. They therefore have outsized constraining power for models and observations of strong feedback and star formation quenching across cosmic time. Despite predictions that these galaxies should be ISM-poor, many host large reservoirs of warm dust and molecular gas, which has triggered an active controversy: are these galaxies truly ‘quenched’, or simply a unique class of embedded starbursts, whose outer disks experienced a burst that has since faded? In this representative sample of 5 galaxies, uniquely accessible to JWST, we will unambiguously address this question, with fundamental implications for understanding galaxy quenching. We will: accurately measure and spatially resolve current star formation activity using dust-penetrating nebular emission lines; image the large-scale ISM at high-resolution; probe low-level and obscured AGN in rapidly quenched galaxies to the deepest-ever levels; spatially map the dusty, turbulent ISM in H₂ and PAH emission; and resolve the complete star cluster populations in each galaxy, directly constraining its recent star formation history. Combined, these observations will provide spatially-matched star formation and ISM diagnostics, providing an unprecedentedly detailed view of ISM evolution in galaxies whose star formation was rapidly quenched.

OBSERVING DESCRIPTION

5 targets are proposed for MIRI MRS and NIRCam. The program is organized into 15 individual visits: 5 for MRS observations of the primary targets, 5 for corresponding equal-exposure MRS background observations (and parallel MIRI imaging of the targets), and 5 for NIRCam F200W/F335M observations of the primary target.

JWST Proposal 8726 (Created: Monday, February 23, 2026, 4:03:25PM Eastern Standard Time) - Overview

Each MRS observation (primary and background) uses all 3 available wavelength sections (A,B,C), and is set for simultaneous imaging in the F770W filter. Each visit follows a standard 4-point dither pattern, which will optimally sample the PSF and provide robust cosmic ray rejection. The NIRCam observations are set for SW imaging in the F200W filter and LW imaging in the F335M filter. While the 3.3 μ m PAH feature will be slightly redshifted, we have verified that the F335M filter is ideal for all targets to capture this emission, rather than the F360M filter. Each NIRCam will follow a 4-point INTRAMODULEBOX dither pattern, which will also optimally sample the PSF and allow cosmic ray rejection, and either a SHALLOW4, MEDIUM8, or DEEP8 readout pattern, depending on the required exposure time. As the targets are much smaller than the NIRCam FOV (<20-30 arcsec vs. 2.2 arcmin), we have opted for imaging only in the B module to limit the data volume and slightly decrease observational overheads.

For each visit, we set a SPECIAL REQUIREMENT that each MRS observation be in non-interruptible sequence with the corresponding visit targeting an MRS background field for equal exposure time. The background observation position for each is set using offsets, setting the offset to within the visit splitting distance wherever possible, to simultaneously ensure that (1) the target galaxy falls within the MIRI FOV, allowing free simultaneous imaging of each science target regardless of chosen PA, and (2) that the background MRS observations do not fall on a bright star or galaxy in the field. The background fields were checked for bright contaminant sources across the full range of allowable roll angles throughout Cycle 3. For 3 of the 5 targets, all possible background field positions are free of contamination and thus the roll angle is unconstrained. For the other 2 targets a small fraction of the schedulable roll angles will result in bright foreground stars or galaxies within the background MRS field. We therefore set PA constraints to avoid these, but the resulting schedulable window for each is still sufficiently large.

The targets, while extended, are each completely contained with one NRICam module. We position the NIRCam observations using offsets, designed to center the galaxy within one SW detector, to ensure that the majority of each target will be observed during each dither, while also ensuring that any diffuse outer tidal envelopes will still be contained within the entire NIRCam FOV.

Proposal 8726 - Targets - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	EA0480	RA: 09 48 18.6800 (147.0778333d) Dec: +02 30 4.20 (2.50117d) Equinox: J2000 Comments: Category=Galaxy Description=[E+A galaxies, Infrared galaxies]		
	(2)	EA0623	RA: 16 13 30.1900 (243.3757917d) Dec: +51 03 35.60 (51.05989d) Equinox: J2000 Comments: Category=Galaxy Description=[E+A galaxies]		
	(3)	EA0815	RA: 16 27 2.5598 (246.7606658d) Dec: +43 28 33.93 (43.47609d) Equinox: J2000 Comments: Category=Galaxy Description=[E+A galaxies]		
	(4)	EA0962	RA: 10 37 57.3600 (159.4890000d) Dec: +46 14 40.30 (46.24453d) Equinox: J2000 Comments: Category=Galaxy Description=[E+A galaxies]		
	(5)	EA2360	RA: 09 26 19.2900 (141.5803750d) Dec: +18 40 41.00 (18.67806d) Equinox: J2000 Comments: Category=Galaxy Description=[E+A galaxies]		
	(6)	EA0480-OFF	RA: 09 48 18.6800 (147.0778333d) Dec: +02 30 4.20 (2.50117d) Equinox: J2000 Comments: Category=Calibration Description=[Telescope/sky background]		
	(7)	EA0623-OFF	RA: 16 13 30.1900 (243.3757917d) Dec: +51 03 35.60 (51.05989d) Equinox: J2000 Comments: Category=Calibration Description=[Telescope/sky background]		
	(8)	EA0815-OFF	RA: 16 27 2.5598 (246.7606658d) Dec: +43 28 33.93 (43.47609d) Equinox: J2000 Comments: Category=Calibration Description=[Telescope/sky background]		

Proposal 8726 - Targets - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

(9)	EA0962-OFF	RA: 10 37 57.3600 (159.4890000d) Dec: +46 14 40.30 (46.24453d) Equinox: J2000
Comments: Category=Calibration Description=[Telescope/sky background]		
(10)	EA2360-OFF	RA: 09 26 19.2900 (141.5803750d) Dec: +18 40 41.00 (18.67806d) Equinox: J2000
Comments: Category=Calibration Description=[Telescope/sky background]		
(11)	EA0480-NIRCam	RA: 09 48 18.6800 (147.0778333d) Dec: +02 30 4.20 (2.50117d) Equinox: J2000
Comments: Category=Galaxy Description=[E+A galaxies, Infrared galaxies]		
(12)	EA0623-NIRCam	RA: 16 13 30.1900 (243.3757917d) Dec: +51 03 35.60 (51.05989d) Equinox: J2000
Comments: Category=Galaxy Description=[E+A galaxies]		
(13)	EA0815-NIRCam	RA: 16 27 2.5598 (246.7606658d) Dec: +43 28 33.93 (43.47609d) Equinox: J2000
Comments: Category=Galaxy Description=[E+A galaxies]		
(14)	EA0962-NIRCam	RA: 10 37 57.3600 (159.4890000d) Dec: +46 14 40.30 (46.24453d) Equinox: J2000
Comments: Category=Galaxy Description=[E+A galaxies]		
(15)	EA2360-NIRCam	RA: 09 26 19.2900 (141.5803750d) Dec: +18 40 41.00 (18.67806d) Equinox: J2000
Comments: Category=Galaxy Description=[E+A galaxies]		

Proposal 8726 - Observation 2 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 2: EA0480-OFF - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observation For: [EA0480 - MRS (Obs 1)]												
Diagnos	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(6)	EA0480-OFF	RA: 09 48 18.6800 (147.0778333d) Dec: +02 30 4.20 (2.50117d) Equinox: J2000										
	Comments: Category=Calibration Description=[Telescope/sky background]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	Imager				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					BACKGROUND			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	100	1	1	Dither 1	4	4	1110.016	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	1	SHORT(A)	MRSSHORT		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	2		IMAGER	F770W	FASTR1	100	1	1	Dither 1	4	4	1110.016	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	2	MEDIUM(B)	MRSSHORT		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	3		IMAGER	F770W	FASTR1	100	1	1	Dither 1	4	4	1110.016	176552.37
	3	LONG(C)	MRSLONG		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	3	LONG(C)	MRSSHORT		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552

Proposal 8726 - Observation 2 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Aperture PA Range 98.83544897 to 119.83544897 Degrees (V3 94.0 to 115.0) Aperture PA Range 289.27544897 to 311.44544897 Degrees (V3 284.44 to 306.61) Sequence Observations 1, 2, Non-interruptible
----------------------	---

Proposal 8726 - Observation 1 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 1: EA0480 - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observations:[EA0480-OFF - MRS (Obs 2)]												
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(1)	EA0480	RA: 09 48 18.6800 (147.0778333d) Dec: +02 30 4.20 (2.50117d) Equinox: J2000										
	Comments: Category=Galaxy Description=[E+A galaxies, Infrared galaxies]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	All MRS				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					EXTENDED SOURCE			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	100	1	1	Dither 1	4	4	1110.016	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	1	SHORT(A)	MRSSHORT		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	2		IMAGER	F770W	FASTR1	100	1	1	Dither 1	4	4	1110.016	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	2	MEDIUM(B)	MRSSHORT		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	3		IMAGER	F770W	FASTR1	100	1	1	Dither 1	4	4	1110.016	176552.37
	3	LONG(C)	MRSLONG		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552
	3	LONG(C)	MRSSHORT		FASTR1	100	1	1	Dither 1	4	4	1110.016	176552

Proposal 8726 - Observation 1 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Sequence Observations 1, 2, Non-interruptible
----------------------	---

Proposal 8726 - Observation 3 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 3: EA0480 – NIRCam										Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRCam Imaging										
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(11)	EA0480-NIRCam	RA: 09 48 18.6800 (147.0778333d) Dec: +02 30 4.20 (2.50117d) Equinox: J2000								
Template	Comments: Category=Galaxy Description=[E+A galaxies, Infrared galaxies]										
	Module					Subarray					
Dithers	B					FULL					
	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
Spectral Elements	1	INTRAMODULEBOX		4		STANDARD				1	
	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
Special Requirements	1	F200W	F335M	MEDIUM8	7	1	4	4	2920.401	176552.38	
	Aperture PA Range 0.05262691 to 205.05262691 Degrees (V3 0.0 to 205.0) Aperture PA Range 212.05262691 to 218.05262691 Degrees (V3 212.0 to 218.0) Aperture PA Range 225.05262691 to 251.05262691 Degrees (V3 225.0 to 251.0) Aperture PA Range 259.05262691 to 359.05262691 Degrees (V3 259.0 to 359.0) Offset 25.0 arcsec, 30.0 arcsec										

Proposal 8726 - Observation 4 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 4: EA0623 - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observations:[EA0623-OFF - MRS (Obs 5)]												
Diagnostics	(Visit 4:1) Warning (Form): Data Excess over lower threshold												
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(2)	EA0623	RA: 16 13 30.1900 (243.3757917d) Dec: +51 03 35.60 (51.05989d) Equinox: J2000										
	Comments: Category= <i>Galaxy</i> Description=[<i>E+A galaxies</i>]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	All MRS				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					EXTENDED SOURCE			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	80	2	1	Dither 1	4	8	1787.126	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	1	SHORT(A)	MRSSHORT		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	2		IMAGER	F770W	FASTR1	80	2	1	Dither 1	4	8	1787.126	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	2	MEDIUM(B)	MRSSHORT		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	3		IMAGER	F770W	FASTR1	80	2	1	Dither 1	4	8	1787.126	176552.37
	3	LONG(C)	MRSLONG		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	3	LONG(C)	MRSSHORT		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558

Proposal 8726 - Observation 4 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Sequence Observations 5, 4 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 5 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 5: EA0623-OFF - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observation For: [EA0623 - MRS (Obs 4)]												
Diagnostics	(Visit 5:1) Warning (Form): Data Excess over lower threshold												
	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(7)	EA0623-OFF	RA: 16 13 30.1900 (243.3757917d) Dec: +51 03 35.60 (51.05989d) Equinox: J2000										
	Comments: Category=Calibration Description=[Telescope/sky background]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	Imager				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					BACKGROUND			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	80	2	1	Dither 1	4	8	1787.126	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	1	SHORT(A)	MRSSHORT		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	2		IMAGER	F770W	FASTR1	80	2	1	Dither 1	4	8	1787.126	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	2	MEDIUM(B)	MRSSHORT		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	3		IMAGER	F770W	FASTR1	80	2	1	Dither 1	4	8	1787.126	176552.37
	3	LONG(C)	MRSLONG		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558
	3	LONG(C)	MRSSHORT		FASTR1	80	2	1	Dither 1	4	8	1787.126	176558

Proposal 8726 - Observation 5 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Aperture PA Range 108.68544897 to 181.33544897 Degrees (V3 103.85 to 176.5) Aperture PA Range 210.83544897 to 321.96544897 Degrees (V3 206.0 to 317.13) Sequence Observations 5, 4 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 6 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 6: EA0623 – NIRCam										Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRCam Imaging										
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(12)	EA0623-NIRCam	RA: 16 13 30.1900 (243.3757917d) Dec: +51 03 35.60 (51.05989d) Equinox: J2000								
Template	Comments: Category=Galaxy Description=[E+A galaxies]										
	Module					Subarray					
Dithers	B					FULL					
	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
Spectral Elements	1	INTRAMODULEBOX		4		STANDARD				1	
	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
Special Requirements	1	F200W	F335M	BRIGHT2	10	1	4	4	858.942	176558.13	
	Aperture PA Range 13.05262691 to 14.05262691 Degrees (V3 13.0 to 14.0) Aperture PA Range 18.05262691 to 128.05262691 Degrees (V3 18.0 to 128.0) Aperture PA Range 140.05262691 to 149.05262691 Degrees (V3 140.0 to 149.0) Aperture PA Range 167.05262691 to 205.05262691 Degrees (V3 167.0 to 205.0) Aperture PA Range 215.05262691 to 228.05262691 Degrees (V3 215.0 to 228.0) Aperture PA Range 237.05262691 to 257.05262691 Degrees (V3 237.0 to 257.0) Aperture PA Range 266.05262691 to 276.05262691 Degrees (V3 266.0 to 276.0) Aperture PA Range 286.05262691 to 308.05262691 Degrees (V3 286.0 to 308.0) Aperture PA Range 321.05262691 to 352.05262691 Degrees (V3 321.0 to 352.0) Offset 28.0 arcsec, 38.0 arcsec										

Proposal 8726 - Observation 7 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 7: EA0815 - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observations:[EA0815-OFF - MRS (Obs 8)]												
Diagnostics	(Visit 7:1) Warning (Form): Data Excess over lower threshold												
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(3)	EA0815	RA: 16 27 2.5598 (246.7606658d) Dec: +43 28 33.93 (43.47609d) Equinox: J2000										
	Comments: Category= <i>Galaxy</i> Description=[<i>E+A galaxies</i>]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	All MRS				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					EXTENDED SOURCE			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	65	2	1	Dither 1	4	8	1454.121	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	1	SHORT(A)	MRSSHORT		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	2		IMAGER	F770W	FASTR1	65	2	1	Dither 1	4	8	1454.121	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	2	MEDIUM(B)	MRSSHORT		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	3		IMAGER	F770W	FASTR1	65	2	1	Dither 1	4	8	1454.121	176552.37
	3	LONG(C)	MRSLONG		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	3	LONG(C)	MRSSHORT		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555

Proposal 8726 - Observation 7 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Sequence Observations 8, 7 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 8 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 8: EA0815-OFF - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observation For: [EA0815 - MRS (Obs 7)]												
Diagnostics	(Visit 8:1) Warning (Form): Data Excess over lower threshold												
	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(8)	EA0815-OFF	RA: 16 27 2.5598 (246.7606658d) Dec: +43 28 33.93 (43.47609d) Equinox: J2000										
	Comments: Category=Calibration Description=[Telescope/sky background]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	Imager				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					BACKGROUND			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	65	2	1	Dither 1	4	8	1454.121	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	1	SHORT(A)	MRSSHORT		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	2		IMAGER	F770W	FASTR1	65	2	1	Dither 1	4	8	1454.121	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	2	MEDIUM(B)	MRSSHORT		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	3		IMAGER	F770W	FASTR1	65	2	1	Dither 1	4	8	1454.121	176552.37
	3	LONG(C)	MRSLONG		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555
	3	LONG(C)	MRSSHORT		FASTR1	65	2	1	Dither 1	4	8	1454.121	176555

Proposal 8726 - Observation 8 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Aperture PA Range 101.89544897 to 308.94544897 Degrees (V3 97.06 to 304.11) Sequence Observations 8, 7 (reordered), Non-interruptible
----------------------	--

Proposal 8726 - Observation 9 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 9: EA0815 – NIRCam										Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRCam Imaging										
	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(13)	EA0815-NIRCam	RA: 16 27 2.5598 (246.7606658d) Dec: +43 28 33.93 (43.47609d) Equinox: J2000								
Template	Comments: Category=Galaxy Description=[E+A galaxies]										
	Module					Subarray					
Dithers	B					FULL					
	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
Spectral Elements	1	INTRAMODULEBOX		4		STANDARD				1	
	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
Special Requirements	1	F200W	F335M	SHALLOW4	7	1	4	4	1460.201	176555.36	
	Aperture PA Range 0.05262691 to 15.05262691 Degrees (V3 0.0 to 15.0) Aperture PA Range 23.05262691 to 57.05262691 Degrees (V3 23.0 to 57.0) Aperture PA Range 66.05262691 to 68.05262691 Degrees (V3 66.0 to 68.0) Aperture PA Range 71.05262691 to 87.05262691 Degrees (V3 71.0 to 87.0) Aperture PA Range 93.05262691 to 100.05262691 Degrees (V3 93.0 to 100.0) Aperture PA Range 108.05262691 to 121.05262691 Degrees (V3 108.0 to 121.0) Aperture PA Range 132.05262691 to 173.05262691 Degrees (V3 132.0 to 173.0) Aperture PA Range 190.05262691 to 211.05262691 Degrees (V3 190.0 to 211.0) Aperture PA Range 223.05262691 to 230.05262691 Degrees (V3 223.0 to 230.0) Aperture PA Range 252.05262691 to 325.05262691 Degrees (V3 252.0 to 325.0) Aperture PA Range 335.05262691 to 359.05262691 Degrees (V3 335.0 to 359.0) Offset 42.0 arcsec, -30.0 arcsec										

Proposal 8726 - Observation 10 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 10: EA0962 - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observations:[EA0962-OFF - MRS (Obs 11)]												
Diagnostics	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(4)	EA0962	RA: 10 37 57.3600 (159.4890000d) Dec: +46 14 40.30 (46.24453d) Equinox: J2000										
	Comments: Category= <i>Galaxy</i> Description=[<i>E+A galaxies</i>]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	All MRS				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					EXTENDED SOURCE			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	25	1	1	Dither 1	4	4	277.504	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	25	1	1	Dither 1	4	4	277.504	176553
	1	SHORT(A)	MRSSHORT		FASTR1	25	1	1	Dither 1	4	4	277.504	176553
	2		IMAGER	F770W	FASTR1	35	1	1	Dither 1	4	4	388.506	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	35	1	1	Dither 1	4	4	388.506	176553
	2	MEDIUM(B)	MRSSHORT		FASTR1	35	1	1	Dither 1	4	4	388.506	176553
	3		IMAGER	F770W	FASTR1	30	1	1	Dither 1	4	4	333.005	176552.37
	3	LONG(C)	MRSLONG		FASTR1	30	1	1	Dither 1	4	4	333.005	176553
	3	LONG(C)	MRSSHORT		FASTR1	30	1	1	Dither 1	4	4	333.005	176553

Proposal 8726 - Observation 10 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Sequence Observations 11, 10 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 11 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 11: EA0962-OFF - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observation For: [EA0962 - MRS (Obs 10)]												
Diagnostics	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous			
	(9)	EA0962-OFF	RA: 10 37 57.3600 (159.4890000d) Dec: +46 14 40.30 (46.24453d) Equinox: J2000										
	Comments: Category=Calibration Description=[Telescope/sky background]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel			Simultaneous Imaging			Imager Subarray		Grating Wheel Direction			
	F1500W	Imager			YES			FULL		Allow Auto Reorder			
Dithers	#	Dither Type				Optimized For				Direction			
	1	4-Point				BACKGROUND				NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	25	1	1	Dither 1	4	4	277.504	176552.37
	1	SHORT(A)	MRSLONG		FASTR1	25	1	1	Dither 1	4	4	277.504	176553
	1	SHORT(A)	MRSSHORT		FASTR1	25	1	1	Dither 1	4	4	277.504	176553
	2		IMAGER	F770W	FASTR1	35	1	1	Dither 1	4	4	388.506	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	35	1	1	Dither 1	4	4	388.506	176553
	2	MEDIUM(B)	MRSSHORT		FASTR1	35	1	1	Dither 1	4	4	388.506	176553
	3		IMAGER	F770W	FASTR1	30	1	1	Dither 1	4	4	333.005	176552.37
	3	LONG(C)	MRSLONG		FASTR1	30	1	1	Dither 1	4	4	333.005	176553
	3	LONG(C)	MRSSHORT		FASTR1	30	1	1	Dither 1	4	4	333.005	176553

Proposal 8726 - Observation 11 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Sequence Observations 11, 10 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 12 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 12: EA0962 – NIRCam										Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning										
Diagnostics	Observing Template: NIRCam Imaging										
	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(14)	EA0962-NIRCam	RA: 10 37 57.3600 (159.4890000d) Dec: +46 14 40.30 (46.24453d) Equinox: J2000								
Template	Comments: Category=Galaxy Description=[E+A galaxies]										
	Module					Subarray					
Dithers	B					FULL					
	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
Spectral Elements	1	INTRAMODULEBOX		4		STANDARD				1	
	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
Special Requirements	1	F200W	F335M	BRIGHT2	10	1	4	4	858.942	176553.39	
	Aperture PA Range 0.05262691 to 156.05262691 Degrees (V3 0.0 to 156.0) Aperture PA Range 163.05262691 to 182.05262691 Degrees (V3 163.0 to 182.0) Aperture PA Range 187.05262691 to 359.05262691 Degrees (V3 187.0 to 359.0) Offset 25.0 arcsec, 30.0 arcsec										

Proposal 8726 - Observation 13 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 13: EA2360 - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observations:[EA2360-OFF - MRS (Obs 14)]												
Diagnostics	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(5)	EA2360	RA: 09 26 19.2900 (141.5803750d) Dec: +18 40 41.00 (18.67806d) Equinox: J2000										
	Comments: Category=Galaxy Description=[E+A galaxies]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel				Simultaneous Imaging			Imager Subarray		Grating Wheel Direction		
	F1500W	All MRS				YES			FULL		Allow Auto Reorder		
Dithers	#	Dither Type					Optimized For			Direction			
	1	4-Point					EXTENDED SOURCE			NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	90	1	1	Dither 1	4	4	999.014	176552.37
	1	LONG(C)	MRSLONG		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	1	LONG(C)	MRSSHORT		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	2		IMAGER	F770W	FASTR1	90	1	1	Dither 1	4	4	999.014	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	2	MEDIUM(B)	MRSSHORT		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	3		IMAGER	F770W	FASTR1	90	1	1	Dither 1	4	4	999.014	176552.37
	3	SHORT(A)	MRSLONG		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	3	SHORT(A)	MRSSHORT		FASTR1	90	1	1	Dither 1	4	4	999.014	176554

Proposal 8726 - Observation 13 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Sequence Observations 14, 13 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 14 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 14: EA2360-OFF - MRS												Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: MIRI Medium Resolution Spectroscopy												
	Background Observation For: [EA2360 - MRS (Obs 13)]												
Diagnostics	(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections				Miscellaneous		
	(10)	EA2360-OFF	RA: 09 26 19.2900 (141.5803750d) Dec: +18 40 41.00 (18.67806d) Equinox: J2000										
	Comments: Category=Calibration Description=[Telescope/sky background]												
Acquisition	#	Target											
	1	NONE											
Template	AcqFilter	Primary Channel			Simultaneous Imaging			Imager Subarray			Grating Wheel Direction		
	F1500W	Imager			YES			FULL			Allow Auto Reorder		
Dithers	#	Dither Type				Optimized For				Direction			
	1	4-Point				BACKGROUND				NEGATIVE			
Spectral Elements	#	Wavelength Range	Detector	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1		IMAGER	F770W	FASTR1	90	1	1	Dither 1	4	4	999.014	176552.37
	1	LONG(C)	MRSLONG		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	1	LONG(C)	MRSSHORT		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	2		IMAGER	F770W	FASTR1	90	1	1	Dither 1	4	4	999.014	176552.37
	2	MEDIUM(B)	MRSLONG		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	2	MEDIUM(B)	MRSSHORT		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	3		IMAGER	F770W	FASTR1	90	1	1	Dither 1	4	4	999.014	176552.37
	3	SHORT(A)	MRSLONG		FASTR1	90	1	1	Dither 1	4	4	999.014	176554
	3	SHORT(A)	MRSSHORT		FASTR1	90	1	1	Dither 1	4	4	999.014	176554

Proposal 8726 - Observation 14 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Special Requirements	Aperture PA Range 107.77544897 to 123.14544897 Degrees (V3 102.94 to 118.31) Aperture PA Range 282.09544897 to 297.81544897 Degrees (V3 277.26 to 292.98) Sequence Observations 14, 13 (reordered), Non-interruptible
----------------------	---

Proposal 8726 - Observation 15 - A Resolved Infrared Census of Star Formation and AGN Activity in Rapidly Quenched Galaxies

Observation	Proposal 8726, Observation 15: EA2360 – NIRCam										Mon Feb 23 21:03:25 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRCam Imaging										
Diagnostics	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(15)	EA2360-NIRCam	RA: 09 26 19.2900 (141.5803750d)								
			Dec: +18 40 41.00 (18.67806d)								
	Equinox: J2000										
	Comments: Category=Galaxy Description=[E+A qalaxies]										
Template	Module					Subarray					
	B					FULL					
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	INTRAMODULEBOX		4		STANDARD				1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F200W	F335M	SHALLOW4	10	1	4	4	2104.407	176554.37	
Special Requirements	Aperture PA Range 0.05262691 to 84.05262691 Degrees (V3 0.0 to 84.0) Aperture PA Range 93.05262691 to 207.05262691 Degrees (V3 93.0 to 207.0) Aperture PA Range 225.05262691 to 258.05262691 Degrees (V3 225.0 to 258.0) Aperture PA Range 264.05262691 to 269.05262691 Degrees (V3 264.0 to 269.0) Aperture PA Range 273.05262691 to 359.05262691 Degrees (V3 273.0 to 359.0) Offset 36.0 arcsec, 36.0 arcsec										