



5552 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Cycle: 3, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Prof. Jes K. Jorgensen (PI) (ESA Member)	University of Copenhagen, Niels Bohr Institute
Daniel Harsono (CoI)	National Tsing Hua University
Dr. Yao-Lun Yang (CoI)	RIKEN Wako Institute
Dr. Maria Nikolayevna Drozdovskaya (CoI) (ESA Member)	Physikalisch-Meteorologisches Observatorium Davos (PMOD)
Adele Plunkett (CoI) (US Admin CoI)	Associated Universities, Inc.
Dr. Merel van't Hoff (CoI)	Purdue University
Dr. Brett A McGuire (CoI)	Massachusetts Institute of Technology
Dr. Audrey Coutens (CoI) (ESA Member)	Institut de Recherche en Astrophysique et Planetologie
Dr. Jeong-Eun Lee (CoI)	Seoul National University
Dr. Pooneh Nazari (CoI) (ESA Member)	European Southern Observatory - Germany
Dr. Silvia Spezzano (CoI) (ESA Member)	Max Planck Institute for Extraterrestrial Physics
Dr. Sebastien Maret (CoI)	IPAG (Institut de Planétologie et d'Astrophysique de Grenobl
Dr. Jennifer Bergner (CoI)	University of California - Berkeley
Dr. Fernando Cruz Saenz de Miera (CoI) (ESA Member)	Institut de Recherche en Astrophysique et Planetologie

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
NIRCAM pre-imaging				
	1	B335 NIRCAM pre-imaging	NIRCam Imaging	(1) B335
	2	SerpS-MM18 NIRCAM pre-imaging	NIRCam Imaging	(2) SerpS-MM18

JWST Proposal 5552 (Created: Monday, June 22, 2026, 5:01:13PM Eastern Standard Time) - Overview

Folder	Observation	Label	Observing Template	Science Target
	20	SerpS-MM18 NIRCA M pre-imaging	NIRCam Imaging	(2) SerpS-MM18
	22	SerpS-MM18 NIRCA M pre-imaging	NIRCam Imaging	(2) SerpS-MM18
	3	IRAS 4A NIRCAM pre- -imaging	NIRCam Imaging	(3) JCC87-IRAS-4A
	21	IRAS 4A NIRCAM pre- -imaging (reobservation)	NIRCam Imaging	(3) JCC87-IRAS-4A
	4	Ser 11W NIRCAM pre- imaging	NIRCam Imaging	(4) Ser-emb-11E
	5	Serp SMM 1a NIRCA M pre-imaging	NIRCam Imaging	(5) SMM-1a
	6	BHR71 NIRCAM pre-i maging	NIRCam Imaging	(6) BHR71
	7	HOPS 108 NIRCAM pr e-imaging	NIRCam Imaging	(7) HOPS-108
	8	HOPS 373 NIRCAM pr e-imaging	NIRCam Imaging	(8) HOPS-373
NIRSpec MOS				
	9	B335-p00-10x10r005-c nt4575	NIRSpec MultiObject Spectroscopy	(15) B335_MSAcat_25Jan2025
	10	SerpS-MM18-NIRSpec -MOS	NIRSpec MultiObject Spectroscopy	(2) SerpS-MM18
	11	IRAS4A-p01-2x2r001- cnt3-29-4.63_+31-13-1 5.4	NIRSpec MultiObject Spectroscopy	(19) IRAS4A_MSAcat_19Jun2026
	12	EMB11-p00-10x10r005 -cnt12391	NIRSpec MultiObject Spectroscopy	(16) EMB11_MSAcat_12Feb2025
	13	SMM1a-p00-10x10r00 5-cnt3002	NIRSpec MultiObject Spectroscopy	(14) SMM1a_MSAcat_21Jan2025
	14	BHR71-p01-20x20r01- cnt15827-noweights	NIRSpec MultiObject Spectroscopy	(18) BHR71_MSAcat_13Jun2025
	15	HOPS108-p00-20x20r0 05-cnt1884	NIRSpec MultiObject Spectroscopy	(13) HOPS108_MSAcat_13Dec2024
	16	HOPS373-p11-10x10r0 05-cnt57-sos	NIRSpec MultiObject Spectroscopy	(10) HOPS373_MSAcat_2Dec2024

ABSTRACT

To date, there exists no systematic view examining the chemistry of protostellar systems in the gas- and condensed-phases at all size and temperature scales from the cold dark cloud to the embedded protostar and its emerging protoplanetary disks. As a result we are missing critical information about the emergence of complex organic molecules in the interstellar medium, a fundamental puzzle of astrochemistry. Here, we propose a program to link the large-scale, cold chemistry of protostellar envelopes to the small-scale, warm gas toward emerging protostars and their protoplanetary disks. This will be done through NIRSpec MOS observations of a sample of eight protostars known to harbor hot corinos with abundant complex organic molecules present on small scales. The JWST observations will provide the large scale view of the distribution of fundamental ices in the parental cloud of these sources. These observations, combined with complementary ALMA Large Programs will provide the most comprehensive and systematic view of the chemical evolution of gas and ice around protostars in different environments so-far. The resulting insights will fundamentally alter our understanding of the complex chemistry arising around young protostars and will allow us to address the fundamental question: what role do natal molecular cloud conditions play in setting the organic inventories that eventually may be inherited by emerging planetary systems?

OBSERVING DESCRIPTION

We propose to obtain map the distribution of interstellar ices in the natal cloud environments of eight deeply embedded protostars known from ALMA observations to harbor hot corinos with abundant complex organic molecules. In conjunction with data from an ongoing ALMA Large Program, COMPASS, providing systematic inventories of the complex organic species in the gas-phase on disk-scales (< 100 au) as well as ALMA mosaicing observations of the molecules on core-to-cloud scales (~ 0.1 - 0.5 pc), these data will provide the most comprehensive view of the evolution of gas and ices from cloud to disk scales around protostars in different environments.

For each source we will first do NIRCам pre-imaging ($6' \times 5'$ FOV) to identify background stars for which ice absorption spectra can be obtained. An analysis of the number of background stars as well as experience from other programs show that the number density of those stars are sufficient to map distribution of ices on similar scales as what can be achieved with the ALMA Compact Array sensitive to the most extended structures. Based on the astrometric measurements from the pre-imaging and alignment with GAIA stars, we will be able to precisely position the MSA and decide which shutters to close to avoid saturation in case of bright sources within the FOV. With our selection of NIRSpec gratings and filters we will cover the wavelength range from 1.66 to 6.10 micron. This will allow us to measure the spectral absorption features against the background star continua to estimate the column densities of fundamental ices such as CO, CO₂, H₂O, and CH₃OH.

Proposal 5552 - Targets - Mapping the distribution of ices in the host environments of protostellar hot corinos

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	B335	RA: 19 37 0.9600 (294.2540000d) Dec: +07 34 9.62 (7.56934d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(2)	SerpS-MM18	RA: 18 30 6.0000 (277.5250000d) Dec: -02 02 38.40 (-2.04400d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Coordinate is shifted to cover more GAIA stars.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(3)	JCC87-IRAS-4A	RA: 03 29 10.4320 (52.2934667d) Dec: +31 13 32.12 (31.22559d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(4)	Ser-emb-11E	RA: 18 29 7.8480 (277.2827000d) Dec: +00 30 5.16 (.50143d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(5)	SMM-1a	RA: 18 29 49.6800 (277.4570000d) Dec: +01 15 20.23 (1.25562d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(6)	BHR71	RA: 12 01 36.4988 (180.4020783d) Dec: -65 08 49.38 (-65.14705d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(7)	HOPS-108	RA: 05 35 27.0840 (83.8628500d) Dec: -05 10 0.07 (-5.16669d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	
	(8)	HOPS-373	RA: 05 46 32.5920 (86.6358000d) Dec: -00 04 11.25 (-.06979d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Category=Star</i> <i>Description=[Protoplanetary disks, Protostars]</i>	Epoch of Position: 2000	

Proposal 5552 - Targets - Mapping the distribution of ices in the host environments of protostellar hot corinos

(10)	HOPS373_MSAcat_2Dec2024	RA: 05 46 32.6637 (86.6360988d) Dec: -00 03 51.21 (-.06423d) Equinox: J2000
Comments: Description=[]		
(13)	HOPS108_MSAcat_13Dec2024	RA: 05 35 25.8969 (83.8579038d) Dec: -05 09 31.30 (-5.15869d) Equinox: J2000
Comments: Description=[]		
(14)	SMM1a_MSAcat_21Jan2025	RA: 18 29 49.2300 (277.4551250d) Dec: +01 15 21.74 (1.25604d) Equinox: J2000
Comments: Description=[]		
(15)	B335_MSAcat_25Jan2025	RA: 19 37 0.7968 (294.2533200d) Dec: +07 34 13.47 (7.57041d) Equinox: J2000
Comments: Description=[]		
(16)	EMB11_MSAcat_12Feb2025	RA: 18 29 8.6135 (277.2858896d) Dec: +00 29 57.03 (.49917d) Equinox: J2000
Comments: Description=[]		
(18)	BHR71_MSAcat_13Jun2025	RA: 12 01 35.9794 (180.3999142d) Dec: -65 08 51.82 (-65.14773d) Equinox: J2000
Comments: Description=[]		
(19)	IRAS4A_MSAcat_19Jun2026	RA: 03 29 11.0198 (52.2959158d) Dec: +31 13 29.22 (31.22478d) Equinox: J2000
Comments: Description=[]		

Proposal 5552 - Observation 1 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 1: B335 NIRCAM pre-imaging Mon Jun 22 22:01:13 GMT 2026									
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging									
Diagnostics	(B335 NIRCAM pre-imaging (Obs 1)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified. (B335 NIRCAM pre-imaging (Obs 1)) Warning (Form): Some science pointings place the target outside of the aperture. (B335 NIRCAM pre-imaging (Obs 1)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended. (Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:2) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:3) Warning (Form): Overheads are provisional until the Visit Planner has been run. (Visit 1:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	# Name Target Coordinates Targ. Coord. Corrections Miscellaneous (1) B335 RA: 19 37 0.9600 (294.2540000d) Dec: +07 34 9.62 (7.56934d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Protoplanetary disks, Protostars]									
Fixed Targets	# Name Target Coordinates Targ. Coord. Corrections Miscellaneous (1) B335 RA: 19 37 0.9600 (294.2540000d) Dec: +07 34 9.62 (7.56934d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Protoplanetary disks, Protostars]									
	# Name Target Coordinates Targ. Coord. Corrections Miscellaneous (1) B335 RA: 19 37 0.9600 (294.2540000d) Dec: +07 34 9.62 (7.56934d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Category=Star Description=[Protoplanetary disks, Protostars]									
Template	Module Subarray Target Placement ALL FULL Module gap (large extended source)									
	Module Subarray Target Placement ALL FULL Module gap (large extended source)									
Dithers	# Primary Dither Type Primary Dithers Subpixel Dither Type Dither Size Subpixel Positions 1 FULLBOX 8NIRSPEC STANDARD 1									
	# Primary Dither Type Primary Dithers Subpixel Dither Type Dither Size Subpixel Positions 1 FULLBOX 8NIRSPEC STANDARD 1									
Spectral Elements	# Short Filter Long Filter Readout Pattern Groups/Int Integrations/Exp Total Integrations Total Dithers Total Exposure Time Optional ETC ID 1 F212N F360M BRIGHT2 5 1 8 8 858.942 2 F200W F480M BRIGHT2 5 1 8 8 858.942									
	# Short Filter Long Filter Readout Pattern Groups/Int Integrations/Exp Total Integrations Total Dithers Total Exposure Time Optional ETC ID 1 F212N F360M BRIGHT2 5 1 8 8 858.942 2 F200W F480M BRIGHT2 5 1 8 8 858.942									
Special Requirements	Sequence Visits within 53.0 Days Aperture PA Range 51.92542306 to 77.92542306 Degrees (V3 52.0 to 78.0) Aperture PA Range 85.92542306 to 155.92542306 Degrees (V3 86.0 to 156.0) Visits Same PA 9 After 1 by 80 Days to <None specified>									
	Sequence Visits within 53.0 Days Aperture PA Range 51.92542306 to 77.92542306 Degrees (V3 52.0 to 78.0) Aperture PA Range 85.92542306 to 155.92542306 Degrees (V3 86.0 to 156.0) Visits Same PA 9 After 1 by 80 Days to <None specified>									

Proposal 5552 - Observation 2 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 2: SerpS-MM18 NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCam Imaging									
Diagnostics	(SerpS-MM18 NIRCAM pre-imaging (Obs 2)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(SerpS-MM18 NIRCAM pre-imaging (Obs 2)) Warning (Form): Some science pointings place the target outside of the aperture.									
	(SerpS-MM18 NIRCAM pre-imaging (Obs 2)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.									
	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 2:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 2:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(Visit 2:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(2)	SerpS-MM18	RA: 18 30 6.0000 (277.5250000d) Dec: -02 02 38.40 (-2.04400d) Equinox: J2000			Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Coordinate is shifted to cover more GAIA stars. Category=Star Description=[Protoplanetary disks, Protostars]									
Template	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	FULLBOX		8NIRSPEC		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942	
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942	
Special Requirements	Group Visits within 53.0 Days Visits Same PA									
	Aperture PA Offset 20 from 2 by -5 to 5 Degrees (Same offsets in V3) Aperture PA Offset 22 from 2 by -5 to 5 Degrees (Same offsets in V3)									

Proposal 5552 - Observation 20 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 20: SerpS-MM18 NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026	
	Diagnostic Status: Warning Observing Template: NIRCam Imaging										
Diagnostics	(SerpS-MM18 NIRCAM pre-imaging (Obs 20)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(SerpS-MM18 NIRCAM pre-imaging (Obs 20)) Warning (Form): Some science pointings place the target outside of the aperture.										
	(SerpS-MM18 NIRCAM pre-imaging (Obs 20)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.										
	(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 20:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 20:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(Visit 20:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	SerpS-MM18	RA: 18 30 6.0000 (277.5250000d) Dec: -02 02 38.40 (-2.04400d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Coordinate is shifted to cover more GAIA stars. Category=Star Description=[Protoplanetary disks, Protostars]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		8NIRSPEC		STANDARD				1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942		
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942		
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 93.69012306 to 93.69012306 Degrees (V3 93.7647 to 93.7647) Visits Same PA										
	Aperture PA Offset 20 from 2 by -5 to 5 Degrees (Same offsets in V3)										

Proposal 5552 - Observation 22 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 22: SerpS-MM18 NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026	
	Diagnostic Status: Warning										
Observing Template: NIRCam Imaging											
Diagnostics	(SerpS-MM18 NIRCAM pre-imaging (Obs 22)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(SerpS-MM18 NIRCAM pre-imaging (Obs 22)) Warning (Form): Some science pointings place the target outside of the aperture.										
	(SerpS-MM18 NIRCAM pre-imaging (Obs 22)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.										
	(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 22:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 22:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 22:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
(SerpS-MM18 NIRCAM pre-imaging (Obs 22)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.											
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	SerpS-MM18	RA: 18 30 6.0000 (277.5250000d)			Epoch of Position: 2000					
			Dec: -02 02 38.40 (-2.04400d)								
			Equinox: J2000								
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Coordinate is shifted to cover more GAIA stars.											
Category=Star											
Description=[Protoplanetary disks, Protostars]											
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		8NIRSPEC		STANDARD				1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942		
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942		

Proposal 5552 - Observation 22 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Special Requirements	Sequence Visits within 53.0 Days Visits Same PA 10 After 22 by 80 Days to 365 Days Aperture PA Offset 22 from 2 by -5 to 5 Degrees (Same offsets in V3)
----------------------	--

Proposal 5552 - Observation 3 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 3: IRAS 4A NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026	
	Diagnostic Status: Warning Observing Template: NIRCam Imaging										
Diagnostics	(IRAS 4A NIRCAM pre-imaging (Obs 3)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(IRAS 4A NIRCAM pre-imaging (Obs 3)) Warning (Form): Some science pointings place the target outside of the aperture.										
	(IRAS 4A NIRCAM pre-imaging (Obs 3)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.										
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 3:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 3:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(Visit 3:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(3)	JCC87-IRAS-4A	RA: 03 29 10.4320 (52.2934667d) Dec: +31 13 32.12 (31.22559d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Star Description=[Protoplanetary disks, Protostars]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		8NIRSPEC		STANDARD				1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942		
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942		
Special Requirements	Group Visits within 53.0 Days Aperture PA Range 81.92542306 to 90.92542306 Degrees (V3 82.0 to 91.0) Aperture PA Range 93.92542306 to 174.92542306 Degrees (V3 94.0 to 175.0) Aperture PA Range 179.92542306 to 259.92542306 Degrees (V3 180.0 to 260.0) Visits Same PA										
	Aperture PA Offset 21 from 3 by -5 to 5 Degrees (Same offsets in V3)										

Proposal 5552 - Observation 21 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 21: IRAS 4A NIRCAM pre-imaging (reobservation)									Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging									
Diagnostics	(IRAS 4A NIRCAM pre-imaging (reobservation) (Obs 21)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(IRAS 4A NIRCAM pre-imaging (reobservation) (Obs 21)) Warning (Form): Some science pointings place the target outside of the aperture.									
	(IRAS 4A NIRCAM pre-imaging (reobservation) (Obs 21)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.									
	(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 21:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 21:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 21:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(IRAS 4A NIRCAM pre-imaging (reobservation) (Obs 21)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.									
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(3)	JCC87-IRAS-4A	RA: 03 29 10.4320 (52.2934667d) Dec: +31 13 32.12 (31.22559d) Equinox: J2000			Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	Category=Star Description=[Protoplanetary disks, Protostars]									
Template	Module					Subarray			Target Placement	
	ALL					FULL			Module gap (large extended source)	
Dithers	#	Primary Dither Type			Primary Dithers		Subpixel Dither Type		Dither Size	Subpixel Positions
	1	FULLBOX			8NIRSPEC		STANDARD			1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942	
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942	

Proposal 5552 - Observation 21 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Special Requirements

Sequence Visits within 53.0 Days
Aperture PA Range 81.92542306 to 90.92542306 Degrees (V3 82.0 to 91.0)
Aperture PA Range 93.92542306 to 174.92542306 Degrees (V3 94.0 to 175.0)
Aperture PA Range 179.92542306 to 259.92542306 Degrees (V3 180.0 to 260.0)
Visits Same PA

11 After 21 by 80 Days to 365 Days
Aperture PA Offset 21 from 3 by -5 to 5 Degrees (Same offsets in V3)

Proposal 5552 - Observation 4 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 4: Ser 11W NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026	
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging										
Diagnostics	(Ser 11W NIRCAM pre-imaging (Obs 4)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.										
	(Ser 11W NIRCAM pre-imaging (Obs 4)) Warning (Form): Some science pointings place the target outside of the aperture.										
	(Ser 11W NIRCAM pre-imaging (Obs 4)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.										
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(Visit 4:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	(Visit 4:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous			
	(4)	Ser-emb-11E	RA: 18 29 7.8480 (277.2827000d) Dec: +00 30 5.16 (.50143d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Star Description=[Protoplanetary disks, Protostars]										
Template	Module		Subarray				Target Placement				
	ALL		FULL				Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions	
	1	FULLBOX		8NIRSPEC		STANDARD				1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942		
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942		
Special Requirements	Sequence Visits within 53.0 Days Aperture PA Range 67.92542306 to 91.92542306 Degrees (V3 68.0 to 92.0) Aperture PA Range 101.92542306 to 104.92542306 Degrees (V3 102.0 to 105.0) Visits Same PA										
	12 After 4 by 80 Days to <None specified>										

Proposal 5552 - Observation 5 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 5: Serp SMM 1a NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRCcam Imaging										
Diagnostics	(Serp SMM 1a NIRCAM pre-imaging (Obs 5)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(Serp SMM 1a NIRCAM pre-imaging (Obs 5)) Warning (Form): Some science pointings place the target outside of the aperture.									
	(Serp SMM 1a NIRCAM pre-imaging (Obs 5)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.									
	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 5:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 5:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(Visit 5:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(5)	SMM-1a	RA: 18 29 49.6800 (277.4570000d)			Epoch of Position: 2000				
			Dec: +01 15 20.23 (1.25562d)							
			Equinox: J2000							
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
Template	Category=Star									
	Description=[Protoplanetary disks, Protostars]									
Dithers	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	FULLBOX		8NIRSPEC		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942	
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942	
Special Requirements	Sequence Visits within 53.0 Days									
	Aperture PA Range 73.92542306 to 96.92542306 Degrees (V3 74.0 to 97.0)									
Aperture PA Range 104.92542306 to 108.92542306 Degrees (V3 105.0 to 109.0)										
Aperture PA Range 113.92542306 to 135.92542306 Degrees (V3 114.0 to 136.0)										
Visits Same PA										
13 After 5 by 80 Days to <None specified>										

Proposal 5552 - Observation 6 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 6: BHR71 NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCam Imaging									
Diagnostics	(BHR71 NIRCAM pre-imaging (Obs 6)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(BHR71 NIRCAM pre-imaging (Obs 6)) Warning (Form): Some science pointings place the target outside of the aperture.									
	(BHR71 NIRCAM pre-imaging (Obs 6)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.									
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 6:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 6:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(Visit 6:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(6)	BHR71	RA: 12 01 36.4988 (180.4020783d) Dec: -65 08 49.38 (-65.14705d) Equinox: J2000			Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	Category=Star Description=[Protoplanetary disks, Protostars]									
Template	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	FULLBOX		8NIRSPEC		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942	
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942	
Special Requirements	Group Visits within 53.0 Days Visits Same PA									

Proposal 5552 - Observation 7 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 7: HOPS 108 NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging									
Diagnostics	(HOPS 108 NIRCAM pre-imaging (Obs 7)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(HOPS 108 NIRCAM pre-imaging (Obs 7)) Warning (Form): Some science pointings place the target outside of the aperture.									
	(HOPS 108 NIRCAM pre-imaging (Obs 7)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.									
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 7:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 7:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(Visit 7:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(7)	HOPS-108	RA: 05 35 27.0840 (83.8628500d) Dec: -05 10 0.07 (-5.16669d) Equinox: J2000			Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	Category=Star Description=[Protoplanetary disks, Protostars]									
Template	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	FULLBOX		8NIRSPEC		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942	
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942	
Special Requirements	Sequence Visits within 53.0 Days Aperture PA Range 217.92542306 to 295.92542306 Degrees (V3 218.0 to 296.0) Aperture PA Range 312.92542306 to 7.92542306 Degrees (V3 313.0 to 8.0) Visits Same PA									
	15 After 7 by 80 Days to <None specified>									

Proposal 5552 - Observation 8 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 8: HOPS 373 NIRCAM pre-imaging									Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning Observing Template: NIRCcam Imaging									
Diagnostics	(HOPS 373 NIRCAM pre-imaging (Obs 8)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(HOPS 373 NIRCAM pre-imaging (Obs 8)) Warning (Form): Some science pointings place the target outside of the aperture.									
	(HOPS 373 NIRCAM pre-imaging (Obs 8)) Warning (Form): This observation is split across multiple visits using multiple filters. Not selecting the sequence option may result in execution of the visits in a non-numerical order and is not recommended.									
	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 8:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 8:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	(Visit 8:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous	
	(8)	HOPS-373	RA: 05 46 32.5920 (86.6358000d) Dec: -00 04 11.25 (-.06979d) Equinox: J2000			Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	Category=Star Description=[Protoplanetary disks, Protostars]									
Template	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	FULLBOX		8NIRSPEC		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F212N	F360M	BRIGHT2	5	1	8	8	858.942	
	2	F200W	F480M	BRIGHT2	5	1	8	8	858.942	
Special Requirements	Sequence Visits within 53.0 Days Visits Same PA									
	16 After 8 by 80 Days to <None specified>									

Proposal 5552 - Observation 9 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 9: B335-p00-10x10r005-cnt4575											Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRSpec MultiObject Spectroscopy											
	Coordinated Parallel Template(s): NIRCam Imaging											
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(15)	B335_MSAcat_25Jan2025	RA: 19 37 0.7968 (294.2533200d) Dec: +07 34 13.47 (7.57041d) Equinox: J2000									
	Comments: Description=[]											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	Filter: F140X; Readout: NRSRAPID; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788		
Template	NIRSpec MultiObject Spectroscopy						NIRCam Imaging					
	TA Method: MSATA						Module: ALL					
	HFF Readout Mode: false						Subarray: FULL					
	Obtain Confirmation Images: After Target ACQ											
	Science Aperture: MSA Center											
	Primary Candidate List: Primaries_B335 (131 sources)											
	Filler Candidate List: Fillers_B335 (797 sources)											
Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude		
	1	851	294.276146	7.555418	20.76003444210867	1	2893	294.273608	7.542539	20.64466792122713	2	
	1	927	294.278472	7.545078	20.64531177114925	1	2896	294.274589	7.553028	20.77943012371285	6	
	1	1249	294.287498	7.550889	20.82225966701286	1	3535	294.291568	7.582666	20.67719582107671	5	
	1	2092	294.274829	7.595220	20.62639378527326	1	6740	294.244941	7.555793	20.63998272685438	5	
Dithers	#	Dither Type										
	1	NONE										

Proposal 5552 - Observation 9 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy										
	Confirmation Type	Conf. Readout Pattern	Conf. Groups/Int	Conf. Integrations/Exp	Conf. Total Integrations	Conf. Total Exposure Time					
	1	After Target Acq	NRSIRS2RAPID	8	1	1	131.3				
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395M/F290LP)	c1-manual	3 Shutter Slitlet	294.26895091666 665 Degrees 7.57198 Degrees	35.273405246290 5			3	15	10066.334
	2	2 (G235M/F170LP)	c1-manual	3 Shutter Slitlet	294.26895091666 665 Degrees 7.57198 Degrees	35.273405246290 5			3	3	2232.1
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9	
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8	
Special Requirements	No Parallel Attachments MSA Scheduled Aperture PA 35.2713 to 35.2713 Degrees (V3 256.69678 to 256.69678)										
	9 After 1 by 80 Days to <None specified>										

Proposal 5552 - Observation 10 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 10: SerpS-MM18-NIRSpec-MOS										Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Error										
	Observing Template: NIRSpec MultiObject Spectroscopy										
	Coordinated Parallel Template(s): NIRCam Imaging										
Diagnostics	(SerpS-MM18-NIRSpec-MOS (Obs 10)) Error (Form): Couldn't identify "MSATA" as a legal selection.										
	(SerpS-MM18-NIRSpec-MOS (Obs 10)) Warning (Form): Because of the use of custom MSA Configurations, this observation may need to be executed at an exact orient, which can be accomplished using a zero-width PA Range Special Requirement. See details in the diagnostic browser.										
	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(2)	SerpS-MM18	RA: 18 30 6.0000 (277.5250000d) Dec: -02 02 38.40 (-2.04400d) Equinox: J2000			Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Coordinate is shifted to cover more GAIA stars.										
	Category=Star Description=[Protoplanetary disks, Protostars]										
Template	NIRSpec MultiObject Spectroscopy					NIRCam Imaging					
	TA Method: null					Module: ALL					
	HFF Readout Mode: false					Subarray: FULL					
	Obtain Confirmation Images: No										
	Science Aperture: MSA Center										
	Primary Candidate List: null										
	Filler Candidate List: null										
	Spectral Overlap Map: jwst-nirspec-mr										
Dithers	Spectral Overlap Threshold: 1.5										
	#	Dither Type									
	1	NONE									
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395M/F290LP)	PA = 0 deg	3 Shutter Slitlet	277.525 Degrees - 2.0439999999999999 994 827 Degrees	359.99999999999999			3	15	10066.334
	2	2 (G235M/F170LP)	PA = 0 deg	3 Shutter Slitlet	277.525 Degrees - 2.0439999999999999 994 827 Degrees	359.99999999999999			3	3	2232.1
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9	
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8	

Proposal 5552 - Observation 10 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Special Requirements	No Parallel Attachments 10 After 22 by 80 Days to 365 Days
----------------------	--

Proposal 5552 - Observation 11 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 11: IRAS4A-p01-2x2r001-cnt3-29-4.63_+31-13-15.4										Mon Jun 22 22:01:13 GMT 2026															
	Diagnostic Status: Warning																									
	Observing Template: NIRSpec MultiObject Spectroscopy																									
	Coordinated Parallel Template(s): NIRCам Imaging																									
Diagnostics	(IRAS4A-p01-2x2r001-cnt3-29-4.63_+31-13-15.4 (Obs 11)) Warning (Form): Config c1-bad_rem-new_add (#1) has 1 primary slit traces affected by failed open shutters.																									
	(IRAS4A-p01-2x2r001-cnt3-29-4.63_+31-13-15.4 (Obs 11)) Warning (Form): Config c1-bad_rem-new_add (#1) has 2 filler slit traces affected by failed open shutters.																									
	(IRAS4A-p01-2x2r001-cnt3-29-4.63_+31-13-15.4 (Obs 11)) Warning (Form): Config c1-bad_rem-new_add (#2) has 1 primary slit traces affected by failed open shutters.																									
	(IRAS4A-p01-2x2r001-cnt3-29-4.63_+31-13-15.4 (Obs 11)) Warning (Form): Config c1-bad_rem-new_add (#2) has 2 filler slit traces affected by failed open shutters.																									
	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.																									
Fixed Targets	<table><tr><th>#</th><th>Name</th><th>Target Coordinates</th><th>Targ. Coord. Corrections</th><th>Miscellaneous</th></tr><tr><td>(19)</td><td>IRAS4A_MSAcat_19Jun2026</td><td>RA: 03 29 11.0198 (52.2959158d) Dec: +31 13 29.22 (31.22478d) Equinox: J2000</td><td></td><td></td></tr><tr><td colspan="5">Comments: Description=[]</td></tr></table>											#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	(19)	IRAS4A_MSAcat_19Jun2026	RA: 03 29 11.0198 (52.2959158d) Dec: +31 13 29.22 (31.22478d) Equinox: J2000			Comments: Description=[]				
	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous																					
(19)	IRAS4A_MSAcat_19Jun2026	RA: 03 29 11.0198 (52.2959158d) Dec: +31 13 29.22 (31.22478d) Equinox: J2000																								
Comments: Description=[]																										
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID															
	1	Filter: F140X; Readout: NRSRAPIDD6; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPIDD6	3	1	4	687.153																
Template	NIRSpec MultiObject Spectroscopy					NIRCам Imaging																				
	TA Method: MSATA					Module: ALL																				
	HFF Readout Mode: false					Subarray: FULL																				
	Obtain Confirmation Images: After Target ACQ																									
	Science Aperture: MSA Center																									
	Primary Candidate List: Primaries_IRAS4A (155 sources)																									
	Filler Candidate List: Fillers_IRAS4A (7779 sources)																									
Reference Stars	Spectral Overlap Map: jwst-nirspec-mr																									
	Spectral Overlap Threshold: 1.5																									
	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude																
	1	4284	52.276140	31.191976	23.424892880967256	1	4968	52.266889	31.241989	22.7001016609117																
	1	4295	52.277389	31.191711	24.577136574635894	1	5185	52.284441	31.227345	24.26703935010358																
	1	4704	52.249063	31.243662	22.702591976331966	1	6289	52.255679	31.214738	23.652194735246496																
Dithers	1					4860																				

Proposal 5552 - Observation 11 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy		Confirmation Type	Conf. Readout Pattern		Conf. Groups/Int	Conf. Integrations/Exp		Conf. Total Integrations		Conf. Total Exposure Time	
	1		After Target Acq	NRSIRS2RAPID		8	1		1		131.3	
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time	
	1	1 (G395M/F290LP)	c1-bad_rem-new_add	3 Shutter Slitlet	52.269271624999 995 Degrees 31.2207975 Degrees	32.243854072733 185			3	15	10066.334	
	2	2 (G235M/F170LP)	c1-bad_rem-new_add	3 Shutter Slitlet	52.269271624999 995 Degrees 31.2207975 Degrees	32.243854072733 185			3	3	2232.1	
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID		
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9		
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8		
Special Requirements	No Parallel Attachments MSA Scheduled Aperture PA 32.2577 to 32.2577 Degrees (V3 253.68309 to 253.68309)											
	11 After 21 by 80 Days to 365 Days											

Proposal 5552 - Observation 12 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 12: EMB11-p00-10x10r005-cnt12391											Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRSpec MultiObject Spectroscopy											
	Coordinated Parallel Template(s): NIRCам Imaging											
Diagnostics	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(16)	EMB11_MSАcat_12Feb2025	RA: 18 29 8.6135 (277.2858896d) Dec: +00 29 57.03 (.49917d) Equinox: J2000									
	Comments: Description=[]											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	Filter: F140X; Readout: NRSRAPID; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788		
Template	NIRSpec MultiObject Spectroscopy						NIRCам Imaging					
	TA Method: MSATA						Module: ALL					
	HFF Readout Mode: false						Subarray: FULL					
	Obtain Confirmation Images: After Target ACQ											
	Science Aperture: MSA Center											
	Primary Candidate List: Primaries_EMB11 (5725 sources)											
	Filler Candidate List: Fillers_EMB11 (11046 sources)											
Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude		
	1	66	277.280553	0.487012	21.11444319898842	1	13961	277.249597	0.518859	21.19150547877069	4	
	1	171	277.283618	0.492258	21.34296804816411	1	16323	277.278902	0.493544	21.40317614994029	7	
	1	305	277.286248	0.493977	21.24044803490130	1	16453	277.267019	0.540848	21.64355798788082	6	
	1	2572	277.292463	0.523565	21.06845180695347	1	16608	277.286608	0.542546	21.46293447552656	6	
Dithers	#	Dither Type										
	1	NONE										

Proposal 5552 - Observation 12 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy		Confirmation Type	Conf. Readout Pattern		Conf. Groups/Int	Conf. Integrations/Exp		Conf. Total Integrations		Conf. Total Exposure Time	
	1		After Target Acq	NRSIRS2RAPID		8	1		1		131.3	
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time	
	1	1 (G395M/F290LP)	c1-manual	3 Shutter Slitlet	277.275378333333 33 Degrees 0.521513333333 334 Degrees	42.004826271989 14			3	15	10066.334	
	2	2 (G235M/F170LP)	c1-manual	3 Shutter Slitlet	277.275378333333 33 Degrees 0.521513333333 334 Degrees	42.004826271989 14			3	3	2232.1	
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID		
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9		
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8		
Special Requirements	No Parallel Attachments											
	MSA Scheduled Aperture PA 42.0049 to 42.0049 Degrees (V3 263.4303 to 263.4303)											
	12 After 4 by 80 Days to <None specified>											

Proposal 5552 - Observation 13 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 13: SMM1a-p00-10x10r005-cnt3002											Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRSpec MultiObject Spectroscopy											
	Coordinated Parallel Template(s): NIRCам Imaging											
Diagnostics	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(14)	SMM1a_MSАcat_21Jan2025	RA: 18 29 49.2300 (277.4551250d) Dec: +01 15 21.74 (1.25604d) Equinox: J2000									
	Comments: Description=[]											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	Filter: F140X; Readout: NRSRAPID; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788		
Template	NIRSpec MultiObject Spectroscopy					NIRCам Imaging						
	TA Method: MSATA					Module: ALL						
	HFF Readout Mode: false					Subarray: FULL						
	Obtain Confirmation Images: After Target ACQ											
	Science Aperture: MSA Center											
	Primary Candidate List: Primaries_SMM1a (5332 sources)											
	Filler Candidate List: Fillers_SMM1a (2768 sources)											
	Spectral Overlap Map: jwst-nirspec-mr											
Spectral Overlap Threshold: 1.5												
Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude		
	1	208	277.467109	1.238759	21.075705722497737	1	1365	277.481574	1.273576	20.78311127197631		
	1	224	277.467121	1.228881	20.89727144826817	1	1455	277.484404	1.276921	20.65157923083995		
	1	361	277.475892	1.241698	21.417325130308008	1	3841	277.486397	1.265833	21.247909038633715		
	1	831	277.465128	1.291510	21.31084915931875	1	5626	277.444853	1.261507	20.683782288560238		
Dithers	#	Dither Type										
	1	NONE										

Proposal 5552 - Observation 13 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy		Confirmation Type	Conf. Readout Pattern		Conf. Groups/Int	Conf. Integrations/Exp		Conf. Total Integrations		Conf. Total Exposure Time	
	1		After Target Acq	NRSIRS2RAPID		8	1		1		131.3	
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time	
	1	1 (G395M/F290LP)	c1-manual_v2	3 Shutter Slitlet	277.472161125 Degrees 1.2564680555555555 556 Degrees	42.170980361421 556			3	15	10066.334	
	2	2 (G235M/F170LP)	c1-manual_v2	3 Shutter Slitlet	277.472161125 Degrees 1.2564680555555555 556 Degrees	42.170980361421 556			3	3	2232.1	
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID		
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9		
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8		
Special Requirements	No Parallel Attachments											
	MSA Scheduled Aperture PA 42.1706 to 42.1706 Degrees (V3 263.59604 to 263.59604)											
	13 After 5 by 80 Days to <None specified>											

Proposal 5552 - Observation 14 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 14: BHR71-p01-20x20r01-cnt15827-noweights											Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRSpec MultiObject Spectroscopy											
	Coordinated Parallel Template(s): NIRCcam Imaging											
Diagnostics	(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous			
	(18)	BHR71_MSAcat_13Jun2025	RA: 12 01 35.9794 (180.3999142d) Dec: -65 08 51.82 (-65.14773d) Equinox: J2000									
	Comments: Description=[]											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	Filter: F140X; Readout: NRSRAPID; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788		
Template	NIRSpec MultiObject Spectroscopy					NIRCcam Imaging						
	TA Method: MSATA					Module: ALL						
	HFF Readout Mode: false					Subarray: FULL						
	Obtain Confirmation Images: After Target ACQ											
	Science Aperture: MSA Center											
	Primary Candidate List: Primaries_BHR71 (253 sources)											
	Filler Candidate List: Fillers_BHR71 (28428 sources)											
	Spectral Overlap Map: jwst-nirspec-mr											
Spectral Overlap Threshold: 1.5												
Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude		
	1	142	180.468648	-65.156078	20.775999718277752	1	15466	180.443831	-65.172834	21.0890337832763		
	1	1131	180.450637	-65.136338	21.11234904266886	1	19168	180.390595	-65.154172	20.70186350806724		
	1	9404	180.465289	-65.147378	21.268729398031027	1	23666	180.387114	-65.188709	21.13252568268706		
	1	15244	180.464359	-65.180059	21.231901053417438	1	24043	180.392095	-65.173990	21.45819450210854		
Dithers	#	Dither Type										
	1	NONE										

Proposal 5552 - Observation 14 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy										
	Confirmation Type	Conf. Readout Pattern	Conf. Groups/Int	Conf. Integrations/Exp	Conf. Total Integrations	Conf. Total Exposure Time					
1	After Target Acq	NRSIRS2RAPID	8	1	1	131.3					
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395M/F290LP)	c1-manual	3 Shutter Slitlet	180.42254558333 335 Degrees - 65.1617 Degrees	275.83803834411 606			3	15	10066.334
	2	2 (G235M/F170LP)	c1-manual	3 Shutter Slitlet	180.42254558333 335 Degrees - 65.1617 Degrees	275.83803834411 606			3	3	2232.1
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9	
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8	
Special Requirements	No Parallel Attachments										
	MSA Scheduled Aperture PA 275.8586 to 275.8586 Degrees (V3 137.284 to 137.284)										

Proposal 5552 - Observation 15 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 15: HOPS108-p00-20x20r005-cnt1884											Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: NIRSpec MultiObject Spectroscopy											
	Coordinated Parallel Template(s): NIRCам Imaging											
Diagnostics	(HOPS108-p00-20x20r005-cnt1884 (Obs 15)) Warning (Form): Config c1-manual (#1) has 1 primary slit traces affected by failed open shutters.											
	(HOPS108-p00-20x20r005-cnt1884 (Obs 15)) Warning (Form): Config c1-manual (#2) has 1 primary slit traces affected by failed open shutters.											
	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(13)	HOPS108_MSAcat_13Dec2024	RA: 05 35 25.8969 (83.8579038d) Dec: -05 09 31.30 (-5.15869d) Equinox: J2000									
	Comments: Description=[]											
Acquisition	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	Filter: F140X; Readout: NRSRAPID; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788		
Template	NIRSpec MultiObject Spectroscopy					NIRCам Imaging						
	TA Method: MSATA					Module: ALL						
	HFF Readout Mode: false					Subarray: FULL						
	Obtain Confirmation Images: After Target ACQ											
	Science Aperture: MSA Center											
	Primary Candidate List: Primaries_HOPS108 (186 sources)											
	Filler Candidate List: null											
	Spectral Overlap Map: jwst-nirspec-mr											
Reference Stars	Spectral Overlap Threshold: 1.5											
	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude		
	1	512	83.848002	-5.195795	21.677971862195157	1	1711	83.889999	-5.179401	21.085451538449107		
	1	575	83.841261	-5.194480	22.69503887087363	1	1712	83.888036	-5.187689	22.042536731445992		
	1	1136	83.848061	-5.164298	22.8422756000285	1	1731	83.884973	-5.177938	21.663111930438014		
Dithers	1	1685	83.893427	-5.182908	22.13142289706414	1	1748	83.869767	-5.197415	22.27554315494482		
	#	Dither Type										
	1	NONE										

Proposal 5552 - Observation 15 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy		Confirmation Type	Conf. Readout Pattern		Conf. Groups/Int	Conf. Integrations/Exp		Conf. Total Integrations	Conf. Total Exposure Time	
	1		After Target Acq	NRSIRS2RAPID		8	1		1	131.3	
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395M/F290LP)	c1-manual	3 Shutter Slitlet	83.86345175 Degrees - 5.187607222221 98 Degrees	203.88447703893 505			3	15	10066.334
	2	2 (G235M/F170LP)	c1-manual	3 Shutter Slitlet	83.86345175 Degrees - 5.187607222221 98 Degrees	203.88447703893 505			3	3	2232.1
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9	
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8	
Special Requirements	No Parallel Attachments										
	MSA Scheduled Aperture PA 203.8849 to 203.8849 Degrees (V3 65.31035 to 65.31035)										
	15 After 7 by 80 Days to <None specified>										

Proposal 5552 - Observation 16 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Observation	Proposal 5552, Observation 16: HOPS373-p11-10x10r005-cnt57-sos										Mon Jun 22 22:01:13 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: NIRSpec MultiObject Spectroscopy										
	Coordinated Parallel Template(s): NIRCam Imaging										
Diagnostics	(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(10)	HOPS373_MSAcat_2Dec2024	RA: 05 46 32.6637 (86.6360988d)								
			Dec: -00 03 51.21 (-.06423d)								
			Equinox: J2000								
Acquisition	Comments: Description=[]										
	NIRSpec MultiObject Spectroscopy	Reference Star Bin	Target	Filter	MSA Configuration	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	Filter: F140X; Readout: NRSRAPID; 8 sources in 4 quads; [Optimal TA Accuracy]	SAME	F140X	Auto Acq MSA Config	NRSRAPID	3	1	4	171.788	
Template	NIRSpec MultiObject Spectroscopy										
	NIRCam Imaging										
	TA Method: MSATA										
	Module: ALL										
	HFF Readout Mode: false										
	Subarray: FULL										
	Obtain Confirmation Images: After Target ACQ										
	Science Aperture: MSA Center										
Primary Candidate List: Primaries (3038 sources)											
Filler Candidate List: Fillers (5292 sources)											
Spectral Overlap Map: jwst-nirspec-mr											
Spectral Overlap Threshold: 1.5											
Reference Stars	Visit	ID	RA	Dec	Magnitude	Visit	ID	RA	Dec	Magnitude	
	1	210	86.624484	-0.047888	21.41807121436331	1	3708	86.634014	-0.077521	21.07757843861716	
	1	381	86.612883	-0.063533	21.28590496599595	1	3752	86.629491	-0.082051	21.157980672781186	
	1	436	86.609171	-0.062680	20.83894086889000	1	4489	86.655547	-0.039992	20.854467144369323	
	1	643	86.631879	-0.088950	21.60773784313436	1	4538	86.651718	-0.048491	21.899805267174116	
Dithers	#	Dither Type									
	1	NONE									

Proposal 5552 - Observation 16 - Mapping the distribution of ices in the host environments of protostellar hot corinos

Confirmation	NIRSpec MultiObject Spectroscopy		Confirmation Type	Conf. Readout Pattern		Conf. Groups/Int	Conf. Integrations/Exp		Conf. Total Integrations	Conf. Total Exposure Time	
	1		After Target Acq	NRSIRS2RAPID		8	1		1	131.3	
Spectral Elements	NIRSpec MultiObject Spectroscopy	Exposure Specification	MSA Configuration	Nod Pattern	Pointing	Aperture PA	Dispersion Offset (Shutters)	Cross-Dispersion Offset (Shutters)	Total Dithers	Total Integrations	Total Exposure Time
	1	1 (G395M/F290LP)	c1-manually-modified2	3 Shutter Slitlet	86.633458666666 67 Degrees - 0.059647777777 9773 Degrees	206.40556171192 463			3	15	10066.334
	2	2 (G235M/F170LP)	c1-manually-modified2	3 Shutter Slitlet	86.633458666666 67 Degrees - 0.059647777777 9773 Degrees	206.40556171192 463			3	3	2232.1
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F212N	F470N+F444W	MEDIUM2	6	5	15	3	8503.522	144599.9	
	2	F187N	F323N+F322W2	MEDIUM2	6	1	3	3	1674.936	144599.8	
Special Requirements	No Parallel Attachments										
	MSA Scheduled Aperture PA 206.4056 to 206.4056 Degrees (V3 67.831 to 67.831)										
	16 After 8 by 80 Days to <None specified>										