



10445 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. Anna G de Graaff (PI)	Center for Astrophysics Harvard & Smithsonian
Dr. David Setton (CoI) (CoPI) (US Admin CoI) (Contact)	The Johns Hopkins University
Dr. Raphael Erik Hviding (CoI) (ESA Member)	Max Planck Institute for Astronomy
Prof. Jenny Emma Greene (CoI)	Princeton University
Prof. Ivo Labbe (CoI)	Swinburne University of Technology
Dr. Jakob Helton (CoI)	The Pennsylvania State University
Dr. Joel Leja (CoI)	The Pennsylvania State University
Dr. Jorryt Matthee (CoI) (ESA Member)	Institute of Science and Technology Austria
Dr. Leindert Boogaard (CoI) (ESA Member)	Universiteit Leiden
Dr. Michaela Hirschmann (CoI) (ESA Member)	Ecole Polytechnique Federale de Lausanne
Dr. Nikko J. Cleri (CoI)	The Pennsylvania State University
Dr. Rohan Naidu (CoI)	University of Hawaii
Dr. Tim Blake Miller (CoI)	Northwestern University
Dr. Bingjie Wang (CoI)	Princeton University
Prof. Pratika Dayal (CoI) (CSA Member)	Canadian Institute for Theoretical Astrophysics
Prof. Justin Spilker (CoI)	Texas A & M University
Dr. Hans-Walter R Rix (CoI) (ESA Member)	Max Planck Institute for Astronomy
Dr. Alberto Torralba (CoI) (ESA Member)	Institute of Science and Technology Austria
Dr. Lukas Jonathan Furtak (CoI)	University of Texas at Austin
Dr. Andrew Goulding (CoI)	Princeton University
Dr. Kasper Elm Heintz (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute

JWST Proposal 10445 (Created: Friday, May 1, 2026, 6:00:10PM Eastern Standard Time) - Overview

<i>Name</i>	<i>Institution</i>
Dr. Harley Katz (CoI)	University of Chicago
Dr. Gabriel Brammer (CoI) (ESA Member)	University of Copenhagen, Niels Bohr Institute
Mr. Daniel Joseph Lyon (CoI)	Swinburne University of Technology
Dr. Ian McConachie (CoI)	University of Wisconsin - Madison
Dr. Sownak Bose (CoI)	Harvard University

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
MIRI/LRS Observations, The Rosetta Stone				
	1	Obs #1 [Rosetta_Stone]	MIRI Low Resolution Spectroscopy	(1) Rosetta_Stone
MIRI/LRS Observations, WIDE-2974				
	2	Obs #2 [2974]	MIRI Low Resolution Spectroscopy	(2) WIDE-2974
MIRI/LRS Observations, UNCOVER-20698				
	3	Obs #3 [20698]	MIRI Low Resolution Spectroscopy	(3) UNCOVER-20698
MIRI/LRS Observations, The BRD				
	4	Obs #4 [BRD]	MIRI Low Resolution Spectroscopy	(4) BRD
MIRI/LRS Observations, The Cliff				
	5	Obs #5 [Cliff]	MIRI Low Resolution Spectroscopy	(5) The_Cliff
MIRI/LRS Observations, NEXUS-2314				
	6	Obs #6 [2314]	MIRI Low Resolution Spectroscopy	(6) NEXUS-2314
MIRI/LRS Observations, The Monster				
	7	Obs #7 [Monster]	MIRI Low Resolution Spectroscopy	(7) The_Monster

ABSTRACT

JWST has revealed a remarkable population of compact red sources known as Little Red Dots (LRDs). Initially thought to be dust-reddened active galactic nuclei (AGN) due to their red colors and broad Balmer lines, the implied bolometric luminosities would be excessively high. Recent work has suggested that LRDs could instead be a new type of gas-enshrouded AGN: not dust, but thermal emission from dense gas would cause their red continua. If confirmed, the impact on our understanding of early black hole growth would be profound.

To determine whether LRDs are reddened by dust or gas requires observations in the rest near-IR. The gas-reddened models make 2 key testable predictions: the rest 1-3 um SED follows a steeply-declining blackbody spectrum, and resonant scattering of Balmer lines imprints a pattern on the

Balmer to Pa-alpha flux ratios that is distinct from attenuation by dust. Without spectroscopy, MIRI broad-band imaging constraints on the IR continua and Pa-alpha lines of LRDs are inconclusive and additionally primarily come from stacks instead of individual objects. However, the LRD population is heterogeneous, showing a diverse range in spectral properties, and stacking thus is severely prone to biases.

We propose deep MIRI low-resolution spectroscopy of rest 1-3 μm for 7 of the brightest-known LRDs at $2 < z < 4$ that show great spectral diversity. We will (1) constrain the IR continuum shape and (2) measure the Pa-alpha line, to finally determine whether - and which type of - LRDs are dusty or gas-reddened. Mid-IR spectra of LRDs are still scarce: this program will additionally probe a suite of dust and warm gas tracers, opening a new discovery space for LRDs.

OBSERVING DESCRIPTION

We are proposing for deep spectroscopic follow-up observations with the MIRI/LRS. The target sample includes seven Little Red Dots (LRDs) with numerous existing JWST observations. These existing observations include NIRCам/Imaging that confirms the compact nature of our target sample in addition to NIRSspec/Spectroscopy that confirms the redshifts, V-shaped spectral energy distributions (SEDs), and broad-Balmer lines.

We utilized the Dawn JWST Archive (DJA) to select the target sample of seven LRDs. These LRDs were selected to span the full range of redshifts, bolometric luminosities, inferred blackbody temperatures, and Balmer-break strengths in order to provide a representative sample of LRDs. The blackbody temperatures and Balmer-break strengths were chosen to quantify the spectral diversity of the rest-frame optical continuum. The redshift range covered by our sample is between 2.2 and 4.5, which spans more than one billion years of cosmic time. The upper limit on redshift was chosen so that the MIRI/LRS could fully probe the rest-frame near-infrared SED of these LRDs. Furthermore, we only selected the brightest sources (i.e., brighter than 24 AB mag in NIRCам/F444W) to ensure continuum detection with the MIRI/LRS.

The requested exposure time requirement is determined by the minimum time needed to robustly constrain the shape of the near-infrared continua, and to distinguish between a blackbody SED and a hot dust component. The observing strategy that we adopted is comparable to other programs with similarly deep observations for slit spectroscopy with the MIRI/LRS (e.g., Proposal IDs 3703, 7078, 8051, 8544, 9165, and 9425). We request a range of integration times (1.2-12 hours per object) tailored to the F444W brightness of each object. This request includes 115 groups per integration, 7-22 integrations per exposure, and two dithers along the slit nod. For the faintest targets, we perform target acquisition (TA) on nearby, bright Gaia stars; for the brightest target, we perform self-TA. We do not request verification images since the predicted continuum detections are sufficient for verifying that the LRDs are fully within the slit.

Proposal 10445 - Targets - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

(6)	NEXUS-2314	RA: 17 54 10.0550 (268.5418958d) Dec: +65 08 19.71 (65.13881d) Equinox: J2000	Epoch of Position: 2000
Comments: NEXUS-2314 is a Little Red Dot (LRD) at redshift 4.422 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the North Ecliptic Pole (NEP) field and was selected from the Dawn JWST Archive (DJA). The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam. Category=Galaxy Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies] Extended=NO			
(7)	The_Monster	RA: 00 14 20.3424 (3.5847600d) Dec: -30 20 37.06 (-30.34363d) Equinox: J2000	Epoch of Position: 2000
Comments: UNCOVER-A2744-45924 is a Little Red Dot (LRD) at redshift 4.463 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the Abell 2744 (A2744) lensing cluster field and was selected from the Dawn JWST Archive (DJA). The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam. This source is also known as "The Monster" (arXiv:2412.04557). Category=Galaxy Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies] Extended=NO			
(8)	TA___The_Rosetta_Stone	RA: 12 36 16.7774 (189.0699058d) Dec: +62 15 43.45 (62.26207d) Equinox: J2000	Proper Motion RA: +4.224 mas/yr Proper Motion Dec: -2.363 mas/yr Parallax: 0.0023585" Epoch of Position: 2000
Comments: Target acquisition (TA) star for JADES-GN-OBS2-28074. Coordinates are from Gaia DR3 with identification 1583586572686187904. Alternate names are PS1 182711890700295200 and SDSS13 1237655369825779884. (G = 18.429490 mag; BP = 20.005860 mag; RP = 17.216318 mag; BP - RP = 2.789541) (T_eff = 3362.3 K; log_g = 4.8495 cm/s^2; [Fe/H] = +0.0301; A0 = 0.6931 mag) Category=Star Description=[M stars] Extended=NO			
(9)	TA___WIDE-2974	RA: 14 20 33.2701 (215.1386254d) Dec: +53 03 20.60 (53.05572d) Equinox: J2000	Proper Motion RA: -8.032 mas/yr Proper Motion Dec: +0.360 mas/yr Parallax: 0.1534" Epoch of Position: 2000
Comments: Target acquisition (TA) star for WIDE-EGS-OBS1-2974. Coordinates are from Gaia DR3 with identification 1608035618184127872. Alternate names are PS1 171662151385657573 and SDSS13 1237661386531668019. (G = 17.903404 mag; BP = 18.192717 mag; RP = 17.507910 mag; BP - RP = 0.684807) (T_eff = 6098.2 K; log_g = 4.4810 cm/s^2; [Fe/H] = -1.4098; A0 = 0.0188 mag) Category=Star Description=[G stars] Extended=NO			

Proposal 10445 - Targets - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

(10)	TA___UNCOVER-20698	RA: 00 14 16.7087 (3.5696196d) Dec: -30 24 18.10 (-30.40503d) Equinox: J2000	Proper Motion RA: +4.214 mas/yr Proper Motion Dec: -4.580 mas/yr Parallax: 0.0014027" Epoch of Position: 2000
Comments: Target acquisition (TA) star for UNCOVER-A2744-OBS61-20698. Coordinates are from Gaia DR3 with identification 2320205826528294144. Alternate names are PS1 71510035695914239 and AllWise J001416.72-302417.9. (G = 19.333563 mag; BP = 20.619780 mag; RP = 18.192932 mag; BP - RP = 2.426848) Category=Star Description=[M stars] Extended=NO			
(12)	TA___The_Cliff	RA: 02 17 38.1836 (34.4090983d) Dec: -05 08 24.54 (-5.14015d) Equinox: J2000	Epoch of Position: 2000
Comments: Target acquisition (TA) star for RUBIES-UDS-OBS31-154183. Coordinates are from Gaia DR3 with identification 2489654282199721088. Alternate names are PS1 101830344089802205 and SDSS13 1237679322324205740. Proper motions and annual parallax are unknown for this source according to Gaia DR3. (G = 21.266575 mag; BP = 19.647886 mag; RP = 18.407818 mag; BP - RP = 1.240068 mag) Category=Star Description=[G stars] Extended=NO			
(13)	TA___NEXUS-2314	RA: 17 54 8.5637 (268.5356821d) Dec: +65 07 44.70 (65.12908d) Equinox: J2000	Proper Motion RA: -7.552 mas/yr Proper Motion Dec: -18.083 mas/yr Parallax: 0.0022115" Epoch of Position: 2000
Comments: Target acquisition (TA) star for NEXUS-NEP-OBS5-2314. Coordinates are from Gaia DR3 with identification 1440829453269862400. Alternate names are PS1 186152685356275572 and SDSS13 1237671940880269695. (G = 17.007833 mag; BP = 18.191326 mag; RP = 15.939125 mag; BP - RP = 2.252201) (T_eff = 3724.8 K; log_g = 4.6411 cm/s^2; [Fe/H] = -0.0172; A0 = 0.6466 mag) Category=Star Description=[M stars] Extended=NO			
(14)	TA___The_Monster	RA: 00 14 19.7553 (3.5823137d) Dec: -30 21 16.22 (-30.35451d) Equinox: J2000	Proper Motion RA: -2.160 mas/yr Proper Motion Dec: -4.606 mas/yr Parallax: 0.0016933" Epoch of Position: 2000
Comments: Target acquisition (TA) star for UNCOVER-A2744-45924. Coordinates are from Gaia DR3 with identification 2320212668412122496. Alternate names are PS1 71570035822774864 and AllWise J001419.76-302116.1. (G = 18.347656 mag; BP = 19.732970 mag; RP = 17.215538 mag; BP - RP = 2.517431) (T_eff = 3355.4 K; log_g = 4.8888 cm/s^2; [Fe/H] = -0.0627; A0 = 0.0060 mag) Category=Star Description=[M stars] Extended=NO			

Proposal 10445 - Observation 1 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 1: Obs #1 [Rosetta_Stone]								Fri May 01 23:00:10 GMT 2026	
	Diagnostic Status: Warning									
	Observing Template: MIRI Low Resolution Spectroscopy									
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous			
	(1)	Rosetta_Stone	RA: 12 36 15.5014 (189.0645892d)		Epoch of Position: 2000					
			Dec: +62 16 25.74 (62.27382d)							
			Equinox: J2000							
		Comments: JADES-GN-28074 is a Little Red Dot (LRD) at redshift 2.273 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the CANDELS Great Observatories Origins Deep Survey North (GOODS-N) field and was selected from the Dawn JWST Archive (DJA).								
		The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam.								
	This source is also known as "The Rosetta Stone" (arXiv:2407.08643).									
	Category=Galaxy									
	Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies]									
	Extended=NO									
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	8 TA__The_Rosetta_Stone	F560W	FAST	6	1	1	16.65	274795	
Template	Subarray				Obtain Verification Image?					
	FULL				false					
Dithers	#	Dither Type		No. Spectral Steps		Spectral Step Offset		No. Spatial Steps		Spatial Step Offset
	1	ALONG SLIT NOD								
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	FASTR1	115	7	14	1	2	4501.115	274795	

Proposal 10445 - Observation 1 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Special Requirements	Background Limited. Background no more than 20th percentile above minimum
----------------------	---

Proposal 10445 - Observation 2 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 2: Obs #2 [2974]								Fri May 01 23:00:10 GMT 2026
	Diagnostic Status: Warning								
	Observing Template: MIRI Low Resolution Spectroscopy								
Diagnostics	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous		
	(2)	WIDE-2974	RA: 14 20 30.4189 (215.1267454d)		Epoch of Position: 2000				
			Dec: +53 02 54.11 (53.04836d)						
			Equinox: J2000						
			Comments: WIDE-EGS-2974 is a Little Red Dot (LRD) at redshift 2.319 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the CANDELS Extended Goth Strip (EGS) field and was selected from the Dawn JWST Archive (DJA).						
	The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam.								
	Category=Galaxy								
	Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies]								
	Extended=NO								
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	9 TA__WIDE-2974	F560W	FASTGRPAVG	10	1	1	111.002	274795
Template	Subarray				Obtain Verification Image?				
	FULL				false				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order	
	1	3	100.0		100.0	0.0	0.0	DEFAULT	
Dithers	#	Dither Type		No. Spectral Steps	Spectral Step Offset		No. Spatial Steps	Spatial Step Offset	
	1	ALONG SLIT NOD							
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID
	1	FASTR1	115	22	44	1	2	14158.254	274795

Proposal 10445 - Observation 2 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Special Requirements	Aperture PA Range 100 to 255 Degrees (V3 95.24203 to 250.24203) Background Limited. Background no more than 20th percentile above minimum
----------------------	--

Proposal 10445 - Observation 3 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 3: Obs #3 [20698]								Fri May 01 23:00:10 GMT 2026
	Diagnostic Status: Warning Observing Template: MIRI Low Resolution Spectroscopy								
Diagnostics	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous		
	(3)	UNCOVER-20698	RA: 00 14 13.6092 (3.5567050d) Dec: -30 24 29.49 (-30.40819d) Equinox: J2000		Epoch of Position: 2000				
	Comments: UNCOVER-A2744-20698 is a Little Red Dot (LRD) at redshift 2.417 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the Abell 2744 (A2744) lensing cluster field and was selected from the Dawn JWST Archive (DJA).								
	The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam.								
	Category=Galaxy								
	Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies]								
	Extended=NO								
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	10 TA__UNCOVER-20698	F560W	FASTGRPAVG	4	1	1	44.401	274795
Template	Subarray				Obtain Verification Image?				
	FULL				false				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order	
	1	3	100.0		100.0	0.0	0.0	DEFAULT	
Dithers	#	Dither Type		No. Spectral Steps	Spectral Step Offset		No. Spatial Steps	Spatial Step Offset	
	1	ALONG SLIT NOD							
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID
	1	FASTR1	115	13	26	1	2	8363.971	

Proposal 10445 - Observation 3 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Special Requirements	Aperture PA Range 0 to 50 Degrees (V3 355.24203 to 45.24203) Background Limited. Background no more than 20th percentile above minimum
----------------------	---

Proposal 10445 - Observation 4 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 4: Obs #4 [BRD]								Fri May 01 23:00:10 GMT 2026	
	Diagnostic Status: Warning									
Observing Template: MIRI Low Resolution Spectroscopy										
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous			
	(4)	BRD	RA: 02 16 58.6080 (34.2442000d) Dec: -05 14 45.14 (-5.24587d) Equinox: J2000		Epoch of Position: 2000					
	Comments: RUBIES-UDS-40579 is a Little Red Dot (LRD) at redshift 3.11 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the CANDELS Ultra Deep Survey (UDS) field and was selected from the Dawn JWST Archive (DJA).									
	The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam.									
	This source is also known as "RUBIES-BLAGN-1" or the "BRD" (arXiv:2403.02304). Category=Galaxy Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies] Extended=NO									
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	SAME	F560W	FASTGRPAVG8	10	1	1	222.003	274795	
Template	Subarray				Obtain Verification Image?					
	FULL				false					
Dithers	#	Dither Type		No. Spectral Steps		Spectral Step Offset		No. Spatial Steps		Spatial Step Offset
	1	ALONG SLIT NOD								
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	FASTR1	115	7	14	1	2	4501.115	274795	

Proposal 10445 - Observation 4 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Special Requirements	Background Limited. Background no more than 20th percentile above minimum
----------------------	---

Proposal 10445 - Observation 5 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 5: Obs #5 [Cliff]									Fri May 01 23:00:10 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: MIRI Low Resolution Spectroscopy									
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(5)	The_Cliff	RA: 02 17 38.5797 (34.4107487d) Dec: -05 07 46.79 (-5.12966d) Equinox: J2000			Epoch of Position: 2000				
	Comments: RUBIES-UDS-154183 is a Little Red Dot (LRD) at redshift 3.549 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the CANDELS Ultra Deep Survey (UDS) field and was selected from the Dawn JWST Archive (DJA).									
	The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam.									
	This source is also known as "The Cliff" (arXiv:2503.16600).									
	Category=Galaxy Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies] Extended=NO									
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	12 TA___The_Cliff	F560W	FAST	10	1	1	27.75	274795	
Template	Subarray					Obtain Verification Image?				
	FULL					false				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order		
	1	3	100.0		100.0	0.0	0.0	DEFAULT		
Dithers	#	Dither Type	No. Spectral Steps		Spectral Step Offset	No. Spatial Steps		Spatial Step Offset		
	1	ALONG SLIT NOD								
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	FASTR1	115	13	26	1	2	8363.971	274795	

Special Requirements	Background Limited. Background no more than 20th percentile above minimum
----------------------	---

Proposal 10445 - Observation 6 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 6: Obs #6 [2314]								Fri May 01 23:00:10 GMT 2026
	Diagnostic Status: Warning								
Observing Template: MIRI Low Resolution Spectroscopy									
Diagnostics	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Fixed Targets	#	Name	Target Coordinates		Targ. Coord. Corrections		Miscellaneous		
	(6)	NEXUS-2314	RA: 17 54 10.0550 (268.5418958d) Dec: +65 08 19.71 (65.13881d) Equinox: J2000		Epoch of Position: 2000				
Comments: NEXUS-2314 is a Little Red Dot (LRD) at redshift 4.422 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the North Ecliptic Pole (NEP) field and was selected from the Dawn JWST Archive (DJA).									
The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam.									
Category=Galaxy									
Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies]									
Extended=NO									
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	13 TA__NEXUS-2314	F1500W	FAST	4	1	1	11.1	274795
Template	Subarray				Obtain Verification Image?				
	FULL				false				
Mosaic	Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order		
	1	3	100.0	100.0	0.0	0.0	DEFAULT		
Dithers	#	Dither Type	No. Spectral Steps	Spectral Step Offset	No. Spatial Steps	Spatial Step Offset			
	1	ALONG SLIT NOD							
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID
	1	FASTR1	115	13	26	1	2	8363.971	274795

Proposal 10445 - Observation 6 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Special Requirements	Background Limited. Background no more than 20th percentile above minimum
----------------------	---

Proposal 10445 - Observation 7 - Reddened by dust or gas? Unveiling the "Red" in Little Red Dots with MIRI/LRS

Observation	Proposal 10445, Observation 7: Obs #7 [Monster] Fri May 01 23:00:10 GMT 2026								
	Diagnostic Status: Warning Observing Template: MIRI Low Resolution Spectroscopy								
Diagnostics	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.								
Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections			Miscellaneous		
	(7)	The_Monster	RA: 00 14 20.3424 (3.5847600d) Dec: -30 20 37.06 (-30.34363d) Equinox: J2000	Epoch of Position: 2000			Comments: UNCOVER-A2744-45924 is a Little Red Dot (LRD) at redshift 4.463 with a V-shaped spectral energy distribution (SED) and broad-Balmer emission lines. This LRD is located in the Abell 2744 (A2744) lensing cluster field and was selected from the Dawn JWST Archive (DJA). The quoted uncertainties on the coordinates correspond to the short-wavelength pixel scale for JWST/NIRCam. This source is also known as "The Monster" (arXiv:2412.04557). Category=Galaxy Description=[Active galactic nuclei, Compact galaxies, High-redshift galaxies] Extended=NO		
Acquisition	#	Target	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID
	1	14 TA__The_Monster	F560W	FAST	6	1	1	16.65	274795
Template	Subarray				Obtain Verification Image?				
	FULL				false				
Dithers	#	Dither Type	No. Spectral Steps	Spectral Step Offset	No. Spatial Steps	Spatial Step Offset			
	1	ALONG SLIT NOD							
Spectral Elements	#	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Exposures/Dith	Total Dithers	Total Exposure Time	Optional ETC ID
	1	FASTR1	115	7	14	1	2	4501.115	274795

Special Requirements	Background Limited. Background no more than 20th percentile above minimum
----------------------	---