



10202 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Prof. Steven L. Finkelstein (PI)	University of Texas at Austin
Prof. Pablo G. Perez-Gonzalez (CoI) (ESA Member) (CoPI) (Contact)	Centro de Astrobiologia - CAB
Hollis Akins (CoI)	Princeton University
Dr. Micaela Bagley (CoI)	NASA Goddard Space Flight Center
Dr. Guillermo Barro (CoI)	University of the Pacific
Dr. Laura Bisigello (CoI) (ESA Member)	INAF - Osservatorio di Astrofisica e Scienza dello Spazio
Dr. Volker Bromm (CoI)	University of Texas at Austin
Oscar Antonio Chavez Ortiz (CoI)	University of Texas at Austin
Katherine Chworowsky (CoI)	University of Texas at Austin
Dr. Mark Dickinson (CoI)	NOIRLab - (AZ)
Prof. Andrea Ferrara (CoI) (ESA Member)	Scuola Normale Superiore, Pisa
Dr. Seiji Fujimoto (CoI) (CSA Member)	University of Toronto
Dr. Giovanni Gandolfi (CoI) (ESA Member)	INAF - Osservatorio Astronomico di Roma
Prof. Mauro Giavalisco (CoI)	University of Massachusetts - Amherst
Ansh Rana Gupta (CoI)	University of Texas at Austin
Dr. Taylor Alexandra Hutchison (CoI)	NASA Goddard Space Flight Center
Dr. Jeyhan Kartaltepe (CoI)	Rochester Institute of Technology
Prof. Dale D. Kocevski (CoI)	Colby College
Dr. Vasily Kokorev (CoI)	University of Texas at Austin
Rebecca Larson (CoI)	Space Telescope Science Institute
Dr. Gene C K Leung (CoI)	Massachusetts Institute of Technology

JWST Proposal 10202 (Created: Wednesday, June 3, 2026, 12:00:25PM Eastern Standard Time) - Overview

Name	Institution
Dr. Shyam Harimohan Menon (CoI)	Rutgers the State University of New Jersey
Alexa Morales (CoI)	University of Texas at Austin
Dr. Desika Narayanan (CoI)	University of Florida
Dr. Fabio Pacucci (CoI)	Smithsonian Institution Astrophysical Observatory
Dr. Casey Papovich (CoI)	Texas A & M University
Dr. Norbert Pirzkal (CoI) (ESA Member)	Space Telescope Science Institute - ESA - JWST
Dr. Pierluigi Rinaldi (CoI)	Space Telescope Science Institute
Prof. Giulia Rodighiero (CoI) (ESA Member)	Universita degli Studi di Padova
Prof. Raffaella Schneider (CoI) (ESA Member)	Sapienza Università di Roma
Prof. Rachel S. Somerville (CoI)	Simons Foundation Center for Computational Astrophysics
Dr. Anthony J. Taylor (CoI)	University of Texas at Austin
Natalia C. Villanueva (CoI)	University of Texas at Austin
Dr. L. Y. Aaron Yung (CoI)	Space Telescope Science Institute
Dr. Tiger Hsiao (CoI)	University of Texas at Austin
Dr. Jed McKinney (CoI)	University of Texas at Austin
Mr. Michele Catone (CoI) (ESA Member)	Universita degli Studi di Padova
Dr. Anton M. Koekemoer (CoI)	Space Telescope Science Institute
Prof. John Chisholm (CoI)	University of Texas at Austin

OBSERVATIONS

Folder	Observation	Label	Observing Template	Science Target
MIRI imaging+NIRCam imaging				
	1	P21A	MIRI Imaging	(3) MIRAGE-P21
	2	P21B	MIRI Imaging	(3) MIRAGE-P21
	3	P22A	MIRI Imaging	(4) MIRAGE-P22
	4	P22B	MIRI Imaging	(4) MIRAGE-P22
MIRI imaging + NIRCam WFSS				
	5	P11A-WFSS	NIRCam Wide Field Slitless Spectroscopy	(1) MIRAGE-P11-WFSS
	6	P11B-WFSS	NIRCam Wide Field Slitless Spectroscopy	(1) MIRAGE-P11-WFSS
	7	P12A-WFSS	NIRCam Wide Field Slitless Spectroscopy	(2) MIRAGE-P12-WFSS
	8	P12B-WFSS	NIRCam Wide Field Slitless Spectroscopy	(2) MIRAGE-P12-WFSS
	9	P31A-WFSS	NIRCam Wide Field Slitless Spectroscopy	(5) MIRAGE-P31-WFSS

Folder	Observation	Label	Observing Template	Science Target
	10	P31B-WFSS	NIRCam Wide Field Slitless Spectroscopy	(5) MIRAGE-P31-WFSS
	11	P32A-WFSS	NIRCam Wide Field Slitless Spectroscopy	(6) MIRAGE-P32-WFSS
	12	P32B-WFSS	NIRCam Wide Field Slitless Spectroscopy	(6) MIRAGE-P32-WFSS
	13	P12-Extraimaging	NIRCam Imaging	(7) MIRAGE-extra

ABSTRACT

JWST has yielded a comprehensive set of NIRCam surveys covering large-shallow and narrow-deep parameter spaces, revealing that the Universe was more effective at producing ultraviolet photons than predicted. Such galaxies are predominantly blue, yet spectroscopy has shown them to be enriched to $\sim 5\text{-}20\%$ Solar metallicity. Such star-formation should have yielded significant dust reservoirs, which are seemingly absent. Are our theories of dust yields and destruction incorrect? Or is the dust “hiding” in plain sight, undetected by NIRCam?

MIRI provides the answer. With the MIRI Investigation of Red and Ancient Galaxies in the Early Universe (MIRAGE) survey, we will probe, for the first time, the obscured phases of galaxy evolution at $z > 7$ using deep MIRI imaging at 5-10 micron. MIRAGE data improves constraints on stellar mass, star-formation rate, and dust attenuation (both the amount, and the shape of the attenuation law) by 3-4X over that available by NIRCam alone, directly distinguishing between competing models for dust formation at early times. MIRAGE also enables the discovery of the first robust sample of LRDs (growing supermassive black holes) at $z > 9$, and characterizes a larger population of LRDs at $z < 9$.

MIRAGE covers an area 7X larger than the deepest MIRI survey, with $> 10\times$ longer exposures than approved MIRI surveys. We cover the most deeply surveyed area, the HUDF and surroundings, covering ~ 650 robust $z > 7$ galaxies (80 at $z > 9$). In parallel, MIRAGE observes the NGDEEP+MIDIS region (the deepest NIRCam imaging, yet with no spectroscopy) with very deep (4X FRESCO) NIRCam 3-5 μ m slitless spectroscopy, measuring redshifts at $z = 5\text{-}9$, and discovering new SMBHs.

OBSERVING DESCRIPTION

We request 157 hours of observations with MIRI in 6 pointings around the Hubble Ultra Deep Field using the F560W, F770W, and F1000W filters. This will multiply by 7 the area covered with deep (~ 11 hours) F1000W data (accounting for MIDIS observations).

In parallel, and by constraining the PA of the observations to $V3PA = 20.5$ degrees (approximately same angle used by MIDIS, which lies in the middle of our MIRI pointings), we will be able to observe with NIRCam in 2 modes in the specific area covered by previous surveys, namely, NGDEEP and MIDIS-NIRCam. Grism observations in F356W and F444W will be carried out for the pointing that overlap more than 60% with

JWST Proposal 10202 (Created: Wednesday, June 3, 2026, 12:00:25PM Eastern Standard Time) - Overview

already available NGDEEP and MIDIS imaging data, two of the three deepest surveys on the sky. Two other MIRI pointings throw parallel NIRCам data to the North and South of those surveys, so we will extend the deep NIRCам imaging coverage with 7 filters chosen to be able to detect $z > 7$ galaxy candidates.

Following the strategy employed by MIDIS, the MIRI observations will use ~ 100 groups with FASTR1 readout and a variety of CYCLE dithering patterns (i.e., random positions with no repetitions) to ensure good background homogenization.

Following the strategy of FRESCO and CONGRESS for NIRCам-grism observations, and for NGDEEP and MIDIS for NIRCам imaging data, we will use DEEP8 readout and at least 5 groups.

Proposal 10202 - Targets - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	MIRAGE-P11-WFSS	RA: 03 33 11.2100 (53.2967083d) Dec: -27 52 56.00 (-27.88222d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		
	(2)	MIRAGE-P12-WFSS	RA: 03 33 14.8300 (53.3117917d) Dec: -27 51 16.20 (-27.85450d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		
	(3)	MIRAGE-P21	RA: 03 32 35.5400 (53.1480833d) Dec: -27 48 49.76 (-27.81382d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		
	(4)	MIRAGE-P22	RA: 03 32 42.9502 (53.1789592d) Dec: -27 45 24.80 (-27.75689d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		
	(5)	MIRAGE-P31-WFSS	RA: 03 33 1.2900 (53.2553750d) Dec: -27 51 53.40 (-27.86483d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		
	(6)	MIRAGE-P32-WFSS	RA: 03 33 4.8700 (53.2702917d) Dec: -27 50 14.10 (-27.83725d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		
	(7)	MIRAGE-extra	RA: 03 33 14.8300 (53.3117917d) Dec: -27 51 16.20 (-27.85450d) Equinox: J2000 Comments: Category=Unidentified Description=[Blank field]		

Proposal 10202 - Observation 1 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 1: P21A										Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Coordinated Parallel Template(s): NIRCam Imaging										
Diagnostics	(Visit 1:1) Warning (Form): Data Excess over middle threshold										
	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(3)	MIRAGE-P21	RA: 03 32 35.5400 (53.1480833d) Dec: -27 48 49.76 (-27.81382d) Equinox: J2000								
	Comments: Category=Unidentified Description=[Blank field]										
Template	MIRI Imaging					NIRCam Imaging					
	Subarray: FULL					Module: ALL Subarray: FULL					
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	7						LARGE	
	2	CYCLING	8	7						LARGE	
Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	109	10	1	Dither 1	7	70	21348.383	
	2	F1000W	FASTR1	109	10	1	Dither 2	7	70	21348.383	
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F444W	DEEP8	7	2	14	7	19315.449		
	2	F115W	F444W	DEEP8	7	2	14	7	19315.449		

Proposal 10202 - Observation 1 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Special Requirements	Aperture PA Range 22.83544897 to 27.83544897 Degrees (V3 18.0 to 23.0) No Parallel Attachments
----------------------	---

Proposal 10202 - Observation 2 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 2: P21B											Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning											
	Observing Template: MIRI Imaging											
	Coordinated Parallel Template(s): NIRCam Imaging											
Diagnostics	(Visit 2:1) Warning (Form): Data Excess over lower threshold											
	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(3)	MIRAGE-P21	RA: 03 32 35.5400 (53.1480833d) Dec: -27 48 49.76 (-27.81382d) Equinox: J2000									
	Comments: Category=Unidentified Description=[Blank field]											
Template	MIRI Imaging						NIRCam Imaging					
	Subarray: FULL						Module: ALL Subarray: FULL					
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size		
	1	CYCLING	1	6						LARGE		
	2	CYCLING	1	4						LARGE		
Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	F770W	FASTR1	110	10	1	Dither 1	6	60	18465.116		
	2	F560W	FASTR1	110	10	1	Dither 2	4	40	12310.077		
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID		
	1	F150W	F356W	DEEP8	7	2	12	6	16556.099			
	2	F200W	F277W	DEEP8	7	2	8	4	11037.4			

Proposal 10202 - Observation 2 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Special Requirements	Aperture PA Range 22.83544897 to 27.83544897 Degrees (V3 18.0 to 23.0) No Parallel Attachments
----------------------	---

Proposal 10202 - Observation 3 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 3: P22A										Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Coordinated Parallel Template(s): NIRCam Imaging										
Diagnostics	(Visit 3:1) Warning (Form): Data Excess over middle threshold										
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(4)	MIRAGE-P22	RA: 03 32 42.9502 (53.1789592d) Dec: -27 45 24.80 (-27.75689d) Equinox: J2000								
	Comments: Category=Unidentified Description=[Blank field]										
Template	MIRI Imaging					NIRCam Imaging					
	Subarray: FULL					Module: ALL Subarray: FULL					
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	7						LARGE	
	2	CYCLING	8	7						LARGE	
Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	109	10	1	Dither 1	7	70	21348.383	
	2	F1000W	FASTR1	109	10	1	Dither 2	7	70	21348.383	
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F090W	F444W	DEEP8	7	2	14	7	19315.449		
	2	F115W	F444W	DEEP8	7	2	14	7	19315.449		

Proposal 10202 - Observation 3 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Special Requirements	Aperture PA Range 22.83544897 to 27.83544897 Degrees (V3 18.0 to 23.0) No Parallel Attachments
----------------------	---

Proposal 10202 - Observation 4 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 4: P22B										Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Coordinated Parallel Template(s): NIRCam Imaging										
Diagnostics	(Visit 4:1) Warning (Form): Data Excess over lower threshold										
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(4)	MIRAGE-P22	RA: 03 32 42.9502 (53.1789592d)								
			Dec: -27 45 24.80 (-27.75689d)								
			Equinox: J2000								
Template	Comments: Category=Unidentified Description=[Blank field]										
	MIRI Imaging					NIRCam Imaging					
	Subarray: FULL					Module: ALL					
						Subarray: FULL					
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	6						LARGE	
	2	CYCLING	1	4						LARGE	
Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	110	10	1	Dither 1	6	60	18465.116	
	2	F560W	FASTR1	110	10	1	Dither 2	4	40	12310.077	
Spectral Elements	NIRCam Imaging	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID	
	1	F150W	F356W	DEEP8	7	2	12	6	16556.099		
	2	F200W	F277W	DEEP8	7	2	8	4	11037.4		

Proposal 10202 - Observation 4 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Special Requirements	Aperture PA Range 22.83544897 to 27.83544897 Degrees (V3 18.0 to 23.0) No Parallel Attachments
----------------------	---

Proposal 10202 - Observation 5 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 5: P11A-WFSS												Wed Jun 03 17:00:25 GMT 2026	
	Diagnostic Status: Warning													
	Observing Template: NIRCam Wide Field Slitless Spectroscopy													
	Coordinated Parallel Template(s): MIRI Imaging													
Diagnostics	(P11A-WFSS (Obs 5)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.													
	(P11A-WFSS (Obs 5)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.													
	(Visit 5:1) Warning (Form): Data Excess over middle threshold													
	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.													
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous			
	(1)	MIRAGE-P11-WFSS	RA: 03 33 11.2100 (53.2967083d) Dec: -27 52 56.00 (-27.88222d) Equinox: J2000											
Template	Comments: Category=Unidentified Description=[Blank field]													
	NIRCam Wide Field Slitless Spectroscopy							MIRI Imaging						
	Module: ALL							Subarray: FULL						
	Subarray: FULL													
	Grism (Long Wavelength): GRISMR													
	Show partial spectra region in Aladin: false													
Dithers	Target Placement: Module gap (large extended source)													
	#	Primary Dither Type					Primary Dithers				Subpixel Positions			
	1	NONE					3				4-POINT-WITH-MIRI-F1000W			
Direct Image	NIRCam Wide Field Slitless Spectroscopy													
	1	F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1		
	2	F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1		
	3	F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1		
Spectral Elements	NIRCam Wide Field Slitless Spectroscopy													
	1	F115W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4		
	2	F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4		
	3	F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4		
	4	F200W	F444W	DEEP8	7	2	4	5518.7			Out of Field	2		

Proposal 10202 - Observation 5 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	109	9	1		4	36	10978.058	
	2	F1000W	FASTR1	109	9	1		1	9	2744.515	
	3	F1000W	FASTR1	109	9	1		4	36	10978.058	
	4	F1000W	FASTR1	109	9	1		1	9	2744.515	
	5	F1000W	FASTR1	109	9	1		4	36	10978.058	
	6	F1000W	FASTR1	109	9	1		1	9	2744.515	
	7	F1000W	FASTR1	109	9	1		2	18	5489.029	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 6 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 6: P11B-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P11B-WFSS (Obs 6)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P11B-WFSS (Obs 6)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 6:1) Warning (Form): Data Excess over lower threshold												
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(1)	MIRAGE-P11-WFSS	RA: 03 33 11.2100 (53.2967083d) Dec: -27 52 56.00 (-27.88222d) Equinox: J2000										
	Comments: Category=Unidentified Description=[Blank field]												
Template	NIRCam Wide Field Slitless Spectroscopy												MIRI Imaging
	Module: ALL												Subarray: FULL
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR												
	Show partial spectra region in Aladin: false												
Target Placement: Module gap (large extended source)													
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F090W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
	2	F150W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
Spectral Elements	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	2	F150W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	3	F150W	F356W	DEEP8	7	1	2	2748.613			Out of Field	2	

Proposal 10202 - Observation 6 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F560W	FASTR1	110	9	1		4	36	11077.96	
	2	F770W	FASTR1	110	4	1		1	4	1229.343	
	3	F770W	FASTR1	110	9	1		4	36	11077.96	
	4	F770W	FASTR1	110	4	1		1	4	1229.343	
	5	F770W	FASTR1	110	4	1		2	8	2458.685	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 7 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 7: P12A-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P12A-WFSS (Obs 7)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P12A-WFSS (Obs 7)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 7:1) Warning (Form): Data Excess over middle threshold												
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(2)	MIRAGE-P12-WFSS	RA: 03 33 14.8300 (53.3117917d) Dec: -27 51 16.20 (-27.85450d) Equinox: J2000										
	Comments: Category=Unidentified Description=[Blank field]												
Template	NIRCam Wide Field Slitless Spectroscopy								MIRI Imaging				
	Module: ALL								Subarray: FULL				
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR Show partial spectra region in Aladin: false Target Placement: Module gap (large extended source)												
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image		NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
	2		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
	3		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
Spectral Elements		NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1		F115W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4
	2		F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4
	3		F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4
	4		F200W	F444W	DEEP8	7	2	4	5518.7			Out of Field	2

Proposal 10202 - Observation 7 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	109	9	1		4	36	10978.058	
	2	F1000W	FASTR1	109	9	1		1	9	2744.515	
	3	F1000W	FASTR1	109	9	1		4	36	10978.058	
	4	F1000W	FASTR1	109	9	1		1	9	2744.515	
	5	F1000W	FASTR1	109	9	1		4	36	10978.058	
	6	F1000W	FASTR1	109	9	1		1	9	2744.515	
	7	F1000W	FASTR1	109	9	1		2	18	5489.029	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments 13 After 7 by 0 Days to 1 Days										

Proposal 10202 - Observation 8 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 8: P12B-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P12B-WFSS (Obs 8)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P12B-WFSS (Obs 8)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 8:1) Warning (Form): Data Excess over lower threshold												
	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(2)	MIRAGE-P12-WFSS	RA: 03 33 14.8300 (53.3117917d) Dec: -27 51 16.20 (-27.85450d) Equinox: J2000										
Template	Comments: Category=Unidentified Description=[Blank field]												
	NIRCam Wide Field Slitless Spectroscopy							MIRI Imaging					
	Module: ALL							Subarray: FULL					
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR												
	Show partial spectra region in Aladin: false												
Dithers	Target Placement: Module gap (large extended source)												
	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F090W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
	2	F150W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
Spectral Elements	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	2	F150W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	3	F150W	F356W	DEEP8	7	1	2	2748.613			Out of Field	2	

Proposal 10202 - Observation 8 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F560W	FASTR1	110	9	1		4	36	11077.96	
	2	F770W	FASTR1	110	4	1		1	4	1229.343	
	3	F770W	FASTR1	110	9	1		4	36	11077.96	
	4	F770W	FASTR1	110	4	1		1	4	1229.343	
	5	F770W	FASTR1	110	4	1		2	8	2458.685	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 9 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 9: P31A-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P31A-WFSS (Obs 9)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P31A-WFSS (Obs 9)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 9:1) Warning (Form): Data Excess over middle threshold												
	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(5)	MIRAGE-P31-WFSS	RA: 03 33 1.2900 (53.2553750d) Dec: -27 51 53.40 (-27.86483d) Equinox: J2000										
	Comments: Category=Unidentified Description=[Blank field]												
Template	NIRCam Wide Field Slitless Spectroscopy							MIRI Imaging					
	Module: ALL							Subarray: FULL					
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR												
	Show partial spectra region in Aladin: false												
	Target Placement: Module gap (large extended source)												
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image		NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
	2		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
	3		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
	4		F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1
Spectral Elements		NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1		F115W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4
	2		F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4
	3		F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4
	4		F200W	F444W	DEEP8	7	2	4	5518.7			Out of Field	2
	5		F200W	F444W	DEEP8	7	2	4	5518.7			Out of Field	2

Proposal 10202 - Observation 9 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	109	9	1		4	36	10978.058	
	2	F1000W	FASTR1	109	9	1		1	9	2744.515	
	3	F1000W	FASTR1	109	9	1		4	36	10978.058	
	4	F1000W	FASTR1	109	9	1		1	9	2744.515	
	5	F1000W	FASTR1	109	9	1		4	36	10978.058	
	6	F1000W	FASTR1	109	9	1		1	9	2744.515	
	7	F1000W	FASTR1	109	9	1		2	18	5489.029	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 10 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 10: P31B-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P31B-WFSS (Obs 10)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P31B-WFSS (Obs 10)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 10:1) Warning (Form): Data Excess over lower threshold												
	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(5)	MIRAGE-P31-WFSS	RA: 03 33 1.2900 (53.2553750d) Dec: -27 51 53.40 (-27.86483d) Equinox: J2000										
	Comments: Category=Unidentified Description=[Blank field]												
Template	NIRCam Wide Field Slitless Spectroscopy												MIRI Imaging
	Module: ALL												Subarray: FULL
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR												
	Show partial spectra region in Aladin: false												
	Target Placement: Module gap (large extended source)												
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F090W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
	2	F150W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
Spectral Elements	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	2	F150W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	3	F150W	F356W	DEEP8	7	1	2	2748.613			Out of Field	2	

Proposal 10202 - Observation 10 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F560W	FASTR1	110	9	1		4	36	11077.96	
	2	F770W	FASTR1	110	4	1		1	4	1229.343	
	3	F770W	FASTR1	110	9	1		4	36	11077.96	
	4	F770W	FASTR1	110	4	1		1	4	1229.343	
	5	F770W	FASTR1	110	4	1		2	8	2458.685	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 11 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 11: P32A-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P32A-WFSS (Obs 11)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P32A-WFSS (Obs 11)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 11:1) Warning (Form): Data Excess over middle threshold												
	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(6)	MIRAGE-P32-WFSS	RA: 03 33 4.8700 (53.2702917d) Dec: -27 50 14.10 (-27.83725d) Equinox: J2000										
	Comments: Category=Unidentified Description=[Blank field]												
Template	NIRCam Wide Field Slitless Spectroscopy							MIRI Imaging					
	Module: ALL							Subarray: FULL					
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR												
	Show partial spectra region in Aladin: false												
	Target Placement: Module gap (large extended source)												
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1	
	2	F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1	
	3	F200W	F444W	DEEP8	7	2	2	2759.35		GRISMR	Direct Image	1	
Spectral Elements	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	2	F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	3	F090W	F444W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	4	F200W	F444W	DEEP8	7	2	4	5518.7			Out of Field	2	

Proposal 10202 - Observation 11 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F1000W	FASTR1	109	9	1		4	36	10978.058	
	2	F1000W	FASTR1	109	9	1		1	9	2744.515	
	3	F1000W	FASTR1	109	9	1		4	36	10978.058	
	4	F1000W	FASTR1	109	9	1		1	9	2744.515	
	5	F1000W	FASTR1	109	9	1		4	36	10978.058	
	6	F1000W	FASTR1	109	9	1		1	9	2744.515	
	7	F1000W	FASTR1	109	9	1		2	18	5489.029	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 12 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 12: P32B-WFSS												Wed Jun 03 17:00:25 GMT 2026
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
	Coordinated Parallel Template(s): MIRI Imaging												
Diagnostics	(P32B-WFSS (Obs 12)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.												
	(P32B-WFSS (Obs 12)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 12:1) Warning (Form): Data Excess over lower threshold												
	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates					Targ. Coord. Corrections			Miscellaneous		
	(6)	MIRAGE-P32-WFSS	RA: 03 33 4.8700 (53.2702917d) Dec: -27 50 14.10 (-27.83725d) Equinox: J2000										
	Comments: Category=Unidentified Description=[Blank field]												
Template	NIRCam Wide Field Slitless Spectroscopy							MIRI Imaging					
	Module: ALL							Subarray: FULL					
	Subarray: FULL												
	Grism (Long Wavelength): GRISMR												
	Show partial spectra region in Aladin: false												
	Target Placement: Module gap (large extended source)												
Dithers	#	Primary Dither Type					Primary Dithers			Subpixel Positions			
	1	NONE					3			4-POINT-WITH-MIRI-F1000W			
Direct Image	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F090W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
	2	F150W	F356W	DEEP8	7	1	1	1374.307		GRISMR	Direct Image	1	
Spectral Elements	NIRCam Wide Field Slitless Spectroscopy	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	Optional ETC ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	2	F150W	F356W	DEEP8	7	2	8	11037.4		GRISMR	Grism (Long Wavelength)	4	
	3	F150W	F356W	DEEP8	7	1	2	2748.613			Out of Field	2	

Proposal 10202 - Observation 12 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Spectral Elements	MIRI Imaging	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F770W	FASTR1	110	9	1		4	36	11077.96	
	2	F770W	FASTR1	110	4	1		1	4	1229.343	
	3	F560W	FASTR1	110	9	1		4	36	11077.96	
	4	F770W	FASTR1	110	4	1		1	4	1229.343	
	5	F770W	FASTR1	110	4	1		2	8	2458.685	
Special Requirements	Aperture PA Range 18.0 to 23.0 Degrees (V3 18.0 to 23.0) No Parallel Attachments										

Proposal 10202 - Observation 13 - MIRAGE: MIRI Investigation of Red and Ancient Galaxies in the Early Universe

Observation	Proposal 10202, Observation 13: P12-Extraimaging										Wed Jun 03 17:00:25 GMT 2026	
	Diagnostic Status: Warning											
	Observing Template: NIRCcam Imaging											
	Comments: If no pure parallel observations are assigned, we could add a MIRI parallel.											
Diagnostics	(P12-Extraimaging (Obs 13)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.											
	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(7)	MIRAGE-extra	RA: 03 33 14.8300 (53.3117917d) Dec: -27 51 16.20 (-27.85450d) Equinox: J2000									
	Comments: Category=Unidentified Description=[Blank field]											
Template	Module		Subarray					Target Placement				
	ALL		FULL					Module gap (large extended source)				
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions		
	1	INTRAMODULEBOX		4		STANDARD				1		
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID		
	1	F115W	F277W	DEEP8	7	2	8	4	11037.4			
Special Requirements	Aperture PA Range 17.92542306 to 22.92542306 Degrees (V3 18.0 to 23.0)											
	13 After 7 by 0 Days to 1 Days											