



9828 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet-Disk Interactions

Cycle: 5, Proposal Category: GO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Dr. David Wilner (PI)	Smithsonian Institution Astrophysical Observatory
Dr. Josh Lovell (CoI) (CoPI) (Contact)	Smithsonian Institution Astrophysical Observatory
Mr. Yinuo Han (CoI)	California Institute of Technology
Dr. Meredith Hughes (CoI)	Wesleyan University
Dr. Grant Kennedy (CoI) (ESA Member)	University of Warwick
Dr. Brenda Matthews (CoI) (CSA Member)	National Research Council of Canada
Prof. Meredith MacGregor (CoI)	The Johns Hopkins University
Sebastian Marino (CoI) (ESA Member)	University of Exeter
Prof. Luca Matra (CoI) (ESA Member)	Trinity College Dublin
Dr. Max Sommer (CoI) (ESA Member)	University of Cambridge
Dr. Kate Y.L Su (CoI)	Space Science Institute
Prof. Mark Wyatt (CoI) (ESA Member)	University of Cambridge

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
tau-Cet				
	1	tau Cet - background	MIRI Imaging	(11) tau-Cet-background
	2	tau Ceti - roll 1	MIRI Imaging	(1) tau-Cet
	3	tau Ceti - roll 2	MIRI Imaging	(1) tau-Cet
	4	tau Ceti - PSF Ref	MIRI Imaging	(211) -gam-Lep
61 Vir				

JWST Proposal 9828 (Created: Tuesday, June 23, 2026, 8:00:11AM Eastern Standard Time) - Overview

Folder	Observation	Label	Observing Template	Science Target
	5	61Vir - background	MIRI Imaging	(12) 61-Vir-background
	6	61Vir - roll 1	MIRI Imaging	(2) 61-Vir
	7	61Vir - roll 2	MIRI Imaging	(2) 61-Vir
	8	61Vir - PSF Ref	MIRI Imaging	(221) HD-114613_61VirPSFRef
HD38858				
	9	HD38858-background	MIRI Imaging	(13) HD38858-background
	10	HD38858-roll1	MIRI Imaging	(3) HD38858
	11	HD38858-roll2	MIRI Imaging	(3) HD38858
	12	HD38858-PSF-ref	MIRI Imaging	(231) HD-30562_38858PSFRef
HD207129				
	13	HD207129-background	MIRI Imaging	(14) HD207129-background
	14	HD207129-roll1	MIRI Imaging	(4) HD207129
	15	HD207129-roll2	MIRI Imaging	(4) HD207129
	16	HD207129-PSFref	MIRI Imaging	(241) -phi-Gru_207129PSFRef
HD48682				
	17	HD48682-background	MIRI Imaging	(15) HD48682-background
	18	HD48682-roll1	MIRI Imaging	(5) HD48682
	19	HD48682-roll2	MIRI Imaging	(5) HD48682
	20	HD48682-PSFref	MIRI Imaging	(251) HD-55575_HD48682PSFRef
HD139664				
	21	HD139664-background	MIRI Imaging	(16) HD139664-background
	22	HD139664-roll1	MIRI Imaging	(6) HD139664
	23	HD139664-roll2	MIRI Imaging	(6) HD139664
	24	HD139664-PSFref	MIRI Imaging	(261) HD-142415_139664PSFRef
HD92945				
	25	HD92945-background	MIRI Imaging	(17) HD92945-background
	26	HD92945-roll1	MIRI Imaging	(7) HD92945
	27	HD92945-roll2	MIRI Imaging	(7) HD92945
	28	HD92945-PSFref	MIRI Imaging	(271) HD-98219_92945PSFRef
HD202628				
	29	HD202628-background	MIRI Imaging	(18) HD-202628-background
	30	HD202628-roll1	MIRI Imaging	(8) HD202628

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
	31	HD202628-roll2	MIRI Imaging	(8) HD202628
	32	HD202628-PSFref	MIRI Imaging	(281) HD-199684_202628PSFRef

ABSTRACT

We propose JWST/MIRI F2550W imaging of a carefully selected sample of debris disks around Sun-like stars within 25 pc whose cold, outer belts of planetesimals have been well-characterized by resolved millimeter observations. A physical connection between outer belts of colliding planetesimals and inner terrestrial zones has been suggested by the much higher detection rate of dust at au scales (via mid-infrared interferometry) in systems that also host belts at tens of au. The exquisite sensitivity, resolution, and stability of JWST for 25.5 micron imaging now allows for directly observing the spatial distribution of warm dust emission that connects these inner and outer regions. Early JWST/MIRI observations of a handful of nearby debris disks show broad, centrally concentrated emission that suggests Poynting-Robertson drag dominates inward transport, alongside evidence of dynamical planet-induced disk substructures. We will obtain and analyze radial surface brightness profiles for the sample to 1) assess the ubiquity of Poynting-Robertson drag, and 2) whether the warm dust morphologies are substructured with rings and gaps, for which the dominant driving mechanism is the dynamical influence of unseen planets. We require JWST/MIRI F2550W observations of 8 systems to complete the sample of 13 and test models in systems with a range of outer belt parameters. These nearby Sun-like stars are the only ones for which millimeter facilities can provide high-quality resolved observations to complement JWST. The results will have implications for debris disk physics, cometary delivery of material to terrestrial worlds, and the architecture of planetary systems.

OBSERVING DESCRIPTION

We will obtain MIRI images with the F2550W filter of eight debris disks; those of Tau Ceti, 61 Vir, HD38858, HD207129, HD48682, HD139664, HD92945, and HD202628. Our choice of filter maximises sensitivity to disk emission, as proven by other published JWST MIRI images of nearby debris disks, and ongoing programs.

With the ETC we have determined the optimal readout strategy for our observing sequence, increasing the integration number to maximise sensitivity. We note that any saturation at the location of the star will not impact our science, given the disks are all extended sources, and our sensitivity request ensures that all sources will be radially resolved over multiple independent resolution elements. In the case of 61 Vir and Tau Ceti, saturation on the star is inevitable, hence we have used the minimum number of groups per integration as per the ETC (5). The targets span large sky areas, and thus we adopt the BRIGHTSKY array with FASTR1 readout to optimise SNR for given time on sources. We note that the SUB256 array is smaller than the extent of the disks of Tau Ceti and 61 Vir (as imaged by Herschel) hence we must adopt the BRIGHTSKY array for those targets.

JWST Proposal 9828 (Created: Tuesday, June 23, 2026, 8:00:11AM Eastern Standard Time) - Overview

For 6/8 targets, we match the PSF observations identically to the target and background observations, since these do not risk saturation. For 2/8 targets (61 Vir & Tau Ceti) since these saturate, we selected slightly fainter PSF references that we observe with larger numbers of groups, and for a total amount of time longer equal to the fractional increase in the number of groups ($T_{\text{tot_PSF}} = T_{\text{tot_target}} * (N_{\text{groups_PSF}}/N_{\text{groups_target}})$). This strategy was discussed with our Science Coordinator after programme acceptance, and will allow us to optimise the precise number of groups and integrations to match PSF observations at the same saturation level of the target observations (we will clip data to the number of groups required to saturate at the same level as the target data), whilst achieving the same overall RMS sensitivity (by clipping the total number of integrations to achieve the same sensitivity).

Background observations are taken only for the science targets (i.e. we will not perform dedicated for PSF observations) since the science targets have extended dust emission and thus require dedicated backgrounds for flat-fielding. For the PSF sources, backgrounds will be produced with the data, since these will have no extended emission. Background observations were selected at distances between 2-6 arcminutes away from each target star (in J2000 coordinates) where we confirmed visually in 2MASS, WISE, Akari, DSS9 and Spitzer MIPS24 that i) there are no bright stars within a 1' square (the detector field size of the BRIGHTSKY subarray), and ii) that there is no gradient in the background emission in comparison to the target. These distances and background pointing locations guarantee that the target star remains sufficiently far away after proper motions have been accounted for.

Our exposures range in time from ~52 minutes (only slightly longer than those of published data on Fomalhaut (Gaspar+23; 35 minutes on source) and Eps Eri (Wolff+25; 35minutes on source, also) up to ~141minutes. The images that we will produce are thus more sensitive than existing data, however this is necessary to recover fainter emission towards disks out to 25pc. Our time requests are backed up by state-of-the-art radiative transfer simulations of each source at 25.5um, post-processed by a MIRI F2550W synthetic observational suite. In all cases, we have compared two distinct scenarios (PR-dragged dust, or substructured rings) and demonstrated that our requested time on each source is sufficient to conduct our core science goals.

We propose observations in the following order (per target) in a non-interruptable sequence:

- 1 -- observe background field (nearby to each target, in fields with no MIPS24 emission, and no bright stars);
- 2 -- observe target source at orientation 1;
- 3 -- observe target source at orientation 2 (a roll angle/PA offset of 10-14 degrees);
- 4 -- observe PSF reference star (matched per target, based on having close flux matches in 24um (MIPS24) emission, and no thermal dust emission).

JWST Proposal 9828 (Created: Tuesday, June 23, 2026, 8:00:11AM Eastern Standard Time) - Overview

Each of the requests is the same 4-point extended dither pattern, utilising the same dither starting position, extension, and direction, to enable excellent sensitivity to dust emission, and optimal stellar PSF subtraction and background flat-fielding. Starting set 5 was used for 7/8 targets to place the sources at the center of the detector array. Starting set 7 was adopted for HD48682 as there is a bright target $\sim 35''$ to the North-East that this starting set should ensure does not fall on the detector array during observations.

All fields have been observed in the APT Target Confirmation tool, confirming stars are all correctly placed in the detector array. All coordinates assume a 2000 reference time.

This routine will be repeated for all 8 targets, independently. Note that no targets require imaging back-to-back, easing schedulability.

Proposal 9828 - Targets - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet-...

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	tau-Cet	RA: 01 44 4.0831 (26.0170129d) Dec: -15 56 14.93 (-15.93748d) Equinox: J2000	Proper Motion RA: -1721.728 mas/yr Proper Motion Dec: 854.963 mas/yr Parallax: 0.27380970000000004" Epoch of Position: 2000	
	<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> 01 44 4.0831 -15 56 14.93 Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES				
	(2)	61-Vir	RA: 13 18 24.3140 (199.6013083d) Dec: -18 18 40.30 (-18.31119d) Equinox: J2000	Proper Motion RA: -1070.202 mas/yr Proper Motion Dec: -1063.8489999337253 mas/yr Parallax: 0.1171726" Epoch of Position: 2000	
	<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES				
	(3)	HD38858	RA: 05 48 34.9403 (87.1455846d) Dec: -04 05 40.72 (-4.09464d) Equinox: J2000	Proper Motion RA: 61.427 mas/yr Proper Motion Dec: -229.29099995963043 mas/yr Parallax: 0.0657446" Epoch of Position: 2000	
	<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES				
	(4)	HD207129	RA: 21 48 15.7512 (327.0656300d) Dec: -47 18 13.02 (-47.30362d) Equinox: J2000	Proper Motion RA: 165.069 mas/yr Proper Motion Dec: -295.5529999553619 mas/yr Parallax: 0.0642717" Epoch of Position: 2000	
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.</i> Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES					

Proposal 9828 - Targets - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet...

(5)	HD48682	RA: 06 46 44.3369 (101.6847371d) Dec: +43 34 38.73 (43.57743d) Equinox: J2000	Proper Motion RA: -2.705 mas/yr Proper Motion Dec: 164.523 mas/yr Parallax: 0.060202399999999996" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES			
(6)	HD139664	RA: 15 41 11.3768 (235.2974033d) Dec: -44 39 40.34 (-44.66121d) Equinox: J2000	Proper Motion RA: -169.106 mas/yr Proper Motion Dec: -266.3910000364922 mas/yr Parallax: 0.0574759" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES			
(7)	HD92945	RA: 10 43 28.2716 (160.8677983d) Dec: -29 03 51.43 (-29.06429d) Equinox: J2000	Proper Motion RA: -215.484 mas/yr Proper Motion Dec: -49.89200006093597 mas/yr Parallax: 0.046493099999999996" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES			
(8)	HD202628	RA: 21 18 27.2696 (319.6136233d) Dec: -43 20 4.74 (-43.33465d) Equinox: J2000	Proper Motion RA: 241.97800000000004 mas/yr Proper Motion Dec: 21.425 mas/yr Parallax: 0.0420274" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES			

Proposal 9828 - Targets - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet...

(11)	tau-Cet-background	RA: 01 44 5.4600 (26.0227500d) Dec: -15 48 37.90 (-15.81053d) Equinox: J2000	Proper Motion RA: 0 mas/yr Proper Motion Dec: 0 mas/yr Epoch of Position: 2000
<i>Comments: 1 44 05.46 -15 48 37.9, check in Aladdin, no bright stars in 2MASS, Akari, DSS9</i> MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources -- this pointing is much deeper than most others, and background looks pretty flat Target has moved 52" since 2000 (due south-east), and this field is 6' NORTH from MIPS24 J2000 location of target: --- so this is comfortably far from target. Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO			
(12)	61-Vir-background	RA: 13 18 21.5000 (199.5895833d) Dec: -18 16 34.90 (-18.27636d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: 13 18 21.50 -18 16 34.9, checked in J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI</i> MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 41" since 2000 (due south), and this field is 2.4' NORTH from MIPS24 J2000 location of target: --- so this is comfortably far from target. Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO			
(13)	HD38858-background	RA: 05 48 24.0000 (87.1000000d) Dec: -04 04 30.10 (-4.07503d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: 05:48:24.00 -04:04:30.1, checked in J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI</i> MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 6" since 2000, and this field is 3' from MIPS24 J2000 location of target: --- so this is comfortably far from target. Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO			
(14)	HD207129-background	RA: 21 48 4.6900 (327.0195417d) Dec: -47 17 42.30 (-47.29508d) Equinox: J2000	Epoch of Position: 2000
<i>Comments: 21 48 4.6900 -47 17 42.30 at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI</i> MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 10" since 2000 (in a southerly direction), and this field is 2' from MIPS24 J2000 location of target: --- so this is comfortably far from target. Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO			

Proposal 9828 - Targets - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet...

(15)	HD48682-background	RA: 06 46 35.0000 (101.6458333d) Dec: +43 33 49.00 (43.56361d) Equinox: J2000 <i>Comments: 06 46 35.0000 +43 33 49.00 at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 4.5" since 2000, and this field is 2' from MIPS24 J2000 location of target: --- so this is comfortably far from target.</i> <i>Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO</i>	Epoch of Position: 2000
(16)	HD139664-background	RA: 15 40 58.1800 (235.2424167d) Dec: -44 41 39.80 (-44.69439d) Equinox: J2000 <i>Comments: 15h40m58.18s -44d41m39.8s, at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 8.7" since 2000, and this field is 3' from MIPS24 J2000 location of target: --- so this is comfortably far from target.</i> <i>Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO</i>	Epoch of Position: 2000
(17)	HD92945-background	RA: 10 43 21.8700 (160.8411250d) Dec: -29 02 9.00 (-29.03583d) Equinox: J2000 <i>Comments: 10 43 21.87 -29 02 09.0 at J2000, checked in Aladdin; no bright stars in WISE, AKARI MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 6" since 2000, and this field is 2.4' from MIPS24 J2000 location of target: --- so this is comfortably far from target.</i> <i>Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO</i>	Epoch of Position: 2000
(18)	HD-202628-background	RA: 21 18 19.5800 (319.5815833d) Dec: -43 19 2.80 (-43.31744d) Equinox: J2000 <i>Comments: 21 18 19.5800 -43 19 2.80 at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 6.6" since 2000 (approx only East), and this field is 1.8' from MIPS24 J2000 location of target: --- so this is comfortably far from target.</i> <i>Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO</i>	Epoch of Position: 2000

Proposal 9828 - Targets - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet...

(211)	-gam-Lep	RA: 05 44 27.7906 (86.1157942d) Dec: -22 26 54.19 (-22.44839d) Equinox: J2000	Proper Motion RA: -291.757 mas/yr Proper Motion Dec: -368.5209999048311 mas/yr Parallax: 0.112296" Epoch of Position: 2000
-------	----------	---	---

Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.

SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.
Category=Calibration
Description=[Point spread function]

(221)	HD-114613_61VirPSFRef	RA: 13 12 3.1843 (198.0132679d) Dec: -37 48 10.88 (-37.80302d) Equinox: J2000	Proper Motion RA: -382.409 mas/yr Proper Motion Dec: 46.147 mas/yr Parallax: 0.048869100000000006" Epoch of Position: 2000
-------	-----------------------	---	---

Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.

SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.
Category=Calibration
Description=[Point spread function]

(231)	HD-30562_38858PSFRef	RA: 04 48 36.3851 (72.1516046d) Dec: -05 40 26.56 (-5.67404d) Equinox: J2000	Proper Motion RA: 311.406 mas/yr Proper Motion Dec: -248.8340000354583 mas/yr Parallax: 0.0382495" Epoch of Position: 2000
-------	----------------------	--	---

Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.

SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.
Category=Calibration
Description=[Point spread function]

(241)	-phi-Gru_207129PSFRef	RA: 23 18 9.8840 (349.5411833d) Dec: -40 49 27.70 (-40.82436d) Equinox: J2000	Proper Motion RA: 127.37799999999999 mas/yr Proper Motion Dec: -122.60299993158696 mas/yr Parallax: 0.029151399999999997" Epoch of Position: 2000
-------	-----------------------	---	--

Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.

SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.
Category=Calibration
Description=[Point spread function]

(251)	HD-55575_HD48682PSFRef	RA: 07 15 50.1392 (108.9589133d) Dec: +47 14 23.87 (47.23996d) Equinox: J2000	Proper Motion RA: 30.079 mas/yr Proper Motion Dec: -185.9049999893614 mas/yr Parallax: 0.0593408" Epoch of Position: 2000
-------	------------------------	---	--

Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.

SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.
Category=Calibration
Description=[Point spread function]

Proposal 9828 - Targets - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Planet-...

(261)	HD-142415_139664PSFRef	RA: 15 57 40.7919 (239.4199662d) Dec: -60 12 0.92 (-60.20026d) Equinox: J2000	Proper Motion RA: -112.83 mas/yr Proper Motion Dec: -101.8829999566151 mas/yr Parallax: 0.028206600000000002" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]			
(271)	HD-98219_92945PSFRef	RA: 11 17 47.5531 (169.4481379d) Dec: -23 58 31.50 (-23.97542d) Equinox: J2000	Proper Motion RA: -130.715 mas/yr Proper Motion Dec: -16.760999960752088 mas/yr Parallax: 0.008836499999999999" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]			
(281)	HD-199684_202628PSFRef	RA: 20 59 59.6926 (314.9987192d) Dec: -36 07 46.70 (-36.12964d) Equinox: J2000	Proper Motion RA: 102.575 mas/yr Proper Motion Dec: -57.08500004857342 mas/yr Parallax: 0.0240563" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]			
(311)	-alf- Hyi_TauCeti_PSFREF_spare	RA: 01 58 46.1386 (29.6922442d) Dec: -61 34 11.36 (-61.56982d) Equinox: J2000	Proper Motion RA: 289.561 mas/yr Proper Motion Dec: 18.43 mas/yr Parallax: 0.051554699999999995" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]			
(321)	-109-Vir_61VirPSFRef_spare	RA: 14 46 14.9234 (221.5621808d) Dec: +01 53 34.38 (1.89288d) Equinox: J2000	Proper Motion RA: -115.08 mas/yr Proper Motion Dec: -20.463999953790335 mas/yr Parallax: 0.0242814" Epoch of Position: 2000
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]			

Proposal 9828 - Observation 1 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 1: tau Cet - background										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [tau Ceti - roll 1 (Obs 2), tau Ceti - roll 2 (Obs 3)]										
Diagnostics	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(11)	tau-Cet-background	RA: 01 44 5.4600 (26.0227500d)			Proper Motion RA: 0 mas/yr					
			Dec: -15 48 37.90 (-15.81053d)			Proper Motion Dec: 0 mas/yr					
			Equinox: J2000			Epoch of Position: 2000					
		Comments: 1 44 05.46 -15 48 37.9, check in Aladdin, no bright stars in 2MASS, Akari, DSS9 MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources -- this pointing is much deeper than most others, and background looks pretty flat Target has moved 52" since 2000 (due south-east), and this field is 6' NORTH from MIPS24 J2000 location of target: --- so this is comfortably far from target. Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO									
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	5	76	1	Dither 1	4	304	1574.81	271041

Special Requirements	Sequence Observations 1, 2, 3, 4, Non-interruptible
----------------------	---

Proposal 9828 - Observation 2 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 2: tau Ceti - roll 1										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[tau Cet - background (Obs 1), tau Ceti - roll 2 (Obs 3)]										
Diagnostics	(tau Ceti - roll 1 (Obs 2)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(tau Ceti - roll 1 (Obs 2)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections		Miscellaneous		
	(1)	tau-Cet	RA: 01 44 4.0831 (26.0170129d) Dec: -15 56 14.93 (-15.93748d) Equinox: J2000				Proper Motion RA: -1721.728 mas/yr Proper Motion Dec: 854.963 mas/yr Parallax: 0.27380970000000004" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	01 44 4.0831 -15 56 14.93 Category=Star Description=[Circumstellar disks, Debris disks] Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	5	76	1	Dither 1	4	304	1574.81	271041

Proposal 9828 - Observation 2 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Special Requirements	Sequence Observations 1, 2, 3, 4, Non-interruptible Aperture PA Offset 3 from 2 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 3 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 3: tau Ceti - roll 2										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[tau Cet - background (Obs 1), tau Ceti - roll 1 (Obs 2)]										
	Comments: 5 groups/int chosen to minimise saturation.										
Diagnostics	(tau Ceti - roll 2 (Obs 3)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(tau Ceti - roll 2 (Obs 3)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(1)	tau-Cet	RA: 01 44 4.0831 (26.0170129d) Dec: -15 56 14.93 (-15.93748d) Equinox: J2000			Proper Motion RA: -1721.728 mas/yr Proper Motion Dec: 854.963 mas/yr Parallax: 0.27380970000000004" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	01 44 4.0831 -15 56 14.93										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
Extended=YES											
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	5	76	1	Dither 1	4	304	1574.81	271041

Proposal 9828 - Observation 3 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Special Requirements	Sequence Observations 1, 2, 3, 4, Non-interruptible Aperture PA Offset 3 from 2 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 4 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 4: tau Ceti - PSF Ref										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(211)	-gam-Lep	RA: 05 44 27.7906 (86.1157942d) Dec: -22 26 54.19 (-22.44839d) Equinox: J2000			Proper Motion RA: -291.757 mas/yr Proper Motion Dec: -368.5209999048311 mas/yr Parallax: 0.112296" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration										
	Description=[Point spread function]										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	47	1	Dither 1	4	188	2111.283	
Special Requirements	Sequence Observations 1, 2, 3, 4, Non-interruptible										

Proposal 9828 - Observation 5 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 5: 61Vir - background										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [61Vir - roll 1 (Obs 6), 61Vir - roll 2 (Obs 7)]										
Diagnostics	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(12)	61-Vir-background	RA: 13 18 21.5000 (199.5895833d)			Epoch of Position: 2000					
			Dec: -18 16 34.90 (-18.27636d)								
			Equinox: J2000								
		Comments: 13 18 21.50 -18 16 34.9, checked in J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI									
		MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources									
Template	Target has moved 41" since 2000 (due south), and this field is 2.4' NORTH from MIPS24 J2000 location of target:										
	--- so this is comfortably far from target.										
	Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images										
	Category=Calibration										
Dithers	Description=[External flat field]										
	Extended=NO										
Dithers	Subarray										
	BRIGHTSKY										
Spectral Elements	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	5	80	1	Dither 1	4	320	1657.876	271041

Special Requirements	Sequence Observations 5, 6, 7, 8, Non-interruptible
----------------------	---

Proposal 9828 - Observation 6 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 6: 61Vir - roll 1										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[61Vir - background (Obs 5), 61Vir - roll 2 (Obs 7)]										
Diagnostics	(61Vir - roll 1 (Obs 6)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(61Vir - roll 1 (Obs 6)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections		Miscellaneous		
	(2)	61-Vir	RA: 13 18 24.3140 (199.6013083d)				Proper Motion RA: -1070.202 mas/yr				
			Dec: -18 18 40.30 (-18.31119d)				Proper Motion Dec: -1063.8489999337253 mas/yr				
			Equinox: J2000				Parallax: 0.1171726"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	5	80	1	Dither 1	4	320	1657.876	271041

Proposal 9828 - Observation 6 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Special Requirements	Sequence Observations 5, 6, 7, 8, Non-interruptible Aperture PA Offset 7 from 6 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 7 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 7: 61Vir - roll 2										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[61Vir - background (Obs 5), 61Vir - roll 1 (Obs 6)]										
Diagnostics	(61Vir - roll 2 (Obs 7)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(61Vir - roll 2 (Obs 7)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections		Miscellaneous		
	(2)	61-Vir	RA: 13 18 24.3140 (199.6013083d)				Proper Motion RA: -1070.202 mas/yr				
			Dec: -18 18 40.30 (-18.31119d)				Proper Motion Dec: -1063.8489999337253 mas/yr				
			Equinox: J2000				Parallax: 0.1171726"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	5	80	1	Dither 1	4	320	1657.876	271041

Proposal 9828 - Observation 7 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Special Requirements	Sequence Observations 5, 6, 7, 8, Non-interruptible Aperture PA Offset 7 from 6 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 8 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 8: 61Vir - PSF Ref										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 8:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(221)	HD-114613_61VirPSFRef	RA: 13 12 3.1843 (198.0132679d) Dec: -37 48 10.88 (-37.80302d) Equinox: J2000			Proper Motion RA: -382.409 mas/yr Proper Motion Dec: 46.147 mas/yr Parallax: 0.048869100000000006" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration										
	Description=[Point spread function]										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	84	1	Dither 1	4	336	2322.412	271041
Special Requirements	Sequence Observations 5, 6, 7, 8, Non-interruptible										

Proposal 9828 - Observation 9 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and Pl...

Observation	Proposal 9828, Observation 9: HD38858-background										Tue Jun 23 13:00:11 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [HD38858-roll1 (Obs 10), HD38858-roll2 (Obs 11)]										
Diagnostics	(Visit 9:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(13)	HD38858-background	RA: 05 48 24.0000 (87.1000000d)			Epoch of Position: 2000					
			Dec: -04 04 30.10 (-4.07503d)								
			Equinox: J2000								
			Comments: 05:48:24.00 -04:04:30.1, checked in J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI								
			MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources								
Template	Target has moved 6" since 2000, and this field is 3' from MIPS24 J2000 location of target:										
	--- so this is comfortably far from target.										
	Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images										
	Category=Calibration										
	Description=[External flat field]										
Dithers	Extended=NO										
	Subarray										
Dithers	BRIGHTSKY										
	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
Spectral Elements	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
Spectral Elements	1	F2550W	FASTR1	8	79	1	Dither 1	4	316	2457.395	271041

Special Requirements	Sequence Observations 9, 10, 11, 12, Non-interruptible
----------------------	--

Proposal 9828 - Observation 10 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 10: HD38858-roll1										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD38858-background (Obs 9), HD38858-roll2 (Obs 11)]										
Diagnostics	(HD38858-roll1 (Obs 10)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 10:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD38858-roll1 (Obs 10)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections		Miscellaneous		
	(3)	HD38858	RA: 05 48 34.9403 (87.1455846d)				Proper Motion RA: 61.427 mas/yr				
			Dec: -04 05 40.72 (-4.09464d)				Proper Motion Dec: -229.29099995963043 mas/yr				
			Equinox: J2000				Parallax: 0.0657446"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	8	79	1	Dither 1	4	316	2457.395	271041

Proposal 9828 - Observation 10 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 9, 10, 11, 12, Non-interruptible Aperture PA Offset 11 from 10 by 10 to 14 Degrees (Same offsets in V3)
----------------------	--

Proposal 9828 - Observation 11 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 11: HD38858-roll2										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD38858-background (Obs 9), HD38858-roll1 (Obs 10)]										
Diagnostics	(HD38858-roll2 (Obs 11)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 11:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD38858-roll2 (Obs 11)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(3)	HD38858	RA: 05 48 34.9403 (87.1455846d)				Proper Motion RA: 61.427 mas/yr				
			Dec: -04 05 40.72 (-4.09464d)				Proper Motion Dec: -229.29099995963043 mas/yr				
			Equinox: J2000				Parallax: 0.0657446"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	8	79	1	Dither 1	4	316	2457.395	271041

Proposal 9828 - Observation 11 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 9, 10, 11, 12, Non-interruptible Aperture PA Offset 11 from 10 by 10 to 14 Degrees (Same offsets in V3)
----------------------	--

Proposal 9828 - Observation 12 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 12: HD38858-PSF-ref										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning Observing Template: MIRI Imaging										
Diagnostics	(Visit 12:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(231)	HD-30562_38858PSFRef	RA: 04 48 36.3851 (72.1516046d) Dec: -05 40 26.56 (-5.67404d) Equinox: J2000			Proper Motion RA: 311.406 mas/yr Proper Motion Dec: -248.8340000354583 mas/yr Parallax: 0.0382495" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]										
Template	Subarray BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	8	79	1	Dither 1	4	316	2457.395	271041
Special Requirements	Sequence Observations 9, 10, 11, 12, Non-interruptible										

Proposal 9828 - Observation 13 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 13: HD207129-background										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [HD207129-roll1 (Obs 14), HD207129-roll2 (Obs 15)]										
Diagnostics	(Visit 13:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(14)	HD207129-background	RA: 21 48 4.6900 (327.0195417d)			Epoch of Position: 2000					
			Dec: -47 17 42.30 (-47.29508d)								
			Equinox: J2000								
		Comments: 21 48 4.6900 -47 17 42.30 at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI									
		MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources									
Template	Target has moved 10" since 2000 (in a southerly direction), and this field is 2' from MIPS24 J2000 location of target:										
	--- so this is comfortably far from target.										
	Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images										
	Category=Calibration										
Dithers	Description=[External flat field]										
	Extended=NO										
Dithers	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	88	1	Dither 1	4	352	2433.167	271041

Special Requirements	Sequence Observations 13, 14, 15, 16, Non-interruptible
----------------------	---

Proposal 9828 - Observation 14 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 14: HD207129-roll1										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD207129-background (Obs 13), HD207129-roll2 (Obs 15)]										
Diagnostics	(HD207129-roll1 (Obs 14)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 14:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD207129-roll1 (Obs 14)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(4)	HD207129	RA: 21 48 15.7512 (327.0656300d)				Proper Motion RA: 165.069 mas/yr				
			Dec: -47 18 13.02 (-47.30362d)				Proper Motion Dec: -295.5529999553619 mas/yr				
			Equinox: J2000				Parallax: 0.0642717"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	88	1	Dither 1	4	352	2433.167	271041

Proposal 9828 - Observation 14 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 13, 14, 15, 16, Non-interruptible Aperture PA Offset 15 from 14 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 15 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 15: HD207129-roll2										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD207129-background (Obs 13), HD207129-roll1 (Obs 14)]										
Diagnostics	(HD207129-roll2 (Obs 15)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 15:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD207129-roll2 (Obs 15)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(4)	HD207129	RA: 21 48 15.7512 (327.0656300d)			Proper Motion RA: 165.069 mas/yr					
			Dec: -47 18 13.02 (-47.30362d)			Proper Motion Dec: -295.5529999553619 mas/yr					
			Equinox: J2000			Parallax: 0.0642717"					
						Epoch of Position: 2000					
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	88	1	Dither 1	4	352	2433.167	271041

Proposal 9828 - Observation 15 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 13, 14, 15, 16, Non-interruptible Aperture PA Offset 15 from 14 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 16 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 16: HD207129-PSFref										Tue Jun 23 13:00:12 GMT 2026	
	Diagnostic Status: Warning Observing Template: MIRI Imaging											
Diagnostics	(Visit 16:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(241)	-phi-Gru_207129PSFref	RA: 23 18 9.8840 (349.5411833d) Dec: -40 49 27.70 (-40.82436d) Equinox: J2000				Proper Motion RA: 127.37799999999999 mas/yr Proper Motion Dec: -122.60299993158696 mas/yr Parallax: 0.02915139999999997" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.											
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.											
	Category=Calibration Description=[Point spread function]											
Template	Subarray BRIGHTSKY											
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size		
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT		
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	F2550W	FASTR1	7	88	1	Dither 1	4	352	2433.167	271041	
Special Requirements	Sequence Observations 13, 14, 15, 16, Non-interruptible											

Proposal 9828 - Observation 17 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 17: HD48682-background										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [HD48682-roll1 (Obs 18), HD48682-roll2 (Obs 19)]										
Diagnostics	(Visit 17:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(15)	HD48682-background	RA: 06 46 35.0000 (101.6458333d)			Epoch of Position: 2000					
			Dec: +43 33 49.00 (43.56361d)								
			Equinox: J2000								
			<i>Comments: 06 46 35.0000 +43 33 49.00 at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI</i> <i>MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources</i> <i>Target has moved 4.5" since 2000, and this field is 2' from MIPS24 J2000 location of target:</i> <i>--- so this is comfortably far from target.</i> <i>Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images</i> <i>Category=Calibration</i> <i>Description=[External flat field]</i> <i>Extended=NO</i>								
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				7	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	87	1	Dither 1	4	348	2405.478	271041

Special Requirements	Sequence Observations 17, 18, 19, 20, Non-interruptible
----------------------	---

Proposal 9828 - Observation 18 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 18: HD48682-roll1										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD48682-background (Obs 17), HD48682-roll2 (Obs 19)]										
Diagnostics	(HD48682-roll1 (Obs 18)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 18:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD48682-roll1 (Obs 18)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(5)	HD48682	RA: 06 46 44.3369 (101.6847371d)				Proper Motion RA: -2.705 mas/yr				
			Dec: +43 34 38.73 (43.57743d)				Proper Motion Dec: 164.523 mas/yr				
			Equinox: J2000				Parallax: 0.06020239999999996"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				7	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	87	1	Dither 1	4	348	2405.478	271041

Special Requirements	Sequence Observations 17, 18, 19, 20, Non-interruptible Aperture PA Offset 19 from 18 by -14 to -10 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 19 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 19: HD48682-roll2										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD48682-background (Obs 17), HD48682-roll1 (Obs 18)]										
Diagnostics	(HD48682-roll2 (Obs 19)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 19:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD48682-roll2 (Obs 19)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(5)	HD48682	RA: 06 46 44.3369 (101.6847371d)				Proper Motion RA: -2.705 mas/yr				
			Dec: +43 34 38.73 (43.57743d)				Proper Motion Dec: 164.523 mas/yr				
			Equinox: J2000				Parallax: 0.06020239999999996"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				7	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	87	1	Dither 1	4	348	2405.478	271041

Proposal 9828 - Observation 19 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 17, 18, 19, 20, Non-interruptible Aperture PA Offset 19 from 18 by -14 to -10 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 20 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 20: HD48682-PSFref										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning Observing Template: MIRI Imaging										
Diagnostics	(Visit 20:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(251)	HD-55575_HD48682PSFRef	RA: 07 15 50.1392 (108.9589133d) Dec: +47 14 23.87 (47.23996d) Equinox: J2000			Proper Motion RA: 30.079 mas/yr Proper Motion Dec: -185.9049999893614 mas/yr Parallax: 0.0593408" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration Description=[Point spread function]										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				7	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	7	87	1	Dither 1	4	348	2405.478	271041
Special Requirements	Sequence Observations 17, 18, 19, 20, Non-interruptible										

Proposal 9828 - Observation 21 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 21: HD139664-background										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [HD139664-roll1 (Obs 22), HD139664-roll2 (Obs 23)]										
Diagnostics	(Visit 21:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(16)	HD139664-background	RA: 15 40 58.1800 (235.2424167d)			Epoch of Position: 2000					
			Dec: -44 41 39.80 (-44.69439d)								
			Equinox: J2000								
		Comments: 15h40m58.18s -44d41m39.8s, at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI									
		MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources									
Template	Target has moved 8.7" since 2000, and this field is 3' from MIPS24 J2000 location of target:										
	--- so this is comfortably far from target.										
	Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images										
	Category=Calibration										
Dithers	Description=[External flat field]										
	Extended=NO										
Dithers	Subarray										
	BRIGHTSKY										
Spectral Elements	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	6	53	1	Dither 1	4	212	1280.614	271041

Special Requirements	Sequence Observations 21, 22, 23, 24, Non-interruptible
----------------------	---

Proposal 9828 - Observation 22 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 22: HD139664-roll1										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD139664-background (Obs 21), HD139664-roll2 (Obs 23)]										
Diagnostics	(HD139664-roll1 (Obs 22)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 22:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD139664-roll1 (Obs 22)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections		Miscellaneous		
	(6)	HD139664	RA: 15 41 11.3768 (235.2974033d)				Proper Motion RA: -169.106 mas/yr				
			Dec: -44 39 40.34 (-44.66121d)				Proper Motion Dec: -266.3910000364922 mas/yr				
			Equinox: J2000				Parallax: 0.0574759"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	6	53	1	Dither 1	4	212	1280.614	271041

Proposal 9828 - Observation 22 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 21, 22, 23, 24, Non-interruptible Aperture PA Offset 23 from 22 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 23 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 23: HD139664-roll2										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD139664-background (Obs 21), HD139664-roll1 (Obs 22)]										
Diagnostics	(HD139664-roll2 (Obs 23)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 23:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD139664-roll2 (Obs 23)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(6)	HD139664	RA: 15 41 11.3768 (235.2974033d)			Proper Motion RA: -169.106 mas/yr					
			Dec: -44 39 40.34 (-44.66121d)			Proper Motion Dec: -266.3910000364922 mas/yr					
			Equinox: J2000			Parallax: 0.0574759"					
						Epoch of Position: 2000					
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	6	53	1	Dither 1	4	212	1280.614	271041

Proposal 9828 - Observation 23 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 21, 22, 23, 24, Non-interruptible Aperture PA Offset 23 from 22 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 24 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 24: HD139664-PSFref										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 24:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(261)	HD-142415_139664PSFRef	RA: 15 57 40.7919 (239.4199662d)			Proper Motion RA: -112.83 mas/yr					
			Dec: -60 12 0.92 (-60.20026d)			Proper Motion Dec: -101.8829999566151 mas/yr					
			Equinox: J2000			Parallax: 0.028206600000000002"					
						Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Calibration										
	Description=[Point spread function]										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	6	53	1	Dither 1	4	212	1280.614	271041
Special Requirements	Sequence Observations 21, 22, 23, 24, Non-interruptible										

Proposal 9828 - Observation 25 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 25: HD92945-background										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [HD92945-roll1 (Obs 26), HD92945-roll2 (Obs 27)]										
Diagnostics	(Visit 25:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(17)	HD92945-background	RA: 10 43 21.8700 (160.8411250d)			Epoch of Position: 2000					
			Dec: -29 02 9.00 (-29.03583d)								
			Equinox: J2000								
			<i>Comments: 10 43 21.87 -29 02 09.0 at J2000, checked in Aladdin; no bright stars in WISE, AKARI MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources Target has moved 6" since 2000, and this field is 2.4' from MIPS24 J2000 location of target: --- so this is comfortably far from target. Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images Category=Calibration Description=[External flat field] Extended=NO</i>								
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	97	1	Dither 1	4	388	4361.011	271041

Special Requirements	Sequence Observations 25, 26, 27, 28, Non-interruptible
----------------------	---

Proposal 9828 - Observation 26 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 26: HD92945-roll1										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD92945-background (Obs 25), HD92945-roll2 (Obs 27)]										
Diagnostics	(HD92945-roll1 (Obs 26)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 26:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD92945-roll1 (Obs 26)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(7)	HD92945	RA: 10 43 28.2716 (160.8677983d)				Proper Motion RA: -215.484 mas/yr				
			Dec: -29 03 51.43 (-29.06429d)				Proper Motion Dec: -49.89200006093597 mas/yr				
			Equinox: J2000				Parallax: 0.04649309999999996"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	97	1	Dither 1	4	388	4361.011	271041

Proposal 9828 - Observation 26 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 25, 26, 27, 28, Non-interruptible Aperture PA Offset 27 from 26 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 27 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 27: HD92945-roll2										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD92945-background (Obs 25), HD92945-roll1 (Obs 26)]										
Diagnostics	(HD92945-roll2 (Obs 27)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 27:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD92945-roll2 (Obs 27)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(7)	HD92945	RA: 10 43 28.2716 (160.8677983d)				Proper Motion RA: -215.484 mas/yr				
			Dec: -29 03 51.43 (-29.06429d)				Proper Motion Dec: -49.89200006093597 mas/yr				
			Equinox: J2000				Parallax: 0.04649309999999996"				
							Epoch of Position: 2000				
			Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.								
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks]										
	Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	97	1	Dither 1	4	388	4361.011	271041

Proposal 9828 - Observation 27 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 25, 26, 27, 28, Non-interruptible Aperture PA Offset 27 from 26 by 10 to 14 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 28 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 28: HD92945-PSFref										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
Diagnostics	(Visit 28:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(271)	HD-98219_92945PSFref	RA: 11 17 47.5531 (169.4481379d) Dec: -23 58 31.50 (-23.97542d) Equinox: J2000			Proper Motion RA: -130.715 mas/yr Proper Motion Dec: -16.760999960752088 mas/yr Parallax: 0.008836499999999999" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM. Category=Calibration Description=[Point spread function]										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	97	1	Dither 1	4	388	4361.011	271041
Special Requirements	Sequence Observations 25, 26, 27, 28, Non-interruptible										

Proposal 9828 - Observation 29 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 29: HD202628-background										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observation For: [HD202628-roll1 (Obs 30), HD202628-roll2 (Obs 31)]										
Diagnostics	(Visit 29:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections			Miscellaneous		
	(18)	HD-202628-background	RA: 21 18 19.5800 (319.5815833d)			Epoch of Position: 2000					
			Dec: -43 19 2.80 (-43.31744d)								
			Equinox: J2000								
		Comments: 21 18 19.5800 -43 19 2.80 at J2000, checked in Aladdin; no bright stars in WISE, 2MASS, AKARI									
		MIPS 24um data: 1' field surrounding this position: clean of MIPS24 detected sources									
Template	Target has moved 6.6" since 2000 (approx only East), and this field is 1.8" from MIPS24 J2000 location of target:										
	--- so this is comfortably far from target.										
	Used: https://irsa.ipac.caltech.edu/frontpage/ to check Spitzer MIPS24 images										
	Category=Calibration										
Dithers	Description=[External flat field]										
	Extended=NO										
Dithers	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	95	1	Dither 1	4	380	4271.022	271041

Special Requirements	Sequence Observations 29, 30, 31, 32, Non-interruptible
----------------------	---

Proposal 9828 - Observation 30 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 30: HD202628-roll1										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD202628-background (Obs 29), HD202628-roll2 (Obs 31)]										
Diagnostics	(HD202628-roll1 (Obs 30)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 30:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD202628-roll1 (Obs 30)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(8)	HD202628	RA: 21 18 27.2696 (319.6136233d) Dec: -43 20 4.74 (-43.33465d) Equinox: J2000				Proper Motion RA: 241.97800000000004 mas/yr Proper Motion Dec: 21.425 mas/yr Parallax: 0.0420274" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks] Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	95	1	Dither 1	4	380	4271.022	271041

Proposal 9828 - Observation 30 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 29, 30, 31, 32, Non-interruptible Aperture PA Offset 30 from 31 by -14 to -10 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 31 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 31: HD202628-roll2										Tue Jun 23 13:00:12 GMT 2026
	Diagnostic Status: Warning										
	Observing Template: MIRI Imaging										
	Background Observations:[HD202628-background (Obs 29), HD202628-roll1 (Obs 30)]										
Diagnostics	(HD202628-roll2 (Obs 31)) Warning (Form): Target requiring background exposure selected for template that doesn't require background exposure										
	(Visit 31:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.										
	(HD202628-roll2 (Obs 31)) Informational (Form): The Visit Planner and Spike may produce different schedulability results.										
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous	
	(8)	HD202628	RA: 21 18 27.2696 (319.6136233d) Dec: -43 20 4.74 (-43.33465d) Equinox: J2000				Proper Motion RA: 241.97800000000004 mas/yr Proper Motion Dec: 21.425 mas/yr Parallax: 0.0420274" Epoch of Position: 2000				
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.										
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.										
	Category=Star										
	Description=[Circumstellar disks, Debris disks] Extended=YES										
Template	Subarray										
	BRIGHTSKY										
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F2550W	FASTR1	12	95	1	Dither 1	4	380	4271.022	271041

Proposal 9828 - Observation 31 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Special Requirements	Sequence Observations 29, 30, 31, 32, Non-interruptible Aperture PA Offset 30 from 31 by -14 to -10 Degrees (Same offsets in V3)
----------------------	---

Proposal 9828 - Observation 32 - A JWST Imaging Survey of Nearby Sun-like Stars with Debris Disks: Poynting-Robertson Drag and ...

Observation	Proposal 9828, Observation 32: HD202628-PSFref										Tue Jun 23 13:00:12 GMT 2026	
	Diagnostic Status: Warning Observing Template: MIRI Imaging											
Diagnostics	(Visit 32:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(281)	HD-199684_202628PSFRef	RA: 20 59 59.6926 (314.9987192d) Dec: -36 07 46.70 (-36.12964d) Equinox: J2000				Proper Motion RA: 102.575 mas/yr Proper Motion Dec: -57.08500004857342 mas/yr Parallax: 0.0240563" Epoch of Position: 2000					
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.											
	SIMBAD listed proper motion for this target. When retrieving targets with PM from SIMBAD, APT requests the coordinates be calculated with an epoch of the year 2000. Do not modify this epoch. Always review coordinates using the Target Confirmation tool, which graphically displays the PM.											
	Category=Calibration Description=[Point spread function]											
Template	Subarray BRIGHTSKY											
Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size		
	1	4-Point-Sets				5	1	EXTENDED SOURCE	POSITIVE	DEFAULT		
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID	
	1	F2550W	FASTR1	12	95	1	Dither 1	4	380	4271.022	271041	
Special Requirements	Sequence Observations 29, 30, 31, 32, Non-interruptible											