



12496 - NIRcam and MIRI observtions of a radio galaxy

Cycle: 4, Proposal Category: DD

INVESTIGATORS

<i>Name</i>	<i>Institution</i>
Macarena Garcia Marin (PI) (ESA Member)	Space Telescope Science Institute - ESA - JWST
Dr. Christopher Britt (CoI) (CoPI) (Contact)	Space Telescope Science Institute
Dr. Quyen Hart (CoI) (CoPI) (Contact)	Space Telescope Science Institute
Dr. Stacey N Bright (CoI) (CoPI) (Contact)	Space Telescope Science Institute
Yesenia Perez (CoI)	Space Telescope Science Institute
Christine Pulliam (CoI)	Space Telescope Science Institute
Joseph DePasquale (CoI)	Space Telescope Science Institute
Alyssa Pagan (CoI)	Space Telescope Science Institute

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
Radio galaxy NIRCam imaging Mosaic Group				
	4	Radio galaxy NIRCam imaging	NIRCam Imaging	(4) Radio-Galaxy-NIRCam
	7	Radio galaxy NIRCam imaging Copy of Tile-2	NIRCam Imaging	(6) Radio-Galaxy-NIRCam-Tile-2
Radio Galaxy MIRI Mosaic Group				
	6	Radio galaxy MIRI ima ging	MIRI Imaging	(1) Radio-Galaxy-MIRI

ABSTRACT

We will observe this radio galaxy with 3 NIRCam wide filters, 2 narrow filters, and 1 medium filter, which will capture Pa_alpha, PAHs and stellar emission at a sufficient depth to allow for the creation of low-noise color-composite images. We will also use three wide MIRI filters, from 5.6 to 10

microns, to highlight the PAH emission of the disk and contrast with the starlight present in NIRCам.

OBSERVING DESCRIPTION

We will observe this radio galaxy with 3 NIRCам wide filters, 2 narrow filters, and 1 medium filter, which will capture Pa_alpha, PAHs and stellar emission at a sufficient depth to allow for the creation of low-noise color-composite images. We will also use three wide MIRI filters, from 5.6 to 10 microns, to highlight the PAH emission of the disk and contrast with the starlight present in NIRCам.

Proposal 12496 - Targets - NIRCcam and MIRI observations of a radio galaxy

Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
	(1)	Radio-Galaxy-MIRI	RA: 13 25 30.0233 (201.3750971d) Dec: -43 01 8.19 (-43.01894d) Equinox: J2000		
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]				
	(4)	Radio-Galaxy-NIRCcam	RA: 13 25 27.6151 (201.3650629d) Dec: -43 01 8.81 (-43.01911d) Equinox: J2000		
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]				
	(5)	Radio-Galaxy-NIRCcam-Tile-1	RA: 13 25 18.9892 (201.3291217d) Dec: -42 57 54.67 (-42.96519d) Equinox: J2000		
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]				
	(6)	Radio-Galaxy-NIRCcam-Tile-2	RA: 13 25 30.0943 (201.3753929d) Dec: -42 58 13.62 (-42.97045d) Equinox: J2000		
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]				

Proposal 12496 - Observation 4 - NIRCcam and MIRI observations of a radio galaxy

Observation	Proposal 12496, Observation 4: Radio galaxy NIRCcam imaging									Sat Feb 14 02:00:21 GMT 2026
	Diagnostic Status: Warning									
	Observing Template: NIRCcam Imaging									
Diagnostics	(Radio galaxy NIRCcam imaging (Obs 4)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
	(Visit 4:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(4)	Radio-Galaxy-NIRCcam	RA: 13 25 27.6151 (201.3650629d) Dec: -43 01 8.81 (-43.01911d) Equinox: J2000							
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.									
	Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]									
Template	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift (deg)		Column shift (deg)	Tile Order
	4	3	10.0		60.0		0.0		0.0	DEFAULT
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	INTRAMODULEX		4		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F187N	F335M	SHALLOW4	7	1	4	4	1460.201	
	2	F090W	F277W	SHALLOW4	7	1	4	4	1460.201	
	3	F200W	F444W	SHALLOW4	7	1	4	4	1460.201	

Proposal 12496 - Observation 4 - NIRcam and MIRI observtions of a radio galaxy

Special Requirements	Before Date 21-JUN-2026:00:00:00 Sequence Visits within 53.0 Days Aperture PA Range 0 to 8 Degrees (V3 0.07457694 to 8.07457694) Aperture PA Range 68 to 85 Degrees (V3 68.07457694 to 85.07457694) Aperture PA Range 116 to 124 Degrees (V3 116.07457694 to 124.07457694) Aperture PA Range 134 to 143 Degrees (V3 134.07457694 to 143.07457694) Aperture PA Range 246 to 252 Degrees (V3 246.07457694 to 252.07457694) Aperture PA Range 285.0 to 286.0 Degrees (V3 285.07457694 to 286.07457694) Aperture PA Range 303 to 327 Degrees (V3 303.07457694 to 327.07457694) Aperture PA Range 340 to 345 Degrees (V3 340.07457694 to 345.07457694) Aperture PA Range 353 to 357 Degrees (V3 353.07457694 to 357.07457694) Visits Same PA
----------------------	--

Proposal 12496 - Observation 7 - NIRCcam and MIRI observations of a radio galaxy

Observation	Proposal 12496, Observation 7: Radio galaxy NIRCcam imaging Copy of Tile-2									Sat Feb 14 02:00:21 GMT 2026
	Diagnostic Status: Warning									
Observing Template: NIRCcam Imaging										
Diagnostics	(Radio galaxy NIRCcam imaging Copy of Tile-2 (Obs 7)) Warning (Form): By selecting Target Placement = Module Gap the target coordinates will not fall on any detector unless an appropriate Mosaic, set of Dithers or Offset Special Requirement is specified.									
	(Visit 7:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.									
Fixed Targets	#	Name	Target Coordinates			Targ. Coord. Corrections		Miscellaneous		
	(6)	Radio-Galaxy-NIRCcam-Tile-2	RA: 13 25 30.0943 (201.3753929d) Dec: -42 58 13.62 (-42.97045d) Equinox: J2000							
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]										
Template	Module		Subarray				Target Placement			
	ALL		FULL				Module gap (large extended source)			
Dithers	#	Primary Dither Type		Primary Dithers		Subpixel Dither Type		Dither Size		Subpixel Positions
	1	INTRAMODULEX		4		STANDARD				1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Dithers	Total Exposure Time	Optional ETC ID
	1	F187N	F335M	SHALLOW4	7	1	4	4	1460.201	
	2	F090W	F277W	SHALLOW4	7	1	4	4	1460.201	
	3	F200W	F444W	SHALLOW4	7	1	4	4	1460.201	
Special Requirements	Before Date 21-JUN-2026:00:00:00									
	Aperture PA Range 0 to 8 Degrees (V3 0.07457694 to 8.07457694) Aperture PA Range 68 to 85 Degrees (V3 68.07457694 to 85.07457694) Aperture PA Range 116 to 124 Degrees (V3 116.07457694 to 124.07457694) Aperture PA Range 134 to 143 Degrees (V3 134.07457694 to 143.07457694) Aperture PA Range 246 to 252 Degrees (V3 246.07457694 to 252.07457694) Aperture PA Range 285 to 286 Degrees (V3 285.07457694 to 286.07457694) Aperture PA Range 303 to 327 Degrees (V3 303.07457694 to 327.07457694) Aperture PA Range 340 to 345 Degrees (V3 340.07457694 to 345.07457694) Aperture PA Range 353 to 357 Degrees (V3 353.07457694 to 357.07457694)									

Proposal 12496 - Observation 6 - NIRcam and MIRI observations of a radio galaxy

Observation	Proposal 12496, Observation 6: Radio galaxy MIRI imaging						Sat Feb 14 02:00:21 GMT 2026
	Diagnostic Status: Warning						
	Observing Template: MIRI Imaging						
Diagnostics	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:5) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:6) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:7) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:8) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:9) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:10) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:11) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:12) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:13) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:14) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:15) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:16) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:17) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:18) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:19) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:20) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:21) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:22) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:23) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:24) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	(Visit 6:25) Warning (Form): Overheads are provisional until the Visit Planner has been run.						
	Fixed Targets	#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous	
(1)		Radio-Galaxy-MIRI	RA: 13 25 30.0233 (201.3750971d) Dec: -43 01 8.19 (-43.01894d) Equinox: J2000				
Comments: This object was generated by the targetselector and retrieved from the SIMBAD database. Category=Galaxy Description=[Active galactic nuclei, Radio galaxies, Radio jets]							
Template	Subarray						
	FULL						
Mosaic	Rows	Columns	Row Overlap %	Column Overlap %	Row shift (deg)	Column shift (deg)	Tile Order
	5	6	5.0	5.0	0.0	0.0	HILBERT_CURVE

Proposal 12496 - Observation 6 - NIRcam and MIRI observtions of a radio galaxy

Dithers	#	Dither Type	Starting Point	Number of Points	Points	Starting Set	Number of Sets	Optimized For	Direction	Pattern Size	
	1	CYCLING	1	4						MEDIUM	
Spectral Elements	#	Filter	Readout Pattern	Groups/Int	Integrations/Exp	Exposures/Dith	Dither	Total Dithers	Total Integrations	Total Exposure Time	Optional ETC ID
	1	F560W	FASTR1	10	2	1	Dither 1	4	8	233.103	
	2	F770W	FASTR1	10	2	1	Dither 1	4	8	233.103	
	3	F1000W	FASTR1	10	2	1	Dither 1	4	8	233.103	
Special Requirements	Before Date 21-JUN-2026:00:00:00 Group Visits within 53.0 Days Aperture PA Range 98.83544897 to 104.83544897 Degrees (V3 94.0 to 100.0) Aperture PA Range 281.83544897 to 294.83544897 Degrees (V3 277.0 to 290.0) Visits Same PA										