@Web Conference17 Feb 2021

FAPI-SIG Community 13th Meeting

Table of Contents

Major Topics

Status Updates from 12th Meeting

FAPI-RW

FAPI-CIBA (poll mode)

Client Policy Official Support

Future Topics Recalled

Major Topics

Major Topics

Project : Client Policy Official SupportPR sent

KEYCLOAK-16805 Client Policy: Support New Admin REST API (Implementation)

Status Updates from 12th Meeting FAPI-RW

Remaining Issues Status

3 Jan 2021

4 Issues in total

3 Resolved

1 In Progress

0 Assigned

0 Not Assigned

17 Feb 2021



1 In Progress +0

0 Assigned +0


0 Not Assigned +0

• #45 Integrating FAPI-RW conformance tests run into keycloak's CI/CD pipeline

FAPI-RW conformance test run automation completed. Integrating this automation onto keycloak codebase remains open.

Follow the final version of FAPI 1.0

Not yet published so that we can not start working on.



Status Updates from 12th Meeting FAPI-CIBA (poll mode)

Remaining Issues Status

3 Jan 2021

17 Feb 2021

13 Issues in total

8 Resolved [62%]

2 In Progress

3 Assigned

0 Not Assigned



8 Resolved [62%] +0

2 In Progress +0

3 Assigned +0

0 Not Assigned +0

Remaining Issues Details

- <u>#56</u> support Signed Authentication Request In Review
- <u>#58</u> Realm Settings (CIBA Policy) overriden by Client Settings In Review
- #63 Confirm CIBA Implementation Works Well in Clustering Environment Assigned
- #64 Confirm CIBA Implementation Works Well in Cross-DC Environment Assigned
- #65 Establish the way of running FAPI-CIBA OP poll w/ MTLS and w/ Private Key against CIBA Implementation
 Assigned

Upstreaming CIBA Support



Pure CIBA



KEYCLOAK-12137 OpenID Connect Client Initiated Backchannel Authentication (CIBA)


- CIBA Implementation based on its prototype (tnorimat/ciba-prototype)
- #59 Use Only Auth Result Cache by Infinispan For CIBA Flow Session Binding
- #60 Use Only Auth Result Cache on Communication with Decoupled Auth Server
- <u>#61</u> Token Request Throttling Information Not Cluster-wide Sync
- FAPI-CIBA
- #57 support User Code
- FAPI-CIBA
 - <u>#55</u> support id_token_hint
- FAPI-CIBA
 - #54 support login_hint_token
- FAPI-CIBA
 - <u>#53</u> encrypt/decrypt login_hint











Status Updates from 12th Meeting Client Policy Official Support

Subprojects

[Mandatory]

Active External Interfaces

Completed Client Policies for FAPI-RW

[Optional]

Pend Built-in Default Client Policies

Active Client Registration Policies Migration

Issues Status - External Interfaces

3 Jan 2021 17 Feb 2021

6 Issues in total

1 Resolved [17%] +0

1 In Progress +0

1 Assigned +0

3 Not Assigned +0

Issue status in detail: External Interfaces

Resolved KEYCLOAK-16137 Client Policy: Support New Admin REST API (Design)

PR Sent KEYCLOAK-16805 Client Policy: Support New Admin REST API (Implementation)

In Progress KEYCLOAK-16138 Client Policy: Support New Admin Console UI (Design)

- Concept Design by RH UXD team : https://marvelapp.com/prototype/6e70eh2/screen/74918976
- KEYCLOAK-16847 Client Policy: Support New Admin Console UI (Implementation)
- KEYCLOAK-14209 Client Policy : UI on Admin Console
- KEYCLOAK-14211 Client Policy : Remove Client Policy related individual settings on Admin Console

[Potential Blocking Factor]


New Admin Console Release (not yet released)

JSON Representation for Client Profiles/Policies


```
"profiles" : [ {
    "name": "fapi-1.0-baseline-security-profile",
   "description": "FAPI 1.0 Baseline Security Profile",
    "builtin" : false.
   "executors" : [ {
      "secure-client-authn-executor" : {
      "client-authns": ["client-secret-jwt", "client-jwt", "client-x509"],
      "is-augment" : false }
     }, { "pkce-enforce-executor" : { "is-augment" : true }
     }, { "secure-redirecturi-enforce-executor" : { }
     }, { "secure-session-enforce-executor" : { }
     }, { "securesignalg-enforce-executor" : { }
     }, { "securesignalgiwt-enforce-executor" : { }
   "name": "fapi-1.0-advanced-security-profile",
   "description": "FAPI 1.0 Advanced Security Profile
                    (additional requirements of Baseline)",
    "builtin": false,
   "executors" : [ {
     "secure-client-authn-executor" : {
      "client-authns": ["client-jwt", "client-x509"],
      "is-augment" : false }
   }, { "holder-of-key-enforce-executor" : { "is-augment" : true }
   }, { "secure-regobj-executor" : { }
   }, { "secure-responsetype-executor" : { }
   }]}]
```

```
"policies" : [ {
    "name": "fapi-1.0-baseline-security-policy",
    "builtin": true.
    "enable": true
    "conditions" : [ {
     "client-accesstype-condition" : { "type" : [ "confidential" ] }
    }, { "clientroles-condition" : { "roles" : [ "AISP", "PISP" ]
     "clientscopes-condition" : {
       "type": "Optional",
       "scope" : [ "read_account", "read_trasactions" ] }
    "profiles" : [ "fapi-1.0-baseline-security-profile" ]
    "name": "fapi-1.0-advanced-security-policy",
    "builtin" : false.
    "enable": true
    "conditions" : [ {
     "client-accesstype-condition" : { "type" : [ "confidential" ] }
    }, { "clientroles-condition" : { "roles" : [ "PISP" ]
     "clientscopes-condition" : {
       "type": "Optional",
      "scope" : [ "bank_transfer" ] }
    "profiles": [ "fapi-1.0-baseline-security-profile",
                  "fapi-1.0-advanced-security-profile" ] }]
```

Client Profiles/Policies: how to work



Issue status in detail: External Interfaces



Issues Status - Client Registration Policies Migration

3 Jan 2021

17 Feb 2021

3 Issues in total

O Resolved [0%]



0 Resolved [0%] +0

+0

9 In Progress

9 In Progress


0 Assigned


0 Assigned +0

1 Not Assigned

1 Not Assigned +0


Issue status in detail: Client Registration Policies Migration





Future Topics Recalled

OIDC Client's Public Key Management



[When client's public key is used]

- JWS Signature Verification
 - Message Authentication : Request Object
 - Client Authentication : JWT signed client authentication
- JWE CEK management (RSA1_5, RSA-OAEP)

[How to get client's EC public key]

- By Reference
 - Access URL specified by "jwks_uri" client metadata
- By Value

No way



• Dynamic Client Registration with "jwks" client metadata

[JIRA Ticket]

<u>KEYCLOAK-10462</u> Improve support for setting keys for OIDC clients

