Home HTML XHTML CSS JavaScript Bootstrap JQuery PHP XML JSON Python

C Programming

Output based questions on Structures

☆ SCROLL TO TOP

# HTML <Checkbox> Tag

The **HTML <checkbox> tag** is used to define the square boxes. It is a form element which allows users to select one or more options from the given options.

It is created by the **type** attribute of the **<input>** element as shown in the following syntax:

```
<input type="checkbox" name="field name" value="Initial value">
```


If we want to select any checkbox by default, then we have to set the checked attribute with the "yes" value as described in the following syntax:

```
<input type="checkbox" name="field name" value="Initial value" checked="yes">
```

#### Example


```
<html>
<head>
</head>
<body>
<form>
Programming Languages: <br>
<input type="checkbox" id="C" name="C" value="C"/>

$CROLL TO TOP C</label> <br>
In the second content of the se
```




**Test it Now** 

#### **Output:**



 $Next \rightarrow$ 



## **Browser Support**

Element	© Chrome	<b>€</b> IE	Firefox	<b>O</b> Opera	Safari
<checkbox></checkbox>	Yes	Yes	Yes	Yes	Yes







# Bror Videos Join Our Youtube Channel: Join Now


#### Feedback


• Send your Feedback to feedback@javatpoint.com

### Help Others, Please Share



### **Learn Latest Tutorials**








### Preparation






**Company Questions** 


### **Trending Technologies**





#### B.Tech / MCA









☆ SCROLL TO TOP



java po@t

**C Programming** 

Output based questions on Structures

☆ SCROLL TO TOP