

ARCHITECTURE EXTENSIONS

ARCH REQ5

09/28




GOALS

- Auto-Discover all the Endpoints in an API
- Check the Endpoints for HTTPS/HTTP
- Check the Endpoints for Authentication Requirements
- Check the Endpoints for External Reachability
- Auto Discover the Proxy Web Servers Driving APIs
- Auto Discover the Proxy API Slave Servers Delivering Services
- Add an MVC Backside Poller & Discovery Agent for Interfaces




CLIENT SERVICE ARCHITECTURE – W/O PROXY



On Azure Cloud – MSFT Provisions Public IP Addresses For All Services And HTTPS URLs To Microsoft Owned Domains. Microsoft allows cnames to SSL supporting custom domain URLs. Default Cipher is AES-256 For Azure.




CLIENT SERVICE ARCHITECTURE – OPTION1 - RENDER



On Azure Cloud – MSFT Provisions Public IP Addresses For All Services And HTTPS URLs To Microsoft Owned Domains. Microsoft allows cnames to SSL supporting custom domain URLs. Default Cipher is AES-256 For Azure.



CLIENT SERVICE ARCHITECTURE – OPTION2 - MSFT



On Azure Cloud – MSFT Provisions Public IP Addresses For All Services And HTTPS URLs To Microsoft Owned Domains. Microsoft allows cnames to SSL supporting custom domain URLs. Default Cipher is AES-256 For Azure.

