



Does Lake and Stream Connectivity Control Phosphorus Retention in Lakes?


Joseph Stachelek and Patricia Soranno

Michigan State University

Assoc. Limnology and Oceanography, 2018 June

<http://doi.org/ckpf>

LAKE PHOSPHORUS (P) RETENTION




P retention directly controls downstream transport [Alexander et al., 2002]

P retention indirectly controls sediment P accumulation [Søndergaard et al., 2013]


ESTIMATING P RETENTION FOR A SINGLE LAKE

- Field work material
- Sediment traps
- Benthic coring


P RETENTION CONCEPTUAL MODEL



P RETENTION VERSUS WATER RESIDENCE TIME



EXTENDING P RETENTION MODELS




MULTIPLE WAYS TO DEFINE CONNECTIVITY


Low Connectivity

High Connectivity


Closest Lake Distance: Network distance to the closest upstream lake.




Average Link Length: Sum of the total length of stream reaches between junctions divided by the total number of reaches.



WATERSHED EXTENTS




A faint, light gray background pattern consisting of a network of interconnected nodes and lines, resembling a molecular structure or a complex web, covering the entire slide.

1. Does connectivity of lakes and their watersheds influence lake phosphorus retention?

2. What is the relative importance of **different connectivity metrics** in determining lake P retention and **what spatial extents are most important** for connectivity and P retention?

METHODS - CONNECTIVITY PARTITIONS


METHODS - P RETENTION MODELLING




connectivity

- High
- Low

No Connectivity Effect





Connectivity Effect






P RETENTION (PROCESSING) COEFFICIENT DISTRIBUTIONS



CONCLUSION



Connectivity of lakes and their



SPECULATION SLIDE

- WS:LA ratio



Alexander, R. B., Elliott, A. H., Shankar, U., and McBride, G. B. (2002).

Estimating the sources and transport of nutrients in the Waikato River Basin, New Zealand: Sources and transport of nutrients.

Water Resources Research, 38(12).



Milstead, W. B., Hollister, J. W., Moore, R. B., and Walker, H. A. (2013).

Estimating Summer Nutrient Concentrations in Northeastern Lakes from SPARROW Load Predictions and Modeled Lake Depth and Volume.

PLoS ONE, 8(11):e81457.



Søndergaard, M., Bjerring, R., and Jeppesen, E. (2013).

Persistent internal phosphorus loading during summer in shallow eutrophic lakes.

Hydrobiologia, 710(1):95–107.



Stachelek, J. and Soranno, P. ("In prep").

Does lake and stream connectivity control phosphorus retention in lakes?