Analysis of 500 lake catchments reveals the relationship between crop type, fertilizer and manure inputs and lake nutrient concentrations

Joe Stachelek, Cayelan C. Carey, Kelly M. Cobourn, Armen R. Kemanian, Tyler Wagner, Kathleen C. Weathers, Weizhe Weng and Patricia A. Soranno

Ecological Society of America, 2019 August

Introduction

Ag land-use is associated with higher lake nutrient concentrations (Soranno et al. 2017)



Introduction - Nutrient predictors

Nutrient inputs - Fertilizer and manure applications

Nutrient transport - Baseflow, soils, precipitation

Land-use cover - Specific crops, etc.

Buffer configuration - Land-use cover, specific crops

Lake characteristics - Depth, area, etc.

(Collins et al. 2017)

Background - The macroscale

	Fine scale (few watersheds) (one region)	Macroscale (many watersheds) (many regions)
Granular	Many studies	**Rare**
Aggregated	Few studies	Some studies

Background - Granular Ag data



Background - Granular Ag data

Poorly Buffered Stream



Lake Carlton – IL



Argyle Lake – IL

Well Buffered Stream

Research Question(s)

1. Are more granular measures of Ag activity related to lake water quality (TN, TP) across hundreds of lakes and their watersheds?

2. Do relationships between watershed land use and lake water quality vary spatially among hydrologic and climatic regions?

Methods





Land-use cover data (CDL) (USDA-NASS)

Soils data (gSSURGO) (USDA-NRCS)

Fertilizer and manure data (USGS) (Ruddy, Lorenz, and Mueller 2006)

Lake nutrient data (LAGOSNE) (Soranno et al. 2017)

Methods - Regression Modelling

Model type: Hierarchical Bayesian

Response variables: TP, TN

Global predictors: 12 Granular Ag variables
3 Lake and watershed characteristics

Variable selection: None (*horseshoe* shrinkage)

Regionally varying predictors: 7 Wtrshd land-use vars

Model selection: Cross-validation on watershed land-use

Methods - Regression modelling

Watershed land use as a regionally varying predictor.

(Burcher, Valett, and Benfield 2007)

# of lakes per region





Results - Nutrient correlations





Results - Nutrient correlations





Results - Nutrient correlations





Results - Nutrient correlations





Results - Nutrient correlations





Results - Nutrient correlations





Results - Global effects



Results - Regionally varying effects



Results - Regionally varying effects



Results - TN Model

Ag sensitive regions





Conclusions

1. Are more granular measures of Ag activity related to lake water quality (TN, TP) across hundreds of lakes and their watersheds?

Yes, both lake TP and lake TN were related to granular measures of Ag activity.

But, specific crop land use and riparian buffer configuration was more influential in the lake TN models.

2. Do relationships between Ag activities and lake water quality vary spatially among hydrologic and climatic regions?

Yes, in the case of lake TN concentrations.

References

Burcher, C. L., H. M. Valett, and E. F. Benfield. 2007. “The land-cover cascade: relationships coupling land and water.” *Ecology* 88 (1): 228–42. https://doi.org/10.1890/0012-9658(2007)88[228:TLCRCL]2.0.CO;2.

Carvalho, Carlos M., Nicholas G. Polson, and James G. Scott. 2010. “The Horseshoe Estimator for Sparse Signals.” *Biometrika* 97 (2): 465–80.

Collins, Sarah M., Samantha K. Oliver, Jean-Francois Lapierre, Emily H. Stanley, John R. Jones, Tyler Wagner, and Patricia A. Soranno. 2017. “Lake Nutrient Stoichiometry Is Less Predictable Than Nutrient Concentrations at Regional and Sub-Continental Scales.” *Ecological Applications* 27 (5): 1529–40. https://doi.org/10.1002/eap.1545.

Ruddy, Barbara C, David L Lorenz, and David K Mueller. 2006. “County-Level Estimates of Nutrient Inputs to the Land Surface of the Conterminous United States, 1982-2001.”

Soranno, Patricia A, A Super, B Super, and Super C. 2017. “LAGOS-NE: A Multi-Scaled Geospatial and Temporal Database of Lake Ecological Context and Water Quality for Thousands of US Lakes.” *GigaScience* 6 (12): 1–22. https://doi.org/10.1093/gigascience/gix101.