Tech Request

TECHREQUEST PRACTICAL GUIDE

Approve Documents

Airbus – Customer Digital Experience
TechRequest Deployment & Support

February 1st 2021

AIRBUS

PROCESS OVERVIEW – Approve a Document



AIRBUS

4.1 – Submit ASAC for Approval

Internal Request Owner
AIB Internal

Review the ASAC filled by the Contributor → Finalize ASAC & send it for Approval

1. Consult the "**Approval Document**" dashboard and check the documents status
2. Open the documents "**Received from Partner**"
3. The ASAC form is displayed
4. The action buttons on the page's top enables you to perform the required actions



Dossier Ref	Approval Doc. Ref	Tech. Sheet Ref	Tech. Sheet Design Resp	Status	Approval Target Date	Urgency	Tech. Sheet Issue
80575112	80575112/002/2019	ASACAS-80575112/002/2019-1		Received from partner			1
80575112	80575112/002/2019	ASACAS-80575112/002/2019-2		Received from partner			1
80575113	80575113/002/2019	ASACAS-80575113/002/2019-1		Received from partner		Regular	1
80575242	80575242/003/2019	ASACAS-80575242/003/2019-1		Received from partner		Critical	1
80575439	80575439/010/2019	ASACAS-80575439/010/2019-1		Received from partner		Regular	1



AIRBUS

4.1 – Submit ASAC for Approval

Internal Request Owner
AIB Internal

Review the ASAC filled by the Contributor → **Finalize ASAC & send it for Approval**

You can update the ASAC from the ASACAS information:

1. Click on "**Update from ASACAS**" button
2. It generates a table displaying the:
   - ASAC main data in the left column
   - ASACAS main data in the right column.
3. Tick on the boxes to select the associated information you want to retrieve in the ASAC (content is displayed in light grey) By default, the ASACAS information are selected.
4. You can preview the ASAC/ASACAS sketches.
5. Click on "**Validate**" to update the ASAC as required.



AIRBUS

4.1 – Submit ASAC for Approval

Internal Request Owner
AIB Internal

Review the ASAC filled by the Contributor → **Finalize ASAC & send it for Approval**

1. **Edit** the document.
2. Fill in the Approval Target Date and other mandatory fields.
3. Save ASAC.
4. Click on "**Submit for Approval**" button to submit it to the Authorities.
5. A notification confirms that the document has been successfully submitted.
6. Document status will be automatically set to "**To be approved**".



AIRBUS

4.2 – Approve/Reject an ASAC/ASACAS

Authorities

Approval Dashboard & request assignation → Consult ASAC / ASACAS → Approve or Reject the document

The Authorities can approve or reject an ASAC in TechRequest

1. Consult the **Approval dashboard** to display the requests for approval submitted by Airbus internal request owners
2. Select the request for approval and click on "**Assign**"
3. Select someone from the "**users list**" or choose "Me" if you want to assign to you this approval documentation
4. A notification confirms that the document has been successfully assigned

1

Back **Approval**

Predefined Filter | Advanced Filter | EXPORT LIST | ASSIGN

2

Dossier Ref	Approval Doc. Ref	Approval Doc. Issue	Title	Status	Approval Target Date	Urgency	Approval Responsible	Approver	Previous Approver	Previous Rejector	A/C Type	ATA	MSN	A/C Model
80097083	80097083/003/2015	A	RH Wing - Slat No. 1 - Nose Part of Top Skin - Rib 1-2 - Dent	To be approved	10-MAY-2017 23:59	AOG					A320	57-42-21	05150	A320-214
80015171	80015171/034/2014	1	Junction bolt of Y-load fitting and Eye bolt clearance clarification	To be approved	30-AUG-2017 23:59	AOG					A330	55-16	00505	A330-243
81938912	81938912/002/2017	2	TA repeater Test	To be approved	21-OCT-2017 23:59	AOG					A319	04-40	01321...	A319-114
80188619	80188619/003/2016	A	test repair AOG	To be approved	20-DEC-2017 23:59	AOG					A321	53-11-11	11691	A321-211
81939180	81939180/004/2017	A	test2	To be approved	23-DEC-2017 23:59	AOG					A300	01-00-00	00001	A300B1
80186545	80186545/003/2016	A	Chafing damage to the LH and RH FR36 inner flange, STGR20	To be approved	27-JUL-2016 12:00	Critical					A319	57-11-18	02260	A319-100
80099524	80099524/004/2015	B	Corrosion, Top Skin Pnl 2, RS, Ribs 14-16. RH Wing	To be approved	27-JUL-2016 23:59	Critical					A320	57-21-11	02399	A320-214
80188557	80188557/003/2016	1	TA FOR DE-ACTIVATION PROCEDURE OF LH MLG BRAKE	To be approved	14-SEP-2016 23:59	Critical					A320	32-42	04657	A320-232
80188626	80188626/004/2016	1	TA FOR DE-ACTIVATION PROCEDURE OF LH MLG BRAKE	To be approved	23-SEP-2016 23:59	Critical					A320	32-42	04657	A320-232
80188683	80188683/004/2016	1	TA FOR DE-ACTIVATION PROCEDURE OF LH MLG BRAKE	To be approved	05-OCT-2016 23:59	Critical					A320	32-42	04657	A320-232

2 ASSIGN

Subscribe to notification — Phone Number: 33 582055141

3

Change Team / User

Me

Another

First name	Last name

CLEAR VALUE

VALIDATE | CANCEL

4

Approval responsible successfully assigned.

ASAC 81938914/003/2017 has been successfully saved.

AIRBUS

4.2 – Approve/Reject an ASAC/ASACAS

Authorities

Approval Dashboard & request assignation → Consult ASAC / ASACAS → Approve or Reject the document

1. Click on the "**Approval Doc. Ref**" to open the ASAC.

2. – The ASAC is displayed
   It is organized in 3 parts
   - ASAC main data
   - Linked ASACAS
   - Linked justifications (empty for ASAC)

3. Click on the ASACAS hyperlinks in the "**ASACAS**" section.

4. – The ASACAS is displayed
   It is organized in 2 parts
   - ASACAS main data
   - Justifications (empty for ASACAS)



AIRBUS

4.2 – Approve/Reject a ASAC/ASACAS

Authorities

Approval Dashboard & request assignation → Consult ASAC / ASACAS → **Approve or Reject the document**

To approve an ASAC:

1. Click on "**Approve**" on top of the ASAC template.
2. Enter your TechRequest password
3. Click on "**Sign document**" button
   Note: You need to have a signature with stamp uploaded in your profile (see Appendix 2)
4. A notification is displayed to confirm that the ASAC has been successfully approved
5. ASAC and ASACAS status are set to "**Approved**"



AIRBUS

4.2 – Approve/Reject a ASAC/ASACAS

Authorities

Approval Dashboard & request assignation → Consult ASAC / ASACAS → Approve or Reject the document

To reject an ASAC:

1. Click on "**Reject**" button on top of the ASAC template.
2. A "**Rejection Cause**" pop-up is displayed. It is mandatory to fill in at least one of the two fields. Then click on "**Validate**".
3. The Rejection Cause is consultable via the "**History**" function;
4. ASAC status is automatically set to "**Rejected**".

To reject an ASACAS:

5. Same actions as for ASAC, but at ASACAS level.
6. ASACAS status is automatically set to "**Rejected**", and associated ASAC status is set to "**Rejected from Justif. Doc**.".



AIRBUS

4.1 – Modify ASAC and/or ask for new ASACAS

Internal Request Owner
AIB Internal

When ASAC has been rejected:

The Airbus internal request owner can modify the ASAC and submit it again for approval.

1. Edit ASAC and set its status to "**Draft**".
2. Modify impacted data.
3. Submit the ASAC for Approval.



AIRBUS

4.1 – Modify ASAC and/or ask for new ASACAS

Collaborator
CoE Supplier

When ASACAS has been rejected (1/2):

Contributor update the ASACAS:

1. Edit the ASACAS and set its status to "Draft"
2. Update impacted data
3. Sign the ASACAS
4. Send the ASACAS to Customer Support



AIRBUS

4.1 – Modify ASAC and/or ask for new ASACAS

Internal Request Owner
AIB Internal

When ASACAS has been rejected (2/2)

The Airbus internal request owner :

1. Update the ASAC with ASACAS new data
2. Update the Approval Target Date if needed
3. Submit the ASAC for Approval



AIRBUS

Appendix 1 – Productive password for Authority

The Authorities must log in TechRequest from time to time to update their password because it is required to approve documents.

If not, they can also use ServiceNow platform (Mypassword tab) to reset their password. Please consult the procedure

Virtual Agent - When opening, please click on "Show Me Everything"



Appendix 2 – Update my signature

1. From the Home Page, Open “**My profile**” section.
2. Click on the “**Edit**” button.
3. In the section « **Electronic Digital Signature** (DAE Stamp and signature) », click on the « **upload** » button.
4. In the « **Upload stamp** » popup, Signature criteria is mentioned:
   Format: *BMP, GIF, JPG, JPEG, PNG*
   Image is resized if it doesn’t respect the 277 x 81 format
5. Click on « **Browse** » button and upload your signature with stamp.
6. Your signature is displayed
7. Click on « **Validate** »



AIRBUS

If you need further assistance, you can contact the TechRequest Support by raising a ticket.

AIRBUS