

Cross-Image Component Linking Report

Image 1: ocr-rx3.png · Image 2: ocr-rx4.png

	Image 1	Image 2
Components detected	7	5
Equivalence classes	7	5
Within-image relations	1	0
Identity (very high) links	0	
SKU (high) links	0	
Therapeutic (medium) links	0	
Unmatched	7	5

Confidence tiers

Identity	Same physical lot. Shared NDC + Lot (+ optional Exp), or shared Lot + Exp/Mfg with no conflicts.	<i>very high</i>
SKU	Same product SKU. Shared NDC; lots may differ or be unobserved.	<i>high</i>
Therapeutic	Same drug + strength but different manufacturer / NDC. Functionally substitutable, not the same SKU.	<i>medium</i>

Image 1 segmentation




Image 2 segmentation



Within-image relations

Components in the same image that aren't the same physical lot but represent the same SKU or are therapeutically equivalent.

Image 1: [4] ↔ [5] therapeutic (medium)

shared: lot, product, strength
notes: same product, manufacturer not co-observed

	Image / Obj	Image 1 · Component 4	THERAPEUTIC		Image / Obj	Image 1 · Component 5
	Type	bag			Type	bag
	Manufacturer	Boehringer Ingelheim			Manufacturer	—
	Product	0.9% Sodium Chloride Injection, USP			Product	0.9% Sodium Chloride Injection, USP
	Strength	40 mg			Strength	40 mg
	NDC	—			NDC	—
	LOT	HK3092			LOT	HK3092
	EXP	12/26			EXP	05/30/2028
	Volume	03 mL			Volume	40 mL
	OCR	rot 0° + +6.0° · PSM 11 · inv_otsu · conf 72			OCR	rot 0° + +6.0° · PSM 3 · adaptive · conf 79

Unmatched components

Image 1 · Component(s) [1] (no cross-image match — no_candidate)




Image / Obj	Image 1 · Component 1
Type	bag
Manufacturer	—
Product	0.9% Sodium Chloride Injection, USP
Strength	—
NDC	—
LOT	2JD588
EXP	07/27
Volume	—
OCR	rot 0° + -2.0° · PSM 11 · otsu · conf 88

(none)
ONLY
IMG 1

Image 1 · Component(s) [2] (no cross-image match — no_candidate)




Image / Obj	Image 1 · Component 2
Type	vial
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	—
EXP	—
Volume	—
OCR	rot 0° + +6.0° · PSM 6 · inv_otstu · conf 74

(none)
ONLY
IMG 1

Image 1 · Component(s) [3] (no cross-image match — no_candidate)



Image / Obj	Image 1 · Component 3
Type	vial
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	—
EXP	—
Volume	—
OCR	rot 90° + -2.0° · PSM 6 · adaptive · conf 95

(none)
ONLY
IMG 1

Image 1 · Component(s) [4] (no cross-image match — no_candidate)



Image / Obj	Image 1 · Component 4
Type	bag
Manufacturer	Boehringer Ingelheim
Product	0.9% Sodium Chloride Injection, USP
Strength	40 mg
NDC	—
LOT	HK3092
EXP	12/26
Volume	03 mL
OCR	rot 0° + +6.0° · PSM 11 · inv_otsu · conf 72

ONLY
IMG 1

(none)

Image 1 · Component(s) [5] (no cross-image match — no_candidate)



Image / Obj	Image 1 · Component 5
Type	bag
Manufacturer	—
Product	0.9% Sodium Chloride Injection, USP
Strength	40 mg
NDC	—
LOT	HK3092
EXP	05/30/2028
Volume	40 mL
OCR	rot 0° + +6.0° · PSM 3 · adaptive · conf 79

ONLY
IMG 1

(none)

Image 1 · Component(s) [6] (no cross-image match — no_candidate)



Image / Obj	Image 1 · Component 6
Type	vial
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	—
EXP	—
Volume	—
OCR	rot 270° + -1.0° · PSM 3 · inv_otsu · conf 85

ONLY
IMG 1

(none)

Image 1 · Component(s) [7] (no cross-image match — no_candidate)




Image / Obj	Image 1 · Component 7
Type	vial
Manufacturer	Hospira
Product	0.9% Sodium Chloride Injection, USP
Strength	10 mg
NDC	—
LOT	308777251009
EXP	05/30/2028
Volume	10 mL
OCR	rot 0° + -3.0° · PSM 3 · inv_otsu · conf 81

ONLY
IMG 1

(none)

Image 2 · Component(s) [1] (no cross-image match — no_candidate)

(none)

ONLY
IMG 2




Image / Obj	Image 2 · Component 1
Type	bag
Manufacturer	Pfizer
Product	—
Strength	2.5 g
NDC	0009-0224
LOT	—
EXP	—
Volume	—
OCR	rot 90° + -4.0° · PSM 3 · otsu · conf 92

Image 2 · Component(s) [2] (no cross-image match — no_candidate)

(none)

ONLY
IMG 2



Image / Obj	Image 2 · Component 2
Type	vial
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	—
EXP	—
Volume	—
OCR	rot 180° + -4.0° · PSM 11 · inv_otsu · conf 53

Image 2 · Component(s) [3] (no cross-image match — no_candidate)

(none)


ONLY IMG 2		Image / Obj	Image 2 · Component 3
		Type	bag
		Manufacturer	Pfizer
		Product	—
		Strength	2.5 g
		NDC	00009-0224-29
		LOT	—
		EXP	—
		Volume	—
		OCR	rot 90° + -0.0° · PSM 3 · morph · conf 95

Image 2 · Component(s) [4] (no cross-image match — no_candidate)

(none)

ONLY IMG 2		Image / Obj	Image 2 · Component 4
		Type	vial
		Manufacturer	—
		Product	—
		Strength	—
		NDC	—
		LOT	—
		EXP	—
		Volume	—
		OCR	rot 90° + -0.0° · PSM 3 · otsu · conf 85

Image 2 · Component(s) [5] (no cross-image match — no_candidate)

(none)

ONLY IMG 2		Image / Obj	Image 2 · Component 5
		Type	bag
		Manufacturer	—
		Product	—
		Strength	2.5 g
		NDC	—
		LOT	—
		EXP	—
		Volume	—
		OCR	rot 90° + +1.0° · PSM 3 · inv_otu · conf 89

OCR appendix — raw text per component

Image 1

Component 1 (rot 0° + -2.0°, PSM 11, otsu, mean conf 88)

NOC 0264-7800. 1¢ BBAXTER 0.9% Sodium Chloride Injection, U Sterile, nonpyrogenic Single-dose container For intravenous use only Do not use unless Solution is clear and Seal is intact. Lot 2JD588 EXP 07/27 i@

Component 2 (rot 0° + +6.0°, PSM 6, inv_otsu, mean conf 74)

34-7800-10 -50 = stion, USP = ~150 L - 200 ly -250 mt Approx.

Component 3 (rot 90° + -2.0°, PSM 6, adaptive, mean conf 95)

|

Component 4 (rot 0° + +6.0°, PSM 11, inv_otsu, mean conf 72)

am, ~ = zer DP Injectables Lot — t 308777251000 A EX Z - Ex p 05/30/2028 Z 10 — N: Reconstitute with Sterile Water for Injection, USP 40m f g U rvial. Gently switl to stituted solution should —= The recon diluted in 0.9% Sodium Z further tion or 5% Dextrose A = ade injec A of 1c section t oa final concentration = of 10 maf mL to 40 mg/mL. a — Dis f dunu sed portion. or: i "7 sh moh ~* ee \LE WATER OR INJECTION, USP for Drug Diluent Use Preservative Free Lot HK3092 EXP 12/26 3

Component 5 (rot 0° + +6.0°, PSM 3, adaptive, mean conf 79)

w ot 308777251000 exp 05/30/2028 pILuTION: Reconstitute with 40 mL of Sterile Water for Injection, per vial. Gently Gssalve, The reconstituted solution should in 0.9% Sodium AANA LN NN injection to final concentration mg/ml to 40 mg/mL. dunused portion. yaa +4 s 3 g on ERILE WATER FOR INJECTION, USP For Drug Diluent Use preservative Free Lot HK3092 EXP 12/26

Component 6 (rot 270° + -1.0°, PSM 3, inv_otsu, mean conf 85)

ATER IN, USP

Component 7 (rot 0° + -3.0°, PSM 3, inv_otsu, mean conf 81)

er Lot 308777251009 EXP 05/30/2028 DILUTION: Reconstitute with 10 mL of Sterile Water for Injection USP per vial. Gently swir £0 Cisse The reconstituted solution shoug be further diluted in 0.9% Soe Chloride Injection or 5% of 10 mg/mL to 40 mg/ml Discard unused Portion, 3243900 AUG

Image 2

Component 1 (rot 90° + -4.0°, PSM 3, otsu, mean conf 92)

Injectables NDC CEFTAZIDIME- AVIBACTAM INJECTION 2.9 per vial For Intravenous Use Only Single-dose vial. Discard Unused portion. Rx only

Component 2 (rot 180° + -4.0°, PSM 11, inv_otsu, mean conf 53)

—\$. — ~ — 4

Component 3 (rot 90° + -0.0°, PSM 3, morph, mean conf 95)

CEFTAZIDIME- AVIBACTAM INJECTION For Intravenous Use Only Single-dose vial. Discard unused portion. Rx only

Component 4 (rot 90° + -0.0°, PSM 3, otsu, mean conf 85)

224-29

Component 5 (rot 90° + +1.0°, PSM 3, inv_otsu, mean conf 89)

Injectables NOC 0009-0224. CEFTAZIDIME- AVIBACTAM INJECTION 2.5 g per vial For intravenous Use Only single-dose vial. Discard unused portion. Rx only