

Cross-Image Component Linking Report

Image 1: ocr-rx1.png · Image 2: ocr-rx2.png

	Image 1	Image 2
Components detected	1	4
Equivalence classes	1	4
Within-image relations	0	0
Identity (very high) links	0	
SKU (high) links	0	
Therapeutic (medium) links	0	
Unmatched	1	4

Confidence tiers

Identity	Same physical lot. Shared NDC + Lot (+ optional Exp), or shared Lot + Exp/Mfg with no conflicts.	<i>very high</i>
SKU	Same product SKU. Shared NDC; lots may differ or be unobserved.	<i>high</i>
Therapeutic	Same drug + strength but different manufacturer / NDC. Functionally substitutable, not the same SKU.	<i>medium</i>

Image 1 segmentation



Image 2 segmentation



Unmatched components

Image 1 · Component(s) [1] (no cross-image match — no_candidate)



Image / Obj	Image 1 · Component 1
Type	bag
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	K250250
EXP	09/26
Volume	2 mL
OCR	rot 90° + -0.0° · PSM 3 · otsu · conf 93

ONLY
IMG 1

(none)

Image 2 · Component(s) [1] (no cross-image match — no_candidate)

(none)

ONLY
IMG 2



Image / Obj	Image 2 · Component 1
Type	bag
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	—
EXP	—
Volume	—
OCR	rot 90° + -0.0° · PSM 3 · adaptive · conf 61

Image 2 · Component(s) [2] (no cross-image match — no_candidate)

(none)

ONLY
IMG 2



Image / Obj	Image 2 · Component 2
Type	vial
Manufacturer	—
Product	—
Strength	—
NDC	—
LOT	—
EXP	—
Volume	—
OCR	rot 0° + +6.0° · PSM 6 · adaptive · conf 45

Image 2 · Component(s) [3] (no cross-image match — no_candidate)

(none)

ONLY IMG 2		Image / Obj	Image 2 · Component 3
		Type	bag
		Manufacturer	—
		Product	—
		Strength	—
		NDC	—
		LOT	—
		EXP	—
		Volume	2 mL
		OCR	rot 270° + -0.0° · PSM 6 · otsu · conf 68

Image 2 · Component(s) [4] (no cross-image match — no_candidate)

(none)

ONLY IMG 2		Image / Obj	Image 2 · Component 4
		Type	bag
		Manufacturer	—
		Product	—
		Strength	—
		NDC	—
		LOT	—
		EXP	—
		Volume	—
		OCR	rot 270° + -0.0° · PSM 6 · inv_otsu · conf 95

OCR appendix — raw text per component

Image 1

Component 1 (rot 90° + -0.0°, PSM 3, otsu, mean conf 93)
LOT K250250 EXP 09/26 2mL

Image 2

Component 1 (rot 90° + -0.0°, PSM 3, adaptive, mean conf 61)
t Xa] a} ; |

Component 2 (rot 0° + +6.0°, PSM 6, adaptive, mean conf 45)
a ene nw hy 7 te roe - ' | | \ - - a" = — . i { (\ \ _- \ : ' / - "ud 4 t i

Component 3 (rot 270° + -0.0°, PSM 6, otsu, mean conf 68)
- | Sc Ns mo0 =e od

Component 4 (rot 270° + -0.0°, PSM 6, inv_otsu, mean conf 95)
DR RED