


TRADEMARK DATA EXTRACTION TOOL (TDET)

User Guide



Version: 1.1
Last Updated: 2026-02-19

Table of Contents

Overview 2

 Key Capabilities 2

Access & Navigation 2

 Sidebar Menu:..... 2

Search Page 3

 Basic Search (File Upload) 3

 Hybrid Search (File + Filters) 3

 Advanced Search (Parameter Search) 4

 Understanding Search Results (What Matched vs. Event Match) 4

 Saved Searches (Presets)..... 5

History Page 5

 Filtering History..... 5

 Viewing & Downloading..... 5

 Re-running Searches 6

Troubleshooting & Support 6

Appendices 7

 Appendix A: Where Data Is Stored..... 7

 Appendix B: Advanced Search Parameters..... 7

Overview

The Trademark Data Extraction Tool (TDET) allows USPTO staff to retrieve enriched trademark data from the Databricks Lakehouse. It supports bulk processing via file upload, complex parameter-based searching, and historical record management.

Key Capabilities

- **Basic Search:** Upload a list of Serial Numbers (Excel) to retrieve data.
 - **Advanced Search:** Search by specific criteria (Name, Email, Phone, Address, Prosecution History Events, etc.) without an input file.
 - **Hybrid Search:** Combine both methods—upload a file of Serial Numbers and filter the results using Advanced criteria (e.g., "Find all serials in this file where Status is 'REGISTERED'" or "Where PH Entry is 'KSCOO'").
 - **History & Re-runs:** View past searches, download original input/output files, and re-run any past search against the latest data.
 - **Saved Searches:** Save your search criteria as presets to quickly load and run frequently used queries.
-

Access & Navigation

Access: Open the TDET Databricks App in your environment (Lab or Prod).

Authentication: Handled via Single Sign-On (SSO). Your Name and Email are automatically detected and pre-filled.

Sidebar Menu:

- **Search:** Main interface for running new searches (Basic, Hybrid, Advanced).
- **History:** View logs of past searches, filter by user/criteria, re-run searches, and retrieve files.
- **Help:** Download this user guide.
- **Download:** Get the template for Basic Search file uploads.

Environment Indicator:

The Home page displays the current environment (e.g.,  LAB,  PROD). This is determined by the deployment URL and cannot be changed by the user.

Search Page

The Search page is divided into two modes: Basic (File Upload) and Advanced (Parameter Search).

Basic Search (File Upload)

Use this mode when you have a specific list of Serial Numbers to process.

1. **Select Search Mode:** Choose Basic (File Upload).
2. **Upload File:** Click "Upload Serial Number Excel (.xlsx)" and select your file.
 - *Requirement:* The file must be an Excel (.xlsx) file with a column header named serial_number, serial_num, ser_num, ser_number, or sn.
 - *Tip:* Use the template available on the Download page.
3. **Matter Number:** Enter a Matter Number (Required). This is a custom identifier for your tracking.
4. **Comments:** Enter comments (Required). This field auto-populates based on your search type but can be edited.
5. **Run:** Click Run BASIC Search.
6. **Results:**
 - A preview table (first 25 rows) appears.
 - Click Download Results (Excel) to save the full output file.
 - The output filename will start with tdet_bas_....

Hybrid Search (File + Filters)

Refine your file upload results using specific criteria. This allows you to find *only* the serial numbers in your file that match certain conditions (e.g., specific Owner Name or Status).

1. In Basic Search mode, check the box: "Apply Advanced Search Criteria to File?".
2. The Advanced Search form will appear below. Enter your criteria (e.g., Status = "REGISTERED").
3. **Run:** Click Run Search.
 - The system will first load your file, then filter the records to keep *only* those that match your criteria.
 - The output filename will start with tdet_hyb_....

4. **Save Filter:** After results are generated, a button " Save This Hybrid Filter Criteria Search" appears. Click it to save this configuration as a preset for future use.

Advanced Search (Parameter Search)

Search the database directly without an input file.

1. **Select Search Mode:** Choose Advanced (Parameter Search).
2. **Enter Criteria:** Fill in fields like Name, Email, Phone, Address, URL, Status, etc.
 - **Multi-value:** You can enter multiple values separated by |, ,, ;, OR / (e.g., Smith; Jones).
 - **Match Type:** Choose "Contains", "Exact", "Starts With", or "Fuzzy" for each field.
 - **Field Selection:** Uncheck specific fields (e.g., "Owner") if you only want to search others (e.g., "Attorney").
 - **PH Entry:** Search for Prosecution History event codes (e.g., KSCOO, TPDRI, KNPRO). Matches will display the code and the effective date.
3. **Settings:**
 - Operator: Choose OR (match *any* parameter) or AND (match *all* parameters).
 - Limit: (Optional) Limit the number of records returned.
4. **Matter Number:** Enter a Matter Number (Required).
5. **Run:** Click Run Advanced Search.
 - The output filename will start with tdet_adv_....
6. **Save Criteria:** After results appear, click " Save This Advanced Filter Criteria Search" to save as a preset.

Understanding Search Results (What Matched vs. Event Match)

To help you understand why a record was returned, TDET provides special columns in the results:

In the App Preview (Data Grid):

- You will see a column named what_matched.
- This column combines all matching criteria into a single string.
- Example: PH Event Match: KSCOO: 2024-01-01 | Owner Name: John Doe

In the Downloaded Excel File:

- The system automatically splits Prosecution History (PH) matches into a separate column for easier analysis.
- what_matched: Contains matches from Name, Email, Phone, Status, etc.

- **event_match:** Contains matches from PH Entry (Prosecution History). This column only appears if you searched for PH Entries.
 - **Format:** CODE: DATE; CODE: DATE (e.g., KSCOO: 2024-01-01; TPDRI: 2023-12-15)

Saved Searches (Presets)

Load frequently used search configurations to save time.

1. Expand the "  Saved Searches (Load / Manage)" section at the top of the Search page.
 2. **Filter (Optional):** You can filter your saved searches by Name or Type (Advanced/Hybrid).
 3. **Select:** Choose a saved search from the dropdown list.
 4. **View Details:** A details box will show the configuration (criteria, timestamp) of the selected preset before you load it.
 5. **Load:** Click Load.
 - The app will switch to the correct mode (Basic/Advanced) and populate all fields.
 - *Note:* For Hybrid searches, you still need to upload a file after loading the filter.
 6. **Delete:** Select a preset and click Delete to remove it permanently.
-

History Page

Review and manage your past search activity.

Filtering History

- **My History Only:** Shows searches run by you.
- **All History:** Shows searches run by all users (if authorized).
- **Filter Criteria:** Expand the filter section to search history by:
 - Comments
 - Matter Number
 - User Name or Email

Viewing & Downloading

1. **Select Record:** Choose a search execution from the dropdown list. The dropdown includes the timestamp and output filename to help distinguish between re-runs.
2. **Details:** View metadata (User, Time, Record Count, Filenames).

3. Download:

- **Input File:** The original Excel file you uploaded (available for Basic/Hybrid searches).
- **Output File:** The results file generated at that time.
 - **Note:** When downloading an output file from History, TDET will automatically apply the same column formatting logic (splitting event_match into its own column) as it does on the main Search page.

Re-running Searches

You can re-execute any past search against current data. This is useful for refreshing a report without re-entering criteria.

1. Select a historical record.
2. Click " Re-run Search".
3. The system will:
 - **(Basic/Hybrid)** Retrieve the original list of serial numbers and re-process them (applying original filters/PH criteria if Hybrid) against the latest database.
 - **(Advanced)** Re-run the exact parameters (including PH Entry logic) against the latest database.
4. Result:
 - A new record is created in History.
 - A "**Re-run Complete**" section appears at the bottom of the page, allowing you to download the *new* output file immediately.

Troubleshooting & Support

Issue	Solution
"Invalid Excel"	Ensure your file has a header named serial_number, serial_num, ser_num, or sn.
"Database connection failed"	The system may be busy. Refresh the page. If persistent, contact support.
"No results found"	Verify your search criteria or serial numbers. Try broader criteria (e.g., "Contains" instead of "Exact").

Issue	Solution
"Duplicate Name" (Saved Search)	You cannot save two presets with the same name. Choose a unique name.
"No saved searches found"	Check your filters in the Saved Search expander. Ensure you saved the search under your current user account.
Excel Output Formatting	The serial_num column is forced to Numeric format in Excel. event_match is separated from what_matched for clarity.

Support Contact: ODBDDataLakeTeam@uspto.gov

Please include the environment, time of error, and screenshots in your report.

Appendices

Appendix A: Where Data Is Stored

- **File History:** gold.tdet_app_file_history (One row per run)
- **Input Records:** gold.tdet_app_search_history (Serial numbers uploaded)
- **Detailed Results:** gold.tdet_app_search_history_detail (Full trademark data)
- **Saved Searches:** gold.tdet_app_saved_searches (User presets)

Appendix B: Advanced Search Parameters

Parameter	Searches These Database Fields
Name	owner_name, attorney_name, correspondent_name, domestic_representative_name, examiner_name, firm_name (plus historical versions)
Email	owner_email, attorney_email, correspondent_email, domestic_representative_email (plus historical versions)
Phone	owner_phone, attorney_phone, correspondent_phone, domestic_representative_phone
Mailing Address	owner_address, attorney_address, correspondent_address

Parameter	Searches These Database Fields
URL (Specimen)	specimen_url
Status	status
Attorney Membership Number	attorney_membership_number
PH Entry	ph_action_code (Searches Prosecution History codes in business_event). Matches display Code + Date.
Docket Number	docket_number