Python Modules (using Anaconda)



What Can Python Do?

- Data science
  - Data visualization
- Web apps and APIs
- Cloud apps
- Data mining/web scraping
- Desktop GUI apps
- Sys Adm (Windows, Mac, Linux)
- DevOps/NetOps
- Scientific/Engineering apps

Advantages of Python

- Easy to learn
- Readable
- Multi-paradigm
  - Procedural
  - Functional
  - Object-oriented
- Modular
- Exceptions
- Large Standard library
- Many third-party modules (science, web, admin, ...)
- Fun!

Disadvantages of Python

Python Evolution

Desirable IDE Features

- Autocomplete (AKA Intellisense™)
- Syntax checking
- Debugging
- Syntax highlighting
- Integration with source code control (e.g. git)
- Autoindent
- Code snippets (AKA macros)
- Project management
- File templates
- Smart search-and-replace
- Variable explorer
- Python console
- Interpreter configuration (including installing modules)
- Unit testing tools

String literals

- Single-delimited (AKA single-quoted)
  - `'spam\n'` `"spam\n"`
- Triple-delimited (AKA triple-quoted)
  - `'''spam\n'''` `"""spam\n"""`
- Raw
  - `r'spam\n'`

```
"Guido's the BDFL"

"""Guido's the "BDFL" of Python"""
```

Command Line Parameters



Indenting blocks

```
Block statement:
    Statement
    Statement
    Nested Block Statement:
        Statement
        Statement
    Statement
    Statement

Statement
```

Sequences



Slices




```
s = "WOMBAT"

s[0:3]       first 3 characters  "WOM"
s[:3]        same, using default start of 0 "WOM"
s[1:4]       s[1] through s[3] "OMB"
s[3:6]       s[3] through end  "BAT"
s[3:len(s)]  s[3] through end  "BAT"
s[3:]        s[3] through end, using default end "BAT"
```

Lists vs Tuples

Lists

- Dynamic Array
- Mutable/unhashable
- Items usually same/similar type
- Position doesn't matter
- Typical use: looping
- Think "ARRAY"

Tuples

- Collection of related fields
- Immutable/hashable
- Items mixed and matched
- Position matters
- Typical use: unpacking
- Think "STRUCT" or "RECORD"

enumerate()



(0, A), (1, B), (2, C), (3, D), (4, E), (5, F)...

Iterables


IN MEMORY!
Iterables
VIRTUAL!
Containers (AKA collections)
Generators
Sequences
str
bytes
list
tuple
collections.namedtuple
returned by
sorted()
list comprehension
str.split()
etc.
Mappings
dict
collections.defaultdict
collections.Counter
set
frozenset
returned by
dict comprehension
set comprehension
etc.
returned by
open()
range()
enumerate()
dict.items()
zip()
Itertools.groupby()
itertools.izip()
reversed()
generator expression
generator function
generator class
etc.

Reading text files




```
for line in FILE:
    pass

contents = FILE.read()

all_lines = FILE.readlines()
```

What do these words mean?

- formication
- ramiferous

Dictionary

- Key/value pairs
- Keys are unique and immutable
- Keys stored in insertion order
- Use .items() to loop through k/v pairs



dict.items()

A	B	C	D	E	F
100	200	300	400	500	600

keys

. . .

values



(A, 100), (B, 200), (C, 300), (D, 400), (E, 500), (F, 600) ...

Function parameters



Function parameters, cont"d



Parameter passing





Passing by
sharing

- Read-only reference is passed
- Mutables may be changed via reference
- Immutables may not be changed

```
def spam(x, y):
    x = 5
    y.append("ham")

foo = 17
bar = ["toast", "jam"]

spam(foo, bar)
```

zip()



(A, G), (B,H), (C, I), (D, J), (E, K), (F, L)...

Sorting

- Numbers

  n, n, n, …

- Strings

  "$C_1C_2C_3$", "$C_1C_2C_3$", "$C_1C_2C_3$", …

- Nested iterables

  [O_1, O_2, O_3], [O_1, O_2, O_3], [O_1, O_2, O_3], …

  - ***dict***.items() *special case of nested iterables*

    (key, value), (key, value), (key, value), ...

Copying and pasting functions

DON'T DO THIS!!



Using a module



Regular expression tasks

- Search (is the match in the text?)
- Retrieve (get the matching text)
- Replace (substitute new text for match)
- Split (get what *didn't* match)

Regular Expressions

$Branch_1 \mid Branch_2$

$Atom_1Atom_2Atom_3(Atom_4Atom_5Atom_6)Atom_7$

A a 1 ;

. \d \w \s
[abc]
[^abc]

$Atom_{repeat}$

A Python Class



Python DB architecture



DB API

- conn = *package*.connect(*server, db, user, password, etc.*)
- cursor = conn.cursor()
- num_lines = cursor.execute(*query*)
- num_lines = cursor.execute(*query-with-placeholders, param-iterable)*)
- all_rows = cursor.fetchall()
- some_rows = cursor.fetchmany(n)
- one_row = cursor.fetchone()
- conn.commit()
- conn.rollback()

How a *for* loop really works

values = ["a", "b", "c"]

for loop:

```
for value in values:
    print(value)
```

while loop:

```
it = iter(values)
while True:
    try:
        value = next(it)
    except StopIterationError:
        break
```

SqlAlchemy ORM

DBMS Table

```
create table person (
    id int autoincrement,
    firstname varchar(30),
    lastname varchar(30),
    age int,
)
```

Python class

```
class person(base):
  id = Column(
      Integer,
      primary_key=True
  )
  last_name = Column(String(50))
  first_name = Column(String(50))
  age = Column(Integer)
```

ElementTree

presidents.xml

```
<presidents>
    <president term="1">
        <firstname>George</firstname>
        <lastname>Washington</lastname>
    </president>
    <president term="2">
        <firstname>John</firstname>
        <lastname>Adams</lastname>
    </president>
</presidents>
```

ElementTree

```
Element
      tag="presidents"
  Element {"term": "1" }
    tag="president"
      Element
        tag="firstname"
        text="George"
      Element
        tag="lastname"
        text="Washington"
  Element {"term": "2" }
    tag="president"
      Element
        tag="firstname"
        text="John"
      Element
        tag="lastname"
        text="Adams"
```

Good sources of Python books

- http://www.packtpub.com
- http://www.oreilly.com

Accessing Excel from Python

- pandas.read_excel()
- openpyxl
- win32com (requires Excel to be running)
- use CSV/TSV
- xlrd, xlwt, xlutil

PyQt Designer Workflow



Jupyter Notebook vs. IDE

- Jupyter Notebook
  - Research
  - Exploratory
  - Experimental
  - Self-contained
  - Easy visualization
  - One file
  - Sharable
- IDE (PyCharm, Spyder, ...)
  - Production
  - Structured
  - Modular
  - Share code
  - Development tools
  - Harder visualization
  - Many files
  - Distibutable

Pandas Dataframe Indexing

- DF.*indextype*[row_indexer, column_indexer]
  - Default indexer is **:** (all values)
  - Indexer can be
    - Label (examples: "a", 5, "result")
    - List of labels (examples: ["a", "b", "e"], [5, 4, 1])
    - Slice (example: "a":"f", 2:3, 3:, 20150123: :
- Index types
  - .loc (label or Boolean array, NOT positional)
  - .iloc (integer or Boolean array, positional)
  - .ix (hybrid – primarily label, falls back to integer)

Decorator Syntax

```
@mydecorator
def myfunction():
    pass
```

same as

```
myfunction = mydecorator(myfunction)
```

```
@mydecorator(myparam)
def myfunction():
    pass
```

same as

```
myfunction = mydecorator(myparam)(myfunction)
```

Wheels

- Universal Wheel (all platforms)
  - Written for both Python 2 and Python 3
  - No extensions
- Pure Python Wheel (all platforms)
  - Written for Python 2 or Python 3
  - No extensions
- Platform Wheel (platform-specific)
  - Written for Python 2 or Python 3
  - Has extensions
  - Automatically created if non-Python code present

URL Mapping

Show how the URL maps to the actual Django files, including the url conf and the views, and maybe the templates

•Two hard problems in computer science

- cache invalidation
- naming things
- off-by-one errors

Context managers

```
with EXPR as VAR:
        BLOCK


mgr = (EXPR)
exit = type(mgr).__exit__  # Not calling it yet
value = type(mgr).__enter__(mgr)
exc = True
try:
    try:
        VAR = value  # Only if "as VAR" is present
        BLOCK
    except:
        # The exceptional case is handled here
        exc = False
        if not exit(mgr, *sys.exc_info()):
            raise
        # The exception is swallowed if exit() returns true
finally:
    # The normal and non-local-goto cases are handled here
    if exc:
        exit(mgr, None, None, None)
```

Things I Hate

If programming languages were religions

- Perl would be Voodoo - An incomprehensible series of arcane incantations that involve the blood of goats and permanently corrupt your soul. Often used when your boss requires you to do an urgent task at 21:00 on friday night.

A Joke

- How do you tell the difference between a plumber and a chemist? Ask them to pronounce unionized.

Why ranges are inclusive/exclusive (Edsger W. Djikstra)

- 2, 3, 4, 5
  - 2:6 inc/exc
  - 1:5 exc/inc
  - 2:5 inc/inc
  - 1:6 exc/exc
- 0, 1, 2, 3
  - 0:4 inc/exc
  - -1:3 exc/inc
  - 0:3 inc/inc
  - -1:4 exc/exc
- No Negative numbers
- Stop – start is # values
- Upper bound is lower bound of adjacent range
- -2, -1, 0, 1
  - -2:2 inc/exc
  - -3:1 exc/inc
  - -2:1 inc/inc
  - -3:2 exc/exc

Python IDEs for science and engineering

- PyCharm
- Spyder
- Roadeo
- Atom (with Hydrogen plugin)
- Sublime Text 3
- Python for Visual Studio code
- Eclipse with PyDev

What LDAP is not

- LDAP is not a server
- LDAP is not a database
- LDAP is not a network service
- LDAP is not an authentication procedure
- LDAP is not a user/password repository
- LDAP is neither open source nor closed source
- LDAP is not a product

LDAP is a PROTOCOL

MongoDB Terminology

- _id – unique identifier in every record
- Collection – group of records ("table")
- Cursor – pointer to result set
- Database – Container of Collections ("database")
- Document – set of fields ("row" or "record")
- Field – name/value pair ("column")
- Embedded document – related data ("join")

Why use MongoDB

- Document-oriented
- Ad hoc queries
- Indexing
- Replication
- Load balancing

Iterables and iterators



Packages to install for Django classes

- django
- Environ
- dotenv
- cookiecutter
- django-environ
- django-debug-toolbar

Ways to call C from Python

- Write Python-aware C code (tedious)
- Use SWIG to interface to existing C code
- Use Boost to interface to C code
- Use ctypes to access C dll/so/dylib
- Use cython with inline C code

Python Performance

1. Get your output correct
2. Write tests for the code that generates correct output
3. Optimize as much as you can
4. Benchmark
5. Run tests to make sure your code is correct

Drew Conway"s Venn Diagram of Data Science



Mid-Course Evaluation

https://www.surveymonkey.com/r/ChkIn-Gen-2020

Final (end of course) Evaluation

https://www.surveymonkey.com/r/EndEval-2020