

EdgePress accessibility and content report

Generated 2026-09-26T13:42:14.153Z · Overall status: **PASS**.

Audit summary

Audit results

Audit	Status	Score	Checks	Errors	Warnings
Accessibility	pass	100%	1599	0	0
Agent friendliness	pass	100%	1194	0	0
Markdown rendering	pass	—	52	0	0
Consent interface	pass	100%	47	0	0
Report reading structure	pass	100%	11	0	0

Reviewed content

Content type	Documents
Posts	18
Pages	10
Homepages	2
System routes	38

Generated HTML documents: 68 · HTML bytes: 654217 · Stylesheet references: 68 · Script references: 206.

Content reviewed

Every generated post and customizable page is listed with its generated route and audit status. Posts are checked alongside pages.

Posts reviewed

Posts accessibility and agent-friendliness status

Title	Generated route	Status
EdgePress September 2026 update	2026/09/edgepress-release-2026-9-1/index.html	pass

Title	Generated route	Status
EdgePress September 2026 update: request 2	2026/09/edgepress-release-2026-9-2/index.html	pass
EdgePress September 2026 update: request 3	2026/09/edgepress-release-2026-9-3/index.html	pass
EdgePress September 2026 update: request 4	2026/09/edgepress-release-2026-9-4/index.html	pass
EdgePress September 2026 update: request 5	2026/09/edgepress-release-2026-9-5/index.html	pass
EdgePress September 2026 update: request 6	2026/09/edgepress-release-2026-9-6/index.html	pass
EdgePress September 2026 update: request 7	2026/09/edgepress-release-2026-9-7/index.html	pass
EdgePress September 2026 update: request 8	2026/09/edgepress-release-2026-9-8/index.html	pass
EdgePress and Markdown: a complete writing guide	2026/09/markdown-syntax-guide/index.html	pass
EdgePress 2026 年 9 月更新	zh-CN/2026/09/edgepress-release-2026-9-1/index.html	pass
EdgePress 2026 年 9 月更新: 第 2 次需求	zh-CN/2026/09/edgepress-release-2026-9-2/index.html	pass
EdgePress 2026 年 9 月更新: 第 3 次需求	zh-CN/2026/09/edgepress-release-2026-9-3/index.html	pass
EdgePress 2026 年 9 月更新: 第 4 次需求	zh-CN/2026/09/edgepress-release-2026-9-4/index.html	pass
EdgePress 2026 年 9 月更新: 第 5 次需求	zh-CN/2026/09/edgepress-release-2026-9-5/index.html	pass
EdgePress 2026 年 9 月更新: 第 6 次需求	zh-CN/2026/09/edgepress-release-2026-9-6/index.html	pass
EdgePress 2026 年 9 月更新: 第 7 次需求	zh-CN/2026/09/edgepress-release-2026-9-7/index.html	pass
EdgePress 2026 年 9 月更新: 第 8 次需求	zh-CN/2026/09/edgepress-release-2026-9-8/index.html	pass
EdgePress 与 Markdown: 完整写作指南	zh-CN/2026/09/markdown-syntax-guide/index.html	pass

Pages reviewed

Pages accessibility and agent-friendliness status

Title	Generated route	Status
Plugin development	plugin-development/index.html	pass
Privacy policy	privacy-policy/index.html	pass
Project introduction	project-introduction/index.html	pass
Quick start	quick-start/index.html	pass
Theme development	theme-development/index.html	pass
插件开发	zh-CN/plugin-development/index.html	pass
隐私政策	zh-CN/privacy-policy/index.html	pass
项目介绍	zh-CN/project-introduction/index.html	pass
快速入门	zh-CN/quick-start/index.html	pass
主题开发	zh-CN/theme-development/index.html	pass

Homepages reviewed

Homepages accessibility and agent-friendliness status

Title	Generated route	Status
Build a fast website from clear, editable source files.	index.html	pass
用清晰、可编辑的源文件构建快速网站。	zh-CN/index.html	pass

Findings

No findings.

Markdown rendering verification

52 of 52 syntax checks passed across the tutorial post locales.

2026/09/markdown-syntax-guide/index.html

- Pass — headings 2 through 6
- Pass — Setext heading syntax
- Pass — paragraphs and hard line breaks
- Pass — hyphen, asterisk, and underscore thematic breaks
- Pass — emphasis and strong emphasis
- Pass — strikethrough
- Pass — inline and fenced code
- Pass — tilde-fenced and four-space-indented code

- Pass — code spans containing a literal backtick
- Pass — escaped Markdown punctuation and character references
- Pass — inline and reference links
- Pass — GFM automatic links
- Pass — angle-bracket, www, and email automatic links
- Pass — images with alternative text
- Pass — image-shaped video Markdown syntax documented
- Pass — nested lists with inline formatting
- Pass — task lists with accessible status names
- Pass — lists nested inside block quotes
- Pass — nested block quotes
- Pass — tables and inline table syntax
- Pass — safe semantic inline HTML
- Pass — sanitization of active script markup
- Pass — image-shaped video syntax renders an accessible native player with deferred media
- Pass — video title renders as a caption
- Pass — unsafe video URL is rejected
- Pass — post-list excerpt preserves inline Markdown formatting

zh-CN/2026/09/markdown-syntax-guide/index.html

- Pass — headings 2 through 6
- Pass — Setext heading syntax
- Pass — paragraphs and hard line breaks
- Pass — hyphen, asterisk, and underscore thematic breaks
- Pass — emphasis and strong emphasis
- Pass — strikethrough
- Pass — inline and fenced code
- Pass — tilde-fenced and four-space-indented code
- Pass — code spans containing a literal backtick
- Pass — escaped Markdown punctuation and character references
- Pass — inline and reference links
- Pass — GFM automatic links
- Pass — angle-bracket, www, and email automatic links
- Pass — images with alternative text
- Pass — image-shaped video Markdown syntax documented
- Pass — nested lists with inline formatting
- Pass — task lists with accessible status names
- Pass — lists nested inside block quotes
- Pass — nested block quotes
- Pass — tables and inline table syntax
- Pass — safe semantic inline HTML
- Pass — sanitization of active script markup
- Pass — image-shaped video syntax renders an accessible native player with deferred media
- Pass — video title renders as a caption

- Pass — unsafe video URL is rejected
- Pass — post-list excerpt preserves inline Markdown formatting

Consent interface checks

Consent component checks run separately from page-content layout checks.

- Pass — privacy controls are injected on every generated page
- Pass — consent manager script was generated
- Pass — service disclosure supports data categories, recipient, and retention
- Pass — stored choices are tied to proposed and effective dates
- Pass — new visitors start with every optional service off
- Pass — accept and reject controls share the same component styling
- Pass — consent component CSS selectors stay within the manager
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport

- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields

Responsive and consent screenshots

Page screenshots use a 390 by 844 CSS pixel mobile viewport and hide the consent component while measuring page content. Separate consent screenshots crop the component at desktop and mobile sizes.

Posts screenshots

EdgePress September 2026 update · desktop

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update

September 24, 2026 · By toewpq

On this page

- [1. Editable page layouts](#)
- [2. Shared site components](#)
- [3. Plugins and backend requests](#)
- [4. Live preview and review report](#)

This is the first requested release update for September 2026.

Editable page layouts

Pages now use an outside-in layout model. Set a row's column count, add one cell for each column, choose element types inside each cell, and write the element content in that page's localized Markdown front matter. Posts continue to use Markdown rendering.

New elements pair images or captioned video with text, and provide display typography styles. Theme stylesheets own colors and visual treatment.

Shared site components

All pages use the selected theme's shared head, navigation, and footer partials. The same layout generates localized 403 and 404 pages. Site metadata, component visibility, navigation labels, and footer copy are configured in config.yml. Theme selection uses edgepress theme.

Plugins and backend requests

The guides now cover consent-gated tracking, statistics, advertising, and human-verification providers, alongside trusted build-time plugins. A generic Worker proxy can forward /api/v1/* requests through a Service Binding or an HTTPS URL and a Worker secret. The backend must still validate and authorize every request.

EdgePress September 2026 update

2026/09/edgepress-release-2026-9-1/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English



EdgePress September 2026 update

September 24, 2026 · By toewpq

On this page

1. [Editable page layouts](#)
2. [Shared site components](#)
3. [Plugins and backend requests](#)
4. [Live preview and review report](#)

This is the first requested release update for September 2026.

Editable page layouts

Pages now use an outside-in layout model.
Set a row's column count, add one cell for

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 2

September 25, 2026 · By toewpq

On this page

- [1. Mobile layouts and language selection](#)
- [2. Markdown guide and local article search](#)
- [3. Accessible content report](#)

This is the second requested EdgePress update for September 2026.

Mobile layouts and language selection

Themes now keep long article content, tables, code blocks, navigation, and page elements within narrow screens. The audit captures mobile views and compares the measured document width with the viewport. The header's language links are now a compact, keyboard-operable dropdown that opens the same route in the selected language.

Markdown guide and local article search

The first post is now a bilingual, rendered guide to EdgePress posts and the supported CommonMark and GFM syntax. It covers nested lists and quotes, task markers, tables, code, links, images, sanitized inline HTML, and unsupported extensions. The report checks those rendered features in both language versions.

Visitors can search article titles and full post text using the generated local search index. Search runs in the browser and filters posts only.

Accessible content report

The report now includes individual post results and screenshots for posts and pages. Its HTML uses headings, landmarks, labeled tables, linkable sections, image descriptions, and a tagged PDF with a document outline when the installed browser supports it. Mobile viewport and document widths appear beside each screenshot.

 **EdgePress**

 Home

 Guides

 Quick start

 Posts

 Search

English ▾

EdgePress September 2026 update: request 2

September 25, 2026 · By toewpq

On this page

1. [Mobile layouts and language selection](#)

2. [Markdown guide and local article search](#)

3. [Accessible content report](#)

This is the second requested EdgePress update for September 2026.

Mobile layouts and language selection

These are the local article content tables

EdgePress September 2026 update: request 2

2026/09/edgepress-release-2026-9-2/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 3

September 25, 2026 · By toewpq

On this page

- 1. [Install EdgePress from npm](#)
- 2. [Install or create themes](#)
- 3. [Deploy from GitHub or upload static files](#)

This is the third requested EdgePress update for September 2026.

Install EdgePress from npm

EdgePress is published as the `edgepress` package. Start a site by installing the package, initializing an empty folder, installing the generated site dependencies, then opening the local preview:

```
npm install edgepress
edgepress init
npm install
edgepress server
```

Copy

The initializer keeps an existing `package.json` name and scripts, then adds the EdgePress commands and runtime dependencies.

Install or create themes

Install a theme package with `edgepress theme install <npm-package>[@version]`. EdgePress copies the theme into `themes/` and skips package install scripts. Switch among installed themes with `edgepress theme list` and `edgepress theme use <name>`.



EdgePress

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English



EdgePress September 2026 update: request 3

September 25, 2026 · By toewpq

On this page

1. [Install EdgePress from npm](#)
2. [Install or create themes](#)
3. [Deploy from GitHub or upload static files](#)

This is the third requested EdgePress update for September 2026.

Install EdgePress from npm

EdgePress is published as the `edgepress` package. Start a site by installing the package,

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 4

September 25, 2026 · By toewpq

On this page

1. [Keep the audit report in one PDF](#)

2. [Remove the templates directory](#)

3. [Cloudflare Workers Builds setup](#)

This is the fourth requested EdgePress update for September 2026.

Keep the audit report in one PDF

edgepress check and edgepress server now persist only tools/page-check.pdf. Desktop and mobile screenshots are embedded in the PDF; temporary HTML and screenshot files are removed after generation.

Remove the templates directory

edgepress init now writes its generated README and .gitignore directly from the CLI package. The source and npm package no longer include a templates/ directory.

Cloudflare Workers Builds setup

The quick-start guide records the repository settings: root directory /, build command npm run build, deploy command npx wrangler deploy, and no required build variables. It also explains that a build stuck at Initializing build environment has not run the project build command yet; reconnect the GitHub integration or replace a stale Cloudflare build API token before retrying.

Wrangler requires compatibility_date for this Worker, so the project pins it to the first day of the month: 2026-09-01.

Tags: [release reports](#) [cloudflare](#)

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress September 2026 update: request 4

September 25, 2026 · By toewpq

On this page

1. [Keep the audit report in one PDF](#)
2. [Remove the templates directory](#)
3. [Cloudflare Workers Builds setup](#)

This is the fourth requested EdgePress update for September 2026.

Keep the audit report in one PDF

edgepress check and edgepress server NOW

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 5

September 25, 2026 · By toewpq

On this page

1. [Clarify Cloudflare one-click deployment](#)

This is the fifth requested EdgePress update for September 2026.

Clarify Cloudflare one-click deployment

The README and bilingual quick-start guides now explain that Cloudflare's Deploy button creates a new GitHub repository copy and a new Worker. Choose unused names for both during setup. The button does not connect to or update an existing Worker; use the existing repository's Workers Builds connection to publish updates.

The release notes and project compatibility history are updated as version 2026.9.5.

Tags: [release](#) [cloudflare](#)

[Privacy policy](#) [Atom feed](#)



EdgePress

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English



EdgePress September 2026 update: request 5

September 25, 2026 · By toewpq

On this page

1. [Clarify Cloudflare one-click deployment](#)

This is the fifth requested EdgePress update for September 2026.

Clarify Cloudflare one-click deployment

The README and bilingual quick-start guides now explain that Cloudflare's Deploy button creates a new GitHub repository copy and a

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 6

September 25, 2026 · By toewpq

On this page

1. [Navigation and article reading](#)

2. [Code blocks and small screens](#)

3. [Theme palettes](#)

4. [A clearer visual identity and reading path](#)

This is the sixth requested EdgePress update for September 2026.

Navigation and article reading

The shared navigation now includes a localized Posts link to the article archive. Markdown post pages generate a linked contents list from their headings.

Code blocks and small screens

Generated code blocks now have an accessible copy button. Theme styles wrap long command lines so the full command remains readable on narrow screens without horizontal dragging. The theme development guide describes the shared behavior.

The project compatibility history is updated to version 2026.9.6.

Theme palettes

The bundled themes have refreshed, higher-contrast palettes.

A clearer visual identity and reading path

The site now shares a local set of 23 SVG icons across theme navigation and feature cards. A page-changed project mark, folded paper, narrow mascot, and Open

EdgePress September 2026 update: request 6

2026/09/edgepress-release-2026-9-6/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English



EdgePress September 2026 update: request 6

September 25, 2026 · By toewpq

On this page

1. [Navigation and article reading](#)
2. [Code blocks and small screens](#)
3. [Theme palettes](#)
4. [A clearer visual identity and reading path](#)

This is the sixth requested EdgePress update for September 2026.

Navigation and article reading

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 7

September 26, 2026 · By toewpq

On this page

- [1. Consent and privacy disclosures](#)
- [2. Images and article lists](#)
- [3. Mobile controls and maintenance](#)

This is the seventh requested EdgePress update for September 2026.

Consent and privacy disclosures

Cloudflare Web Analytics is configured as a statistics service and remains behind the visitor's explicit consent. Browser service groups now live under `plugins.consent` in `config.yml`. The privacy policy lists each enabled service's provider, category, purpose, and retention period when the site is built.

Images and article lists

The homepage uses smaller responsive mascot images. Article archives are sorted newest-first across all available languages, while homepage latest-post lists stay in the current language. Post excerpts now remove Markdown syntax before display.

Mobile controls and maintenance

The consent panel has a responsive mobile layout, clearer service details, and larger touch targets. The unused integrations directory and obsolete cleanup paths for retired audit files have been removed.

Tags: [release](#) [performance](#) [privacy](#)

 **EdgePress**

[Home](#)

[Guides](#)

[Quick start](#)

[Posts](#)

[Search](#)

English ▾

EdgePress September 2026 update: request 7

September 26, 2026 · By toewpq

On this page

1. [Consent and privacy disclosures](#)

2. [Images and article lists](#)

3. [Mobile controls and maintenance](#)

This is the seventh requested EdgePress update for September 2026.

Consent and privacy disclosures

Cloudflare Web Analytics is configured as a

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 8

September 26, 2026 · By toewpq

On this page

- [1. Date-based consent and localized disclosures](#)
- [2. Video in Markdown posts](#)
- [3. Post lists and summaries](#)

This is the eighth requested EdgePress update for September 2026.

Date-based consent and localized disclosures

Consent settings use a required `proposedDate` and an optional `effectiveDate` instead of a version counter. The generated privacy policy displays these dates and lists configured services with localized names, purposes, data categories, recipients, and retention details. Accept and reject controls have equal prominence, optional services start unchecked, and visitors can expand the panel to make a granular choice. The consent component has scoped theme styles and its own viewport checks and screenshots, separate from page-content layout checks.

Video in Markdown posts

Posts can insert direct MP4, WebM, OGV, and OGG files using image-shaped Markdown syntax. The renderer creates an accessible native player with controls and `preload="none"`.

Post lists and summaries

Archives now choose one language version per post and sort equal-date release notes by their numeric sequence. The homepage continues to show the latest posts in the current language. Archive, tag, and homepage cards render Markdown formatting in summaries.

Tags: [release](#) [privacy](#) [Markdown](#)

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress September 2026 update: request 8

September 26, 2026 · By toewpq

On this page

1. [Date-based consent and localized disclosures](#)
2. [Video in Markdown posts](#)
3. [Post lists and summaries](#)

This is the eighth requested EdgePress update for September 2026.

Date-based consent and localized disclosures

Consent dialogues required to be shown to users before EdgePress can collect and use their data.

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress and Markdown: a complete writing guide

September 23, 2026 · By toewpq

On this page

- 1. [Headings and paragraphs](#)
- 2. [Setext heading level two](#)
- 3. [A level-three heading](#)
- 4. [A level-four heading](#)
- 5. [A level-five heading](#)
- 6. [A level-six heading](#)
- 7. [Emphasis, code, and characters](#)
- 8. [Links and images](#)
- 9. [Lists, including nested combinations](#)
- 10. [Tables and more GFM](#)
- 11. [Safe inline HTML and supported limits](#)
- 12. [Writing posts in EdgePress](#)

EdgePress keeps **pages** and **posts** deliberately different. Pages use ordered, editable element blocks from their Markdown front matter. Posts use the Markdown renderer, so this article is also a working reference: every example below is rendered from a real post.

The post renderer uses CommonMark with GitHub Flavored Markdown (GFM), then sanitizes the generated HTML. Use a blank line between block elements. Inline syntax can be combined inside paragraphs, list items, quotes, and table cells.

Headings and paragraphs

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress and Markdown: a complete writing guide

September 23, 2026 · By toewpq

On this page

1. [Headings and paragraphs](#)
2. [Setext heading level two](#)
3. [A level-three heading](#)
4. [A level-four heading](#)
5. [A level-five heading](#)
6. [A level-six heading](#)
7. [Emphasis, code, and characters](#)
8. [Links and images](#)
9. [Lists, including nested combinations](#)
10. [Tables and more GFM](#)

EdgePress

首页项目指南快速入门文章搜索

简体中文

EdgePress 2026 年 9 月更新

2026年9月24日 · 作者: toewpq

文章目录

1. 可编辑页面布局

2. 共享站点组件

3. 插件与后端请求

4. 实时预览与审核报告

这是 2026 年 9 月针对本次需求的第一次更新。

可编辑页面布局

页面现在采用由外向内的布局模式：先设置每行栏数，为每栏添加一个单元格，再在单元格内选择元素类型，并在该语言页面的 Markdown 前置数据中填写元素内容。文章继续使用 Markdown 渲染。

新增的元素支持图片或带字幕的视频搭配文字，以及多种艺术字样式。颜色和视觉表现由主题样式表负责。

共享站点组件

所有页面都复用所选主题的 head、导航和页脚局部模板。相同布局也会生成本地化 403 和 404 页面。站点元数据、组件显示状态、导航标签和页脚文案在 config.yml 中配置。使用 edgepress theme 切换主题。

插件与后端请求

开发指南现已涵盖遵循同意设置的跟踪、统计、广告、人机验证服务，以及可信构建插件。通用 Worker 代理可以通过 Service Binding，或 HTTPS URL 加 Worker 密钥转发 /api/v1/* 请求。后端仍需验证每项请求并执行授权。

实时预览与审核报告

EdgePress 2026 年 9 月更新

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新

2026年9月24日 · 作者: toewpq

文章目录

- 1. [可编辑页面布局](#)
- 2. [共享站点组件](#)
- 3. [插件与后端请求](#)
- 4. [实时预览与审核报告](#)

这是 2026 年 9 月针对本次需求的第一次更新。

可编辑页面布局

页面现在采用由外向内的布局模式：先设置每行栏数，为每栏添加一个单元格，再在单元格内选择元素类型，并在该语言页面的 Markdown 前置数据

EdgePress

🏠 首页

📖 项目指南

🚀 快速入门

📄 文章

🔍 搜索

简体中文

▼

EdgePress 2026 年 9 月更新：第 2 次需求

2026年9月25日 · 作者：toewpq

文章目录

1. [移动布局与语言选择](#)

2. [Markdown 指南与本地文章搜索](#)

3. [无障碍报告](#)

这是 EdgePress 在 2026 年 9 月针对第 2 次需求的更新。

移动布局与语言选择

主题现在会让较长的文章内容、表格、代码块、导航和页面元素适应窄屏幕。审核工具会捕获移动视图，并比较页面文档宽度与视口宽度。页头语言链接改为紧凑的下拉菜单，可以使用键盘操作，并在切换语言时前往当前页面的对应语言版本。

Markdown 指南与本地文章搜索

第一篇文章现为双语指南，逐项展示 EdgePress 文章支持的 CommonMark 和 GFM 语法。内容包括嵌套列表与引用、任务标记、表格、代码、链接、图片、经过清理的行内 HTML，以及未启用的扩展。报告会检查两种语言页面的实际渲染结果。

访客可以使用本地生成的搜索索引查询文章标题和全文。搜索在浏览器中运行，只会匹配文章。

无障碍报告

报告现在逐篇列出文章结果，并附上文章与页面截图。报告 HTML 使用标题、页面地标、有表头的表格、可跳转章节和图片说明；若浏览器支持，也会生成带文档大纲的标签 PDF。每张移动截图旁会列出视口与页面文档宽度。

运行 `edgepress check` 可构建网站、查看报告、检查 Markdown 语法结果和响应式截图。

标签: [发布](#) [移动适配](#) [Markdown](#)

EdgePress 2026 年 9 月更新：第 2 次需求

zh-CN/2026/09/edgepress-release-2026-9-2/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 2 次需求

2026年9月25日 · 作者：toewpq

文章目录

- 1. [移动布局与语言选择](#)
- 2. [Markdown 指南与本地文章搜索](#)
- 3. [无障碍报告](#)

这是 EdgePress 在 2026 年 9 月针对第 2 次需求的更新。

移动布局与语言选择

主题现在会让较长的文章内容、表格、代码块、导航和页面元素适应窄屏幕。审核工具会捕获移动视图，并比较页面文档宽度与视口宽度。页头语言链

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 3 次需求

2026年9月25日 · 作者: toewpq

文章目录

1. [从 npm 安装 EdgePress](#)

2. [安装或创建主题](#)

3. [从 GitHub 部署或上传静态文件](#)

这是 EdgePress 在 2026 年 9 月针对第 3 次需求的更新。

从 npm 安装 EdgePress

EdgePress 已发布为 edgepress 包。安装包后，在空目录中初始化项目，再安装生成的网站依赖并启动本地预览：

复制

```
npm install edgepress
edgepress init
npm install
edgepress server
```

初始化器会保留现有 package.json 中的项目名称和脚本，并补入 EdgePress 命令与运行依赖。

安装或创建主题

使用 edgepress theme install <npm-package>[@version] 安装 npm 主题包。EdgePress 会将主题复制到 themes/，且不会运行包的安装脚本。使用 edgepress theme list 查看已安装主题，再用 edgepress theme use <name> 切换。

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 3 次需求

2026年9月25日 · 作者：toewpq

文章目录

- 1. [从 npm 安装 EdgePress](#)
- 2. [安装或创建主题](#)
- 3. [从 GitHub 部署或上传静态文件](#)

这是 EdgePress 在 2026 年 9 月针对第 3 次需求的更新。

从 npm 安装 EdgePress

EdgePress 已发布为 `edgepress` 包。安装包后，在空目录中初始化项目，再安装生成的网站依赖并启动本地预览：

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 4 次需求

2026年9月25日 · 作者: toewpq

文章目录

1. [审核报告只保留 PDF](#)

2. [移除 templates 目录](#)

3. [Cloudflare Workers Builds 设置](#)

这是 EdgePress 在 2026 年 9 月针对第 4 次需求的更新。

审核报告只保留 PDF

edgepress check 和 edgepress server 现在只在 tools/page-check.pdf 保存报告。桌面和移动端截图会嵌入 PDF，临时 HTML 和截图文件会在生成后清理。

移除 templates 目录

edgepress init 现在由 CLI 包直接写入新项目的 README 和 .gitignore。源码与 npm 包不再包含 templates/ 目录。

Cloudflare Workers Builds 设置

快速入门指南现已记录本仓库设置：根目录 /、构建命令 npm run build、部署命令 npx wrangler deploy，且无需配置构建变量。指南也说明，构建若停留在 Initializing build environment，表示项目构建命令还未运行；应重新连接 GitHub 集成，或替换失效的 Cloudflare 构建 API Token 后再试。

Wrangler 要求此 Worker 设置 compatibility_date，因此项目将其固定为本月第一天：2026-09-01。

标签: [发布](#) [报告](#) [Cloudflare](#)

EdgePress 2026 年 9 月更新：第 4 次需求

zh-CN/2026/09/edgepress-release-2026-9-4/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文

▼

EdgePress 2026 年 9 月更新：第 4 次需求

2026年9月25日 · 作者：toewpq

文章目录

- 1. [审核报告只保留 PDF](#)
- 2. [移除 templates 目录](#)
- 3. [Cloudflare Workers Builds 设置](#)

这是 EdgePress 在 2026 年 9 月针对第 4 次需求的更新。

审核报告只保留 PDF

edgepress check 和 edgepress server 现在只在 tools/page-check.pdf 保存报告。桌面和移动端截图会嵌入 PDF，临时 HTML 和截图文件会

EdgePress

首页项目指南快速入门文章搜索

简体中文

EdgePress 2026 年 9 月更新：第 5 次需求

2026年9月25日 · 作者：toewpq

文章目录

1. 说明 Cloudflare 一键部署的行为

这是 EdgePress 在 2026 年 9 月针对第 5 次需求的更新。

说明 Cloudflare 一键部署的行为

README 和中英文快速入门现已说明，Cloudflare 一键部署按钮会创建新的 GitHub 仓库副本和新的 Worker。设置时需要为两者选择未占用的名称。按钮不会连接或更新已有 Worker；更新已有项目应使用原仓库连接的 Workers Builds。

发布说明和项目兼容性历史已更新至 2026.9.5。

标签: [发布 Cloudflare](#)

隐私政策

Atom 订阅

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 5 次需求

2026年9月25日 · 作者：toewpq

文章目录

[1. 说明 Cloudflare 一键部署的行为](#)

这是 EdgePress 在 2026 年 9 月针对第 5 次需求的更新。

说明 Cloudflare 一键部署的行为

README 和中英文快速入门现已说明，Cloudflare 一键部署按钮会创建新的 GitHub 仓库副本和新的 Worker。设置时需要为两者选择未占用的名称。按钮不会连接或更新已有 Worker；

EdgePress

🏠 首页

📖 项目指南

🚀 快速入门

📄 文章

🔍 搜索

简体中文

▼

EdgePress 2026 年 9 月更新：第 6 次需求

2026年9月25日 · 作者：toewpq

文章目录

1. [导航和文章阅读](#)

2. [代码块和小屏显示](#)

3. [主题配色](#)

4. [更清晰的视觉识别与阅读路径](#)

这是 EdgePress 在 2026 年 9 月针对第 6 次需求的更新。

导航和文章阅读

全站导航新增本地化的文章入口，指向文章归档页。Markdown 文章页会根据标题生成可跳转的目录。

代码块和小屏显示

生成的代码块新增无障碍复制按钮。主题样式会自动折行显示较长命令，窄屏下无需左右拖动即可阅读完整内容。主题开发指南也已补充对应说明。

项目兼容性历史已更新至 2026.9.6。

主题配色

内置主题已换成对比度更清晰、视觉更鲜明的新配色。

更清晰的视觉识别与阅读路径

网站现在使用一组本地 22 枚 SVG 图标，为主题导航和功能卡片提供一致的图形语言。页面式项目图标、折页纸鸟吉祥物和 OG 分享图让首页与链接预览拥有统一的识别形象。

[首页文章列表可继续浏览旧文章](#) [本地化文章元数据也会标明作者](#)

EdgePress 2026 年 9 月更新：第 6 次需求

zh-CN/2026/09/edgepress-release-2026-9-6/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 6 次需求

2026年9月25日 · 作者：toewpq

文章目录

- 1. [导航和文章阅读](#)
- 2. [代码块和小屏显示](#)
- 3. [主题配色](#)
- 4. [更清晰的视觉识别与阅读路径](#)

这是 EdgePress 在 2026 年 9 月针对第 6 次需求的更新。

导航和文章阅读

全站导航新增本地化的文章入口，指向文章归档页。[Markdown 文章页](#)会根据标题生成可跳转的

EdgePress

🏠 首页

📖 项目指南

🚀 快速入门

📄 文章

🔍 搜索

简体中文

▼

EdgePress 2026 年 9 月更新：第 7 次需求

2026年9月26日 · 作者：toewpq

文章目录

1. [同意管理和隐私披露](#)

2. [图片和文章列表](#)

3. [移动端控件和维护](#)

这是 EdgePress 在 2026 年 9 月针对第 7 次需求的更新。

同意管理和隐私披露

Cloudflare Web Analytics 已作为统计服务接入，并继续等待访客明确同意后才加载。config.yml 中的浏览器服务组现在统一放在 plugins.consent 下。每次构建时，隐私政策都会列出已启用服务的供应商、类别、用途和保留期限。

图片和文章列表

首页现在使用较小的自适应吉祥物图片。文章归档会跨语言按发布时间从新到旧排列；首页最新文章列表仍按当前语言显示。文章摘要在显示前会去除 Markdown 标记。

移动端控件和维护

同意面板改进了移动端布局和服务说明，并扩大了按钮触控区域。未使用的 integrations 空目录和已废弃审计文件清理路径也已移除。

标签: [发布](#) [性能](#) [隐私](#)

🔒 隐私政策

📧 Atom 订阅

EdgePress 2026 年 9 月更新：第 7 次需求
zh-CN/2026/09/edgepress-release-2026-9-7/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress

[🏠 首页](#)

[📖 项目指南](#)

[🚀 快速入门](#)

[📄 文章](#)

🔍 搜索

简体中文

▼

EdgePress 2026 年 9 月更新：第 7 次需求

2026年9月26日 · 作者：toewpq

文章目录

1. [同意管理和隐私披露](#)

2. [图片和文章列表](#)

3. [移动端控件和维护](#)

这是 EdgePress 在 2026 年 9 月针对第 7 次需求的更新。

同意管理和隐私披露

Cloudflare Web Analytics 已作为统计服务接入，并继续等待访客明确同意后会加载。

`config.yml` 中的浏览器服务组现在统一放在

EdgePress

🏠 首页

📖 项目指南

🚀 快速入门

📄 文章

🔍 搜索

简体中文

▼

EdgePress 2026 年 9 月更新：第 8 次需求

2026年9月26日 · 作者: toewpq

文章目录

1. [日期化同意配置与多语言披露](#)

2. [Markdown 文章中的视频](#)

3. [文章列表和摘要](#)

这是 EdgePress 在 2026 年 9 月针对第 8 次需求的更新。

日期化同意配置与多语言披露

同意设置使用必填的 `proposedDate` 拟定日期和可选的 `effectiveDate` 生效日期，取代版本计数。生成的隐私政策会显示这两个日期，并列出了已配置服务的多语言名称、用途、数据类别、接收方和保留期限。接受与拒绝按钮具有同等醒目程度，可选服务默认不勾选；访客可以展开面板逐项设置。组件样式限定在同意管理器内，其视口检查和截图也与页面内容布局检测分开。

Markdown 文章中的视频

文章可使用图片形状的 Markdown 语法插入 MP4、WebM、OGV 和 OGG 直接视频文件。渲染器会生成带控制按钮的原生播放器，并设置 `preload="none"`。

文章列表和摘要

归档现在会为每篇文章选择一个语言版本，并在日期相同时按数字序号从新到旧排列发布记录。首页仍按当前语言显示最新文章。归档、标签和首页卡片的摘要都会渲染 Markdown 格式。

标签: [发布](#) [隐私](#) [Markdown](#)

EdgePress 2026 年 9 月更新：第 8 次需求

zh-CN/2026/09/edgepress-release-2026-9-8/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 8 次需求

2026年9月26日 · 作者：toewpq

文章目录

- 1. [日期化同意配置与多语言披露](#)
- 2. [Markdown 文章中的视频](#)
- 3. [文章列表和摘要](#)

这是 EdgePress 在 2026 年 9 月针对第 8 次需求的更新。

日期化同意配置与多语言披露

同意设置使用必填的 `proposedDate` 拟定日期和可选的 `effectiveDate` 生效日期，取代版本计数。生成的隐私政策会显示这两个日期，并列已

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 与 Markdown：完整写作指南

2026年9月23日 · 作者：toewpq

文章目录

1. [标题与段落](#)

2. [Setext 二级标题示例](#)

3. [三级标题示例](#)

4. [四级标题示例](#)

5. [五级标题示例](#)

6. [六级标题示例](#)

7. [强调、代码与字符](#)

8. [链接与图片](#)

9. [列表与嵌套组合](#)

10. [表格与其他 GFM 语法](#)

11. [安全行内 HTML 与支持范围](#)

12. [在 EdgePress 中写文章](#)

EdgePress 对 **pages** (页面) 和 **posts** (文章) 采用不同的编辑方式。页面在 Markdown 前置资料中配置有序、可编辑的元素块；文章则使用 Markdown 渲染器。本文本身就是一篇实际渲染的文章，可作为语法参考。

文章渲染器使用 CommonMark 与 GitHub Flavored Markdown (GFM)，随后会清理生成的 HTML。块级内容之间留一个空行；行内语法可以组合在段落、列表、引用和表格单元格中。

标题与段落

Markdown 有六级标题。文章页面的 `<h1>` 已由前置资料中的标题生成；正文使用 `##` 到 `#####`，让页面始终只有一个明确的 `<h1>`。

EdgePress 与 Markdown：完整写作指南

zh-CN/2026/09/markdown-syntax-guide/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

EdgePress 与 Markdown：完整写作指南


2026年9月23日 · 作者：toewpq

文章目录

- 1. [标题与段落](#)
- 2. [Setext 二级标题示例](#)
- 3. [三级标题示例](#)
- 4. [四级标题示例](#)
- 5. [五级标题示例](#)
- 6. [六级标题示例](#)
- 7. [强调、代码与字符](#)
- 8. [链接与图片](#)
- 9. [列表与嵌套组合](#)
- 10. [表格与其他 GFM 语法](#)

Pages screenshots

Plugin development · mobile



Plugin development

plugin-development/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

Privacy policy

Site operator

Controller
toewpq

Privacy contact
toewpq@gmail.com

What this starter site does

This source build contains public pages, posts, search data, a sitemap, and an Atom feed. It does not include a visitor account system, comments, or a contact form.

The Worker exposes an optional `/api/v1/` proxy for a backend. It forwards requests only when the deployer configures a Service Binding or `BACKEND_URL` together with the `BACKEND_TOKEN` secret. This starter site does not submit page content to that API.

Hosting and delivery providers may process connection and request data to operate the site. The operator must identify the providers and describe their applicable terms and retention before publication.

Optional browser services

This list is regenerated on each build from enabled browser services in `config.yml` under `plugins.consent`. It shows each service name, provider category, purpose, data categories, recipient, and configured retention period.

Statistics • Cloudflare Web Analytics

Purpose: Measure page views and page-load performance after consent.

Data used: Performance timing and page-view metrics. Report dimensions can include page path, referrer, device type, browser, operating system, and country.

Recipient: Cloudflare, Inc.

Retention: Unsampled beacon data is kept for 7 days, then

Privacy policy

privacy-policy/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

Privacy policy


Site operator

Controller
toewpq

Privacy contact
toewpq@gmail.com


What this starter site does

This source build contains public pages, posts, search data, a sitemap, and an Atom feed. It does not include a visitor account system, comments, or a contact




Project introduction

project-introduction/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden



Quick start

quick-start/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden



Theme development

theme-development/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文

▼

插件开发

扩展指南

连接可信构建代码、浏览器供应商和后端服务。

构建插件在 Node 中运行。浏览器集成需等待访客同意。运行时后端请求由 Worker 转发。

构建插件

plugins/ 中的本地 JavaScript 模块可以转换源文档、注册钩子或渲染器，并生成路

EdgePress

[首页](#)[项目指南](#)[快速入门](#)[文章](#)[搜索](#)

简体中文

隐私政策

网站运营者

个人信息处理者

toewpq

隐私联系

toewpq@gmail.com

此起始站点当前的功能

此源项目生成公开页面、文章、搜索数据、站点地图和 Atom 订阅。它不包含访客账户系统、评论功能或联系表单。

Worker 提供可选的 /api/v1/ 后端代理。只有部署者配置 Service Binding，或同时设置 BACKEND_URL 和 BACKEND_TOKEN 密钥后，代理才会转发请求。此起始站点不会将页面内容提交到该接口。

托管和内容分发服务商可能为运行网站而处理连接和请求数据。运营者应在发布前确认实际服务商，说明适用条款和数据保留期限。

可选浏览器服务

下方列表会在每次构建时根据 config.yml 中 plugins.consent 下已启用的浏览器服务重新生成，显示服务名称、供应商类别、用途、数据类别、接收方和配置的保留期限。

统计 • Cloudflare 网站分析

用途: 经访客同意后衡量页面浏览量和页面加载性能。

涉及的数据: 性能计时和页面浏览指标。报告维度可能包括页面路径、来源页、设备类型、浏览器、操作系统和国家或地区。

接收方: Cloudflare, Inc.

保留期限: 未采样的信标数据保留 7 天，之后会汇总为约 10% 的长期数据。仪表板可查看最近 6 个月的历史记录。

隐私政策

zh-CN/privacy-policy/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文

▼

隐私政策

网站运营者

个人信息处理者

toewpq

隐私联系

toewpq@gmail.com

此起始站点当前的功能

此源项目生成公开页面、文章、搜索数据、站点地图和 Atom 订阅。它不包含访客账户系统、评论功能或联系表单。

Worker 提供可选的 /api/v1/ 后端代理。只在部署者配置 `Service Binding` 时同时启

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文

▼

项目介绍

项目概览

页面可编辑、文章用 Markdown 的静态网站构建器。

EdgePress 将内容、展示、可信构建插件和 Worker 请求处理分开放置，让每个部分都有清晰的修改位置。

项目边界

Pages 页面

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文

▼

快速入门

从这里开始

配置项目并打开实时预览。

安装项目依赖后使用 `edgepress` 命令。本地预览会在源文件变更后自动构建，并刷新无障碍化和 agent 友好度 PDF 报告。

环境要求与初始命令

支持基线

要求	最低
----	----

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

简体中文

▼

主题开发

主题指南

让主题负责共享布局 和视觉设计。

页面定义行栏数、元素类型和内容。主题负责网站外壳、字体、间距、颜色和响应式行为。


主题结构

主题文件

复制


Homepages screenshots

Build a fast website from clear, editable source files. · desktop



Build a fast website from clear, editable source files.

index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress

[首页](#)[项目指南](#)[快速入门](#)[文章](#)[搜索](#)

简体中文

为边缘网络构建

用清晰、可编辑的源文件构建快速网站。

EdgePress 将 Markdown 文章、页面布局、主题和遵循同意状态的集成构建为由 Cloudflare Workers 提供服务的静态网站。

从快速入门开始



在本地化 Markdown 前置数据中编辑页面

使用 Markdown 撰写文章

复用布局，配色由主题定义

网站各部分各有清晰位置



页面使用可编辑元素

先设置栏数，再选择元素类型，并在各页面文件中编辑对应内容。



文章使用 Markdown

使用 Markdown 撰写长文，由内置渲染器进行清理和排版。



主题负责视觉设计

使用 HTML 局部模板构建布局，并将各主题的配色保留在样式表中。



集成遵循用户同意

配置跟踪、统计、广告或人机验证服务及其供应商信息。

用清晰、可编辑的源文件构建快速网站。

zh-CN/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden

EdgePress

[🏠 首页](#)

[📖 项目指南](#)

[🚀 快速入门](#)

[📄 文章](#)

🔍 搜索

简体中文

▼

为边缘网络构建

用清晰、可编辑的
源文件构建快速网
站。


EdgePress 将 Markdown 文章、
页面布局、主题和遵循同意状态的
集成构建为由 Cloudflare Workers
提供服务的静态网站。

从快速入门开始



Consent interface screenshots

Privacy choices · desktop



Privacy choices
index.html · desktop viewport · Consent component 480 by 515 CSS pixels; within viewport: true

index.html · mobile viewport · Consent component 366 by 592 CSS pixels; within viewport: true

隐私选择

可选服务默认关闭。你可以立即全部接受或拒绝，也可以先查看各服务并保存自定义选择。

Cloudflare 网站分析

统计

经访客同意后衡量页面浏览量和页面加载性能。

查看数据详情并管理服务

此浏览器会保存你的选择，最长 180 天。这项偏好存储用于记住你的选择。

网站运营者: toewpq · toewpq@gmail.com

[隐私政策](#)

✕ 拒绝可选服务

☰ 管理选择

✓ 全部接受

关闭设置

☰ 隐私设置

隐私选择

×

关闭设置

可选服务默认关闭。你可以立即全部接受或拒绝，
可以先查看各项服务并保存自定义选择。

Cloudflare 网站分析

统计

经访客同意后衡量页面浏览量和页面加载性能。

▶ 查看数据详情并管理服务

此浏览器会保存你的选择，最长 180 天。这项偏好存
储用于记住你的选择。

网站运营者: toewpq · toewpq@gmail.com

[隐私政策](#)

☰ 管理选择

×

拒绝可选服务

✓

全部接受



☰ 隐私设置

Privacy choices

Optional services stay off until you choose. Accept or reject them now, or review each service before saving a custom choice.

Cloudflare Web Analytics

Measure page views and page-load performance after consent.

Statist

► Review data and service settings

Your choice is saved in this browser for up to 180 days. This preference storage is required to remember your choice.

Site operator: toewpq · toewpq@gmail.com

[Privacy policy](#)

✕ Reject optional

⚙ Manage choices

✓ Accept all

Closes settings

are, Inc.

⚙ Privacy settings

pled beacon data is kept for 7 days, then

Privacy choices
privacy-policy/index.html · desktop viewport · Consent component 480 by 515 CSS pixels; within viewport: true

privacy-policy/index.html · mobile viewport · Consent component 366 by 592 CSS pixels; within viewport: true

隐私选择

可选服务默认关闭。你可以立即全部接受或拒绝，也可以先查看各服务并保存自定义选择。

Cloudflare 网站分析

统计

经访客同意后衡量页面浏览量和页面加载性能。

查看数据详情并管理服务

此浏览器会保存你的选择，最长 180 天。这项偏好存储用于记住你的选择。

网站运营者: toewpq · toewpq@gmail.com

[隐私政策](#)

✕ 拒绝可选服务

☰ 管理选择

✓ 全部接受

关闭设置

☰ 隐私设置



Privacy choices
zh-CN/privacy-policy/index.html · mobile viewport · Consent component 366 by 531 CSS pixels; within viewport: true

Scope and limits

- Accessibility checks inspect generated HTML and CSS. They do not measure color contrast, screen-reader behavior, keyboard interactions in a browser, or dynamic vendor widgets.
- Page layout is measured with the consent manager hidden. The consent manager has separate component checks and screenshots, so its size does not change the page-content overflow result.
- Agent-friendliness checks inspect metadata, structured data, internal links, robots.txt, sitemap.xml, and llms.txt. They do not guarantee crawler indexing or answer quality.
- This automated report is not a legal-compliance assessment or a substitute for manual review.
- Screenshots capture generated local pages at desktop and mobile viewports. They do not replace manual keyboard, zoom, contrast, or assistive-technology review.