

EdgePress accessibility and content report

Generated 2026-09-24T18:15:16.890Z · Overall status: **WARNING**.

Audit summary

Audit results

Audit	Status	Score	Checks	Errors	Warnings
Accessibility	pass	100%	973	0	0
Agent friendliness	pass	100%	786	0	0
Markdown rendering	pass	—	42	0	0
Report reading structure	pass	100%	11	0	0

Reviewed content

Content type	Documents
Posts	10
Pages	10
Homepages	2
System routes	30

Generated HTML documents: 52 · HTML bytes: 323713 · Stylesheet references: 52 · Script references: 158.

Content reviewed

Every generated post and customizable page is listed with its generated route and audit status. Posts are checked alongside pages.

Posts reviewed

Posts accessibility and agent-friendliness status

Title	Generated route	Status
EdgePress September 2026 update	2026/09/edgepress-release-2026-9-1/index.html	pass
EdgePress September 2026 update: request 2	2026/09/edgepress-release-2026-9-2/index.html	pass

Title	Generated route	Status
EdgePress September 2026 update: request 3	2026/09/edgepress-release-2026-9-3/index.html	pass
EdgePress September 2026 update: request 4	2026/09/edgepress-release-2026-9-4/index.html	pass
EdgePress and Markdown: a complete writing guide	2026/09/markdown-syntax-guide/index.html	pass
EdgePress 2026 年 9 月更新	zh-CN/2026/09/edgepress-release-2026-9-1/index.html	pass
EdgePress 2026 年 9 月更新：第 2 次需求	zh-CN/2026/09/edgepress-release-2026-9-2/index.html	pass
EdgePress 2026 年 9 月更新：第 3 次需求	zh-CN/2026/09/edgepress-release-2026-9-3/index.html	pass
EdgePress 2026 年 9 月更新：第 4 次需求	zh-CN/2026/09/edgepress-release-2026-9-4/index.html	pass
EdgePress 与 Markdown：完整写作指南	zh-CN/2026/09/markdown-syntax-guide/index.html	pass

Pages reviewed

Pages accessibility and agent-friendliness status

Title	Generated route	Status
Plugin development	plugin-development/index.html	pass
Privacy policy	privacy-policy/index.html	pass
Project introduction	project-introduction/index.html	pass
Quick start	quick-start/index.html	pass
Theme development	theme-development/index.html	pass
插件开发	zh-CN/plugin-development/index.html	pass
隐私政策	zh-CN/privacy-policy/index.html	pass
项目介绍	zh-CN/project-introduction/index.html	pass
快速入门	zh-CN/quick-start/index.html	pass
主题开发	zh-CN/theme-development/index.html	pass

Homepages reviewed

Homepages accessibility and agent-friendliness status

Title	Generated route	Status
Build a fast website from clear, editable source files.	index.html	pass
用清晰、可编辑的源文件构建快速网站。	zh-CN/index.html	pass

Findings

- **warning · publication-readiness** config.yml — Replace the example site URL with the published site URL.
- **warning · publication-readiness** config.yml — Add the real site operator name and privacy contact before publishing the privacy policy.

Markdown rendering verification

42 of 42 syntax checks passed across the tutorial post locales.

2026/09/markdown-syntax-guide/index.html

- Pass — headings 2 through 6
- Pass — Setext heading syntax
- Pass — paragraphs and hard line breaks
- Pass — hyphen, asterisk, and underscore thematic breaks
- Pass — emphasis and strong emphasis
- Pass — strikethrough
- Pass — inline and fenced code
- Pass — tilde-fenced and four-space-indented code
- Pass — code spans containing a literal backtick
- Pass — escaped Markdown punctuation and character references
- Pass — inline and reference links
- Pass — GFM automatic links
- Pass — angle-bracket, www, and email automatic links
- Pass — images with alternative text
- Pass — nested lists with inline formatting
- Pass — task lists with accessible status names
- Pass — lists nested inside block quotes
- Pass — nested block quotes
- Pass — tables and inline table syntax
- Pass — safe semantic inline HTML
- Pass — sanitization of active script markup

zh-CN/2026/09/markdown-syntax-guide/index.html

- Pass — headings 2 through 6
- Pass — Setext heading syntax
- Pass — paragraphs and hard line breaks

- Pass — hyphen, asterisk, and underscore thematic breaks
- Pass — emphasis and strong emphasis
- Pass — strikethrough
- Pass — inline and fenced code
- Pass — tilde-fenced and four-space-indented code
- Pass — code spans containing a literal backtick
- Pass — escaped Markdown punctuation and character references
- Pass — inline and reference links
- Pass — GFM automatic links
- Pass — angle-bracket, www, and email automatic links
- Pass — images with alternative text
- Pass — nested lists with inline formatting
- Pass — task lists with accessible status names
- Pass — lists nested inside block quotes
- Pass — nested block quotes
- Pass — tables and inline table syntax
- Pass — safe semantic inline HTML
- Pass — sanitization of active script markup

Responsive page screenshots

Mobile screenshots use a 390 by 844 CSS pixel viewport. Each caption includes the measured document width so horizontal overflow is visible in the report.

Posts screenshots

EdgePress September 2026 update · desktop

EdgePress

HomeGuidesQuick startSearch

English

EdgePress September 2026 update

September 24, 2026

This is the first requested release update for September 2026.

Editable page layouts

Pages now use an outside-in layout model. Set a row's column count, add one cell for each column, choose element types inside each cell, and write the element content in that page's localized Markdown front matter. Posts continue to use Markdown rendering.

New elements pair images or captioned video with text, and provide display typography styles. Theme stylesheets own colors and visual treatment.

Shared site components

All pages use the selected theme's shared head, navigation, and footer partials. The same layout generates localized 403 and 404 pages. Site metadata, component visibility, navigation labels, and footer copy are configured in config.yml. Theme selection uses edgepress theme.

Plugins and backend requests

The guides now cover consent-gated tracking, statistics, advertising, and human-verification providers, alongside trusted build-time plugins. A generic Worker proxy can forward /api/v1/* requests through a Service Binding or an HTTPS URL and a Worker secret. The backend must still validate and authorize every request.

Live preview and review report

edgepress server watches source files, rebuilds the site, refreshes the browser, and updates the accessibility and agent-friendliness report. edgepress check also captures desktop and mobile screenshots and writes tools/page-check.pdf with Markdown and JSON summaries.

The automated report checks generated markup and metadata. It does not establish legal compliance or replace manual keyboard, contrast, or assistive-technology review.

Tags: release page builder accessibility

Privacy settings

EdgePress September 2026 update

2026/09/edgepress-release-2026-9-1/index.html · desktop viewport · 1440 CSS pixels wide; document width 1425 CSS pixels

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English ▾

EdgePress September 2026 update

September 24, 2026

This is the first requested release update for September 2026.

Editable page layouts

Pages now use an outside-in layout model. Set a row's column count, add one cell for each column, choose element types inside each cell, and write the element content in that page's localized Markdown front matter. Posts continue to use Markdown rendering.

New elements pair images or captioned video with text, and provide display typography styles. Theme stylesheets own colors and visual treatment.

Privacy settings

EdgePress

Home Guides Quick start Search

English

EdgePress September 2026 update: request 2

September 25, 2026

This is the second requested EdgePress update for September 2026.

Mobile layouts and language selection

Themes now keep long article content, tables, code blocks, navigation, and page elements within narrow screens. The audit captures mobile views and compares the measured document width with the viewport. The header's language links are now a compact, keyboard-operable dropdown that opens the same route in the selected language.

Markdown guide and local article search

The first post is now a bilingual, rendered guide to EdgePress posts and the supported CommonMark and GFM syntax. It covers nested lists and quotes, task markers, tables, code, links, images, sanitized inline HTML, and unsupported extensions. The report checks those rendered features in both language versions.

Visitors can search article titles and full post text using the generated local search index. Search runs in the browser and filters posts only.

Accessible content report

The report now includes individual post results and screenshots for posts and pages. Its HTML uses headings, landmarks, labeled tables, linkable sections, image descriptions, and a tagged PDF with a document outline when the installed browser supports it. Mobile viewport and document widths appear beside each screenshot.

Run `edgepress check` to rebuild the site, review the report, and inspect the generated Markdown syntax checks and responsive evidence.

Tags: [release](#) [responsive design](#) [Markdown](#)

[Privacy policy](#) [Atom feed](#)

Privacy settings

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English ▾

EdgePress September 2026 update: request 2

September 25, 2026

This is the second requested EdgePress update for September 2026.

Mobile layouts and language selection

Themes now keep long article content, tables, code blocks, navigation, and page elements within narrow screens. The audit captures mobile views and compares the measured document width with the viewport. The header's language links are now a compact, keyboard-operable dropdown that opens the same route in the selected language.

Privacy settings

Markdown guide and local

EdgePress

Home Guides Quick start Search

English

EdgePress September 2026 update: request 3

September 25, 2026

This is the third requested EdgePress update for September 2026.

Install EdgePress from npm

EdgePress is published as the `edgepress` package. Start a site by installing the package, initializing an empty folder, installing the generated site dependencies, then opening the local preview:

```
npm install edgepress
edgepress init
npm install
edgepress server
```

The initializer keeps an existing `package.json` name and scripts, then adds the EdgePress commands and runtime dependencies.

Install or create themes

Install a theme package with `edgepress theme install <npm-package>[@version]`. EdgePress copies the theme into `themes/` and skips package install scripts. Switch among installed themes with `edgepress theme list` and `edgepress theme use <name>`.

Run `edgepress theme create my-theme` to generate a blank npm-ready custom theme package. It includes a shared HTML shell, editable head, header, navigation and footer partials, a required accessible structure, and an empty stylesheet for the theme's colors and responsive design.

Deploy from GitHub or upload static files

The quick-start guide explains how to push the source to GitHub and connect it to Cloudflare Workers Builds. The package's build and deploy scripts let Cloudflare generate the static files and publish the Worker on pushes to the production branch. Local deployment uses `edgepress deploy`.

The GitHub README includes Cloudflare's one-click Worker deployment button for this public repository.

Privacy settings

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English ▾

EdgePress September 2026 update: request 3

September 25, 2026

This is the third requested EdgePress update for September 2026.

Install EdgePress from npm

EdgePress is published as the `edgepress` package. Start a site by installing the package, initializing an empty folder, installing the generated site dependencies, then opening the local preview:

```
npm install edgepress
edgepress init
npm install
edgepress server
```

Privacy settings

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English

EdgePress September 2026 update: request 4

September 25, 2026

This is the fourth requested EdgePress update for September 2026.

Keep the audit report in one PDF

edgepress check and edgepress server now persist only tools/page-check.pdf. Desktop and mobile screenshots are embedded in the PDF; temporary HTML and screenshot files are removed after generation.

Remove the templates directory

edgepress init now writes its generated README and .gitignore directly from the CLI package. The source and npm package no longer include a templates/ directory.

Cloudflare Workers Builds setup

The quick-start guide records the repository settings: root directory /, build command npm run build, deploy command npx wrangler deploy, and no required build variables. It also explains that a build stuck at Initializing build environment has not run the project build command yet; reconnect the GitHub integration or replace a stale Cloudflare build API token before retrying.

Wrangler requires compatibility_date for this Worker, so the project pins it to the first day of the month: 2026-09-01.

Tags: [release](#) [reports](#) [cloudflare](#)

[Privacy policy](#) [Atom feed](#)

Privacy settings

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English ▾

EdgePress September 2026 update: request 4

September 25, 2026

This is the fourth requested EdgePress update for September 2026.

Keep the audit report in one PDF

`edgepress check` and `edgepress server` now persist only `tools/page-check.pdf`. Desktop and mobile screenshots are embedded in the PDF; temporary HTML and screenshot files are removed after generation.

Remove the templates directory

Privacy settings

EdgePress

Home Guides Quick start Search

English

EdgePress and Markdown: a complete writing guide

September 23, 2026

EdgePress keeps **pages** and **posts** deliberately different. Pages use ordered, editable element blocks from their Markdown front matter. Posts use the Markdown renderer, so this article is also a working reference: every example below is rendered from a real post.

The post renderer uses CommonMark with GitHub Flavored Markdown (GFM), then sanitizes the generated HTML. Use a blank line between block elements. Inline syntax can be combined inside paragraphs, list items, quotes, and table cells.

Headings and paragraphs

Markdown has six heading levels. A post already gets its page-level `<h1>` from its front matter title; use `##` through `#####` in the body so the page keeps one clear `<h1>`.

```
# Heading level 1
## Heading level 2
### Heading level 3
#### Heading level 4
##### Heading level 5
##### Heading level 6
```

CommonMark also has Setext headings. A line of `=` characters makes a level-one heading, and a line of `-` characters makes a level-two heading. Keep the level-one form in a code sample when the post already has its page title as `<h1>`:

```
Heading level one
=====

Heading level two
```

Privacy settings

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English



EdgePress and Markdown: a complete writing guide

September 23, 2026

EdgePress keeps **pages** and **posts** deliberately different. Pages use ordered, editable element blocks from their Markdown front matter. Posts use the Markdown renderer, so this article is also a working reference: every example below is rendered from a real post.

The post renderer uses CommonMark with GitHub Flavored Markdown (GFM), then sanitizes the generated HTML. Use a blank line between block elements. Inline syntax can be combined inside paragraphs, list items, quotes, and table cells.

[Privacy settings](#)

EdgePress

首页 项目指南 快速入门 搜索

简体中文

EdgePress 2026 年 9 月更新

2026年9月24日

这是 2026 年 9 月针对本次需求的第一次更新。

可编辑页面布局

页面现在采用由外向内的布局模式：先设置每行栏数，为每栏添加一个单元格，再在单元格内选择元素类型，并在该语言页面的 Markdown 前置数据中填写元素内容。文章继续使用 Markdown 渲染。

新增的元素支持图片或带字幕的视频搭配文字，以及多种艺术字样式。颜色和视觉表现由主题样式表负责。

共享站点组件

所有页面都复用所选主题的 head、导航和页脚局部模板。相同布局也会生成本地化 403 和 404 页面。站点元数据、组件显示状态、导航标签和页脚文案在 config.yml 中配置。使用 edgepress theme 切换主题。

插件与后端请求

开发指南现已涵盖遵循同意设置的跟踪、统计、广告、人机验证服务，以及可信构建插件。通用 Worker 代理可以通过 Service Binding，或 HTTPS URL 加 Worker 密钥转发 /api/v1/* 请求。后端仍需验证每项请求并执行授权。

实时预览与审核报告

edgepress server 会监视源文件、重新构建网站、刷新浏览器，并更新无障碍化和 agent 友好度报告。edgepress check 还会捕获桌面与移动页面截图，并生成 tools/page-check.pdf，以及 Markdown 和 JSON 摘要。

自动报告检查生成的标记和元数据，但不能证明符合特定法律，也不能取代键盘、对比度或辅助技术的人工审核。

标签: [发布](#) [页面构建器](#) [无障碍](#)

隐私设置

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新

2026年9月24日

这是 2026 年 9 月针对本次需求的第一次更新。

可编辑页面布局

页面现在采用由外向内的布局模式：先设置每行栏数，为每栏添加一个单元格，再在单元格内选择元素类型，并在该语言页面的 Markdown 前置数据中填写元素内容。文章继续使用 Markdown 渲染。

新增的元素支持图片或带字幕的视频搭配文字，以及多种艺术字样式。颜色和视觉表现由主题样式表负责。

共享站点组件

隐私设置

所有页面都复用所选主题的 head、导航和页脚局

EdgePress

首页项目指南快速入门搜索

简体中文

EdgePress 2026 年 9 月更新：第 2 次需求

2026年9月25日

这是 EdgePress 在 2026 年 9 月针对第 2 次需求的更新。

移动布局与语言选择

主题现在会让较长的文章内容、表格、代码块、导航和页面元素适应窄屏幕。审核工具会捕获移动视图，并比较页面文档宽度与视口宽度。页头语言链接改为紧凑的下拉菜单，可以使用键盘操作，并在切换语言时前往当前页面的对应语言版本。

Markdown 指南与本地文章搜索

第一篇文章现为双语指南，逐项展示 EdgePress 文章支持的 CommonMark 和 GFM 语法。内容包括嵌套列表与引用、任务标记、表格、代码、链接、图片、经过清理的行内 HTML，以及未启用的扩展。报告会检查两种语言页面的实际渲染结果。

访客可以使用本地生成的搜索索引查询文章标题和全文。搜索在浏览器中运行，只会匹配文章。

无障碍报告

报告现在逐篇列出文章结果，并附上文章与页面截图。报告 HTML 使用标题、页面地标、有表头的表格、可跳转章节和图片说明；若浏览器支持，也会生成带文档大纲的标签 PDF。每张移动截图旁会列出视口与页面文档宽度。

运行 `edgepress check` 可构建网站、查看报告、检查 Markdown 语法结果和响应式截图。

标签: [发布](#) [移动端适配](#) [Markdown](#)

[隐私政策](#) [Atom 订阅](#)

隐私设置

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 2 次需求

2026年9月25日

这是 EdgePress 在 2026 年 9 月针对第 2 次需求的更新。

移动布局与语言选择

主题现在会让较长的文章内容、表格、代码块、导航和页面元素适应窄屏幕。审核工具会捕获移动视图，并比较页面文档宽度与视口宽度。页头语言链接改为紧凑的下拉菜单，可以使用键盘操作，并在切换语言时前往当前页面的对应语言版本。

Markdown 指南与本地文章搜索

第一篇文章现为双语指南，逐项展示 EdgePress 文章支持的 CommonMark 和 GFM 语法。内容
包括嵌套列表与引用、任务标记、表格、

隐私设置

EdgePress

首页项目指南快速入门搜索

简体中文

EdgePress 2026 年 9 月更新：第 3 次需求

2026年9月25日

这是 EdgePress 在 2026 年 9 月针对第 3 次需求的更新。

从 npm 安装 EdgePress

EdgePress 已发布为 edgepress 包。安装包后，在空目录中初始化项目，再安装生成的网站依赖并启动本地预览：

```
npm install edgepress
edgepress init
npm install
edgepress server
```

初始化器会保留现有 package.json 中的项目名称和脚本，并补入 EdgePress 命令与运行依赖。

安装或创建主题

使用 edgepress theme install <npm-package>[@version] 安装 npm 主题包。EdgePress 会将主题复制到 themes/，且不会运行包的安装脚本。使用 edgepress theme list 查看已安装主题，再用 edgepress theme use <name> 切换。

运行 edgepress theme create my-theme 可生成可发布到 npm 的空白自定义主题包，包含共享 HTML 外壳、可编辑的 head、header、导航和 footer 局部模板、必要的无障碍结构，以及用于自定义配色和响应式设计的空白样式表。

从 GitHub 部署或上传静态文件

快速入门指南现已说明如何将源代码推送到 GitHub 并连接 Cloudflare Workers Builds。Cloudflare 会使用项目的 build 与 deploy 脚本，在推送到生产分支时生成静态文件并发布 Worker。本地部署可运行 edgepress deploy。

GitHub 仓库 README 现已加入 Cloudflare 官方的一键 Worker 部署按钮。

隐私设置

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 3 次需求

2026年9月25日

这是 EdgePress 在 2026 年 9 月针对第 3 次需求的更新。

从 npm 安装 EdgePress

EdgePress 已发布为 `edgepress` 包。安装包后，在空目录中初始化项目，再安装生成的网站依赖并启动本地预览：

```
npm install edgepress
edgepress init
npm install
edgepress server
```

初始化器会保留现有 `package.json` 中
称和脚本，并补入 EdgePress 命令与运

隐私设置

EdgePress

首页 项目指南 快速入门 搜索

简体中文

EdgePress 2026 年 9 月更新：第 4 次需求

2026年9月25日

这是 EdgePress 在 2026 年 9 月针对第 4 次需求的更新。

审核报告只保留 PDF

edgepress check 和 edgepress server 现在只在 tools/page-check.pdf 保存报告。桌面和移动端截图会嵌入 PDF，临时 HTML 和截图文件会在生成后清理。

移除 templates 目录

edgepress init 现在由 CLI 包直接写入新项目的 README 和 .gitignore。源码与 npm 包不再包含 templates/ 目录。

Cloudflare Workers Builds 设置

快速入门指南现已记录本仓库设置：根目录 /、构建命令 npm run build、部署命令 npx wrangler deploy，且无需配置构建变量。指南也说明，构建若停留在 Initializing build environment，表示项目构建命令还未运行；应重新连接 GitHub 集成，或替换失效的 Cloudflare 构建 API Token 后再试。

Wrangler 要求此 Worker 设置 compatibility_date，因此项目将其固定为本月第一天：2026-09-01。

标签: [发布](#) [报告](#) [Cloudflare](#)

隐私政策 Atom 订阅

隐私设置

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 4 次需求

2026年9月25日

这是 EdgePress 在 2026 年 9 月针对第 4 次需求的更新。

审核报告只保留 PDF

edgepress check 和 edgepress server 现在只在 tools/page-check.pdf 保存报告。桌面和移动端截图会嵌入 PDF，临时 HTML 和截图文件会在生成后清理。

移除 templates 目录

edgepress init 现在由 CLI 包直接写入新项目的 README 和 .gitignore。源码与 npm 包不再包含 templates/ 目录。

隐私设置

EdgePress

首页项目指南快速入门搜索

简体中文

EdgePress 与 Markdown：完整写作指南

2026年9月23日

EdgePress 对 **pages** (页面) 和 **posts** (文章) 采用不同的编辑方式。页面在 Markdown 前置资料中配置有序、可编辑的元素块；文章则使用 Markdown 渲染器。本文本身就是 一篇实际渲染的文章，可作为语法参考。

文章渲染器使用 CommonMark 与 GitHub Flavored Markdown (GFM)，随后会清理生成的 HTML。块级内容之间留一个空行；行内语法可以组合在段落、列表、引用和表格单元格中。

标题与段落

Markdown 有六级标题。文章页面的 `<h1>` 已由前置资料中的标题生成；正文使用 `##` 到 `#####`，让页面始终只有一个明确的 `<h1>`。

```
# 一级标题
## 二级标题
### 三级标题
#### 四级标题
##### 五级标题
##### 六级标题
```

CommonMark 还支持 Setext 标题：在标题下一行写 `=` 可以生成一级标题，写 `-` 可以生成二级标题。如果文章标题已经生成 `<h1>`，请只在正文使用二级形式；一级写法留在代码示例中。

```
一级 Setext 标题
=====

二级 Setext 标题
-----
```

下面实际渲染一个二级 Setext 标题：

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文

EdgePress 与 Markdown：完整写作指南

2026年9月23日

EdgePress 对 **pages** (页面) 和 **posts** (文章) 采用不同的编辑方式。页面在 Markdown 前置资料中配置有序、可编辑的元素块；文章则使用 Markdown 渲染器。本文本身就是一篇实际渲染的文章，可作为语法参考。


文章渲染器使用 CommonMark 与 GitHub Flavored Markdown (GFM)，随后会清理生成的 HTML。块级内容之间留一个空行；行内语法可以组合在段落、列表、引用和表格单元格中。

标题与段落

Markdown 有六级标题。文章页面的 <title> 由前置资料中的标题生成；正文使用 ## 至

Pages screenshots

Plugin development · mobile



Plugin development

plugin-development/index.html · mobile viewport · 390 CSS pixels wide; document width 390 CSS pixels

EdgePress

Home Guides Quick start Search

English

Privacy policy

Site operator

Publication setup required

The current config.yml has no real operator name or privacy contact, and site.url still uses example.com. Replace these values before publishing this policy.

What this starter site does

This source build contains public pages, posts, search data, a sitemap, and an Atom feed. It does not include a visitor account system, comments, or a contact form.

The Worker exposes an optional /api/v1/ proxy for a backend. It forwards requests only when the deployer configures a Service Binding or BACKEND_URL together with the BACKEND_TOKEN secret. This starter site does not submit page content to that API.

Hosting and delivery providers may process connection and request data to operate the site. The operator must identify the providers and describe their applicable terms and retention before publication.

Optional browser services

The current configuration has no tracking, statistics, advertising, or human-verification providers in its service lists. If the operator adds a service, the list below is generated from its configured provider, purpose, and retention description.

No optional third-party browser services are configured in this source build.

Privacy settings

Privacy policy

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English ▾

Privacy policy

Site operator

Publication setup required

The current config.yml has no real operator name or privacy contact, and site.url still uses example.com. Replace these values before publishing this policy.

What this starter site does

This source build contains public pages, posts, search data, a sitemap, and an Atom feed. It does not include

Privacy settings

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English



Project introduction

PROJECT OVERVIEW

A static site builder with editable pages and Markdown articles.


EdgePress separates content, presentation, trusted build-time plugins, and Worker request handling so each part has a clear place to change.

[Privacy settings](#)

Project boundaries

Project introduction

project-introduction/index.html · mobile viewport · 390 CSS pixels wide; document width 390 CSS pixels



Quick start

quick-start/index.html · mobile viewport · 390 CSS pixels wide; document width 390 CSS pixels

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Search](#)

English



Theme development

THEME GUIDE

Let themes own shared layout and visual design.

Pages define row widths,
element types, and content.
Themes define the site shell,
typography, spacing, colors, and
responsive behavior.

Theme structure

[Theme files](#)

[Privacy settings](#)

Theme development

theme-development/index.html · mobile viewport · 390 CSS pixels wide; document width 390 CSS pixels

EdgePress

[首页](#)
[项目指南](#)
[快速入门](#)
[搜索](#)

简体中文 ▼

插件开发

扩展指南

连接可信构建代码、浏览器供应商和后端服务。

构建插件在 Node 中运行。浏览器集成需等待访客同意。运行时后端请求由 Worker 转发。

构建插件

plugins/ 中的本地 JavaScript 模块可以转换源文档、注册钩子或渲染器，并生成路由。它们拥有构建进程的权限，因此我们强烈建议项目负责人审查过的代码

隐私设置

EdgePress

首页 项目指南 快速入门 搜索

简体中文

隐私政策

网站运营者

发布前需要补充信息

当前 config.yml 尚未填写真实运营者名称和隐私联系方式，site.url 仍为 example.com。正式发布前请替换这些值。

此起始站点当前的功能

此源项目生成公开页面、文章、搜索数据、站点地图和 Atom 订阅。它不包含访客账户系统、评论功能或联系表单。

Worker 提供可选的 /api/v1/ 后端代理。只有部署者配置 Service Binding，或同时设置 BACKEND_URL 和 BACKEND_TOKEN 密钥后，代理才会转发请求。此起始站点不会将页面内容提交到该接口。

托管和内容分发服务商可能为运行网站而处理连接和请求数据。运营者应在发布前确认实际服务商，说明适用条款和数据保留期限。

可选浏览器服务

当前配置的跟踪、统计、广告和人机验证服务列表均为空。运营者添加服务后，下方列表会根据所配置的供应商、用途和保留期限自动生成。

此源项目当前没有配置可选的第三方浏览器服务。

同意偏好

隐私设置

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

隐私政策

网站运营者

发布前需要补充信息

当前 config.yml 尚未填写真实运营者名称和隐私联系方式，site.url 仍为 example.com。正式发布前请替换这些值。

此起始站点当前的功能

此源项目生成公开页面、文章、搜索数据、站点地图和 Atom 订阅。它不包含访客账户系统、评论功能或联系表单。

Worker 提供可选的 /api/v1/ 后端代 [隐私设置](#)
有部署者配置 Service Binding，或同时设



EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

快速入门

从这里开始

配置项目并打开实时预览。

安装项目依赖后使用 `edgepress` 命令。本地预览会在源文件变更后自动构建，并刷新无障碍化和 agent 友好度 PDF 报告。

环境要求与初始命令

支持基线

要求	隐私设置

EdgePress

[首页](#) [项目指南](#) [快速入门](#) [搜索](#)

简体中文 ▼

主题开发

主题指南

让主题负责共享布局 和视觉设计。

页面定义行栏数、元素类型和内容。主题负责网站外壳、字体、间距、颜色和响应式行为。

主题结构


主题文件

```
themes/your-theme/  
  theme.json  
  package.json
```

隐私设置


Homepages screenshots


Build a fast website from clear, editable source files. · desktop



Build a fast website from clear, editable source files.

index.html · desktop viewport · 1440 CSS pixels wide; document width 1425 CSS pixels







用清晰、可编辑的源文件构建快速网站。
zh-CN/index.html · mobile viewport · 390 CSS pixels wide; document width 390 CSS pixels

Scope and limits

- Accessibility checks inspect generated HTML and CSS. They do not measure color contrast, screen-reader behavior, keyboard interactions in a browser, or dynamic vendor widgets.

- Agent-friendliness checks inspect metadata, structured data, internal links, robots.txt, sitemap.xml, and llms.txt. They do not guarantee crawler indexing or answer quality.
- This automated report is not a legal-compliance assessment or a substitute for manual review.
- Screenshots capture generated local pages at desktop and mobile viewports. They do not replace manual keyboard, zoom, contrast, or assistive-technology review.

EdgePress local PDF report. Screenshot details are included as evidence and may be small when printed.