

EdgePress accessibility and content report

Generated 2026-10-01T18:04:41.874Z · Overall status: **PASS**.

Audit summary

Audit results

Audit	Status	Score	Checks	Errors	Warnings
Accessibility	pass	100%	2609	0	0
Agent friendliness	pass	100%	1484	0	0
Markdown rendering	pass	—	52	0	0
Consent interface	pass	100%	47	0	0
Report reading structure	pass	100%	11	0	0

Reviewed content

Content type	Documents
Posts	24
Pages	10
Homepages	2
System routes	46

Generated HTML documents: 82 · HTML bytes: 1290896 · Stylesheet references: 82 · Script references: 272.

Content reviewed

Every generated post and customizable page is listed with its generated route and audit status. Posts are checked alongside pages.

Posts reviewed

Posts accessibility and agent-friendliness status

Title	Generated route	Status
EdgePress September 2026 update	2026/09/edgepress-release-2026-9-1/index.html	pass

Title	Generated route	Status
EdgePress September 2026 update: request 10	2026/09/edgepress-release-2026-9-10/index.html	pass
EdgePress September 2026 update: request 2	2026/09/edgepress-release-2026-9-2/index.html	pass
EdgePress September 2026 update: request 3	2026/09/edgepress-release-2026-9-3/index.html	pass
EdgePress September 2026 update: request 4	2026/09/edgepress-release-2026-9-4/index.html	pass
EdgePress September 2026 update: request 5	2026/09/edgepress-release-2026-9-5/index.html	pass
EdgePress September 2026 update: request 6	2026/09/edgepress-release-2026-9-6/index.html	pass
EdgePress September 2026 update: request 7	2026/09/edgepress-release-2026-9-7/index.html	pass
EdgePress September 2026 update: request 8	2026/09/edgepress-release-2026-9-8/index.html	pass
EdgePress September 2026 update: request 9	2026/09/edgepress-release-2026-9-9/index.html	pass
EdgePress and Markdown: a complete writing guide	2026/09/markdown-syntax-guide/index.html	pass
EdgePress October 2026 update	2026/10/edgepress-release-2026-10-1/index.html	pass
EdgePress 2026 年 9 月更新	zh-CN/2026/09/edgepress-release-2026-9-1/index.html	pass
EdgePress 2026 年 9 月更新: 第 10 次需求	zh-CN/2026/09/edgepress-release-2026-9-10/index.html	pass
EdgePress 2026 年 9 月更新: 第 2 次需求	zh-CN/2026/09/edgepress-release-2026-9-2/index.html	pass
EdgePress 2026 年 9 月更新: 第 3 次需求	zh-CN/2026/09/edgepress-release-2026-9-3/index.html	pass
EdgePress 2026 年 9 月更新: 第 4 次需求	zh-CN/2026/09/edgepress-release-2026-9-4/index.html	pass
EdgePress 2026 年 9 月更新: 第 5 次需求	zh-CN/2026/09/edgepress-release-2026-9-5/index.html	pass
EdgePress 2026 年 9 月更新: 第 6 次需求	zh-CN/2026/09/edgepress-release-2026-9-6/index.html	pass

Title	Generated route	Status
EdgePress 2026 年 9 月更新：第 7 次需求	zh-CN/2026/09/edgepress-release-2026-9-7/index.html	pass
EdgePress 2026 年 9 月更新：第 8 次需求	zh-CN/2026/09/edgepress-release-2026-9-8/index.html	pass
EdgePress 2026 年 9 月更新：第 9 次需求	zh-CN/2026/09/edgepress-release-2026-9-9/index.html	pass
EdgePress 与 Markdown：完整写作指南	zh-CN/2026/09/markdown-syntax-guide/index.html	pass
EdgePress 2026 年 10 月更新	zh-CN/2026/10/edgepress-release-2026-10-1/index.html	pass

Pages reviewed

Pages accessibility and agent-friendliness status

Title	Generated route	Status
Plugin development	plugin-development/index.html	pass
Privacy policy	privacy-policy/index.html	pass
Project introduction	project-introduction/index.html	pass
Quick start	quick-start/index.html	pass
Theme development	theme-development/index.html	pass
插件开发	zh-CN/plugin-development/index.html	pass
隐私政策	zh-CN/privacy-policy/index.html	pass
项目介绍	zh-CN/project-introduction/index.html	pass
快速入门	zh-CN/quick-start/index.html	pass
主题开发	zh-CN/theme-development/index.html	pass

Homepages reviewed

Homepages accessibility and agent-friendliness status

Title	Generated route	Status
Build a fast website from clear, editable source files.	index.html	pass
用清晰、可编辑的源文件构建快速网站。	zh-CN/index.html	pass

Findings

No findings.

Markdown rendering verification

52 of 52 syntax checks passed across the tutorial post locales.

2026/09/markdown-syntax-guide/index.html

- Pass — headings 2 through 6
- Pass — Setext heading syntax
- Pass — paragraphs and hard line breaks
- Pass — hyphen, asterisk, and underscore thematic breaks
- Pass — emphasis and strong emphasis
- Pass — strikethrough
- Pass — inline and fenced code
- Pass — tilde-fenced and four-space-indented code
- Pass — code spans containing a literal backtick
- Pass — escaped Markdown punctuation and character references
- Pass — inline and reference links
- Pass — GFM automatic links
- Pass — angle-bracket, www, and email automatic links
- Pass — images with alternative text
- Pass — image-shaped video Markdown syntax documented
- Pass — nested lists with inline formatting
- Pass — task lists with accessible status names
- Pass — lists nested inside block quotes
- Pass — nested block quotes
- Pass — tables and inline table syntax
- Pass — safe semantic inline HTML
- Pass — sanitization of active script markup
- Pass — image-shaped video syntax renders an accessible native player with deferred media
- Pass — video title renders as a caption
- Pass — unsafe video URL is rejected
- Pass — post-list excerpt preserves inline Markdown formatting

zh-CN/2026/09/markdown-syntax-guide/index.html

- Pass — headings 2 through 6
- Pass — Setext heading syntax
- Pass — paragraphs and hard line breaks
- Pass — hyphen, asterisk, and underscore thematic breaks
- Pass — emphasis and strong emphasis
- Pass — strikethrough
- Pass — inline and fenced code
- Pass — tilde-fenced and four-space-indented code

- Pass — code spans containing a literal backtick
- Pass — escaped Markdown punctuation and character references
- Pass — inline and reference links
- Pass — GFM automatic links
- Pass — angle-bracket, www, and email automatic links
- Pass — images with alternative text
- Pass — image-shaped video Markdown syntax documented
- Pass — nested lists with inline formatting
- Pass — task lists with accessible status names
- Pass — lists nested inside block quotes
- Pass — nested block quotes
- Pass — tables and inline table syntax
- Pass — safe semantic inline HTML
- Pass — sanitization of active script markup
- Pass — image-shaped video syntax renders an accessible native player with deferred media
- Pass — video title renders as a caption
- Pass — unsafe video URL is rejected
- Pass — post-list excerpt preserves inline Markdown formatting

Consent interface checks

Consent component checks run separately from page-content layout checks.

- Pass — privacy controls are injected on every generated page
- Pass — consent manager script was generated
- Pass — service disclosure supports data, recipient, retention, and supplier privacy links
- Pass — stored choices are tied to proposed and effective dates
- Pass — new visitors start with every optional service off
- Pass — accept and reject controls share the same component styling
- Pass — consent component CSS selectors stay within the manager
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields

- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields
- Pass — component stays inside the viewport
- Pass — component content stays inside its own box
- Pass — accept and reject actions have equal visual weight
- Pass — optional services begin unchecked
- Pass — expanded service details disclose all configured fields

Responsive and consent screenshots

Page screenshots use a 390 by 844 CSS pixel mobile viewport and hide the consent component while measuring page content. Separate consent screenshots crop the component at desktop and mobile sizes.

Posts screenshots

EdgePress September 2026 update · desktop

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update

September 24, 2026 · By toewpq

This is the first requested release update for September 2026.

Editable page layouts

Pages now use an outside-in layout model. Set a row's column count, add one cell for each column, choose element types inside each cell, and write the element content in that page's localized Markdown front matter. Posts continue to use Markdown rendering.

New elements pair images or captioned video with text, and provide display typography styles. Theme stylesheets own colors and visual treatment.

Shared site components

All pages use the selected theme's shared head, navigation, and footer partials. The same layout generates localized 403 and 404 pages. Site metadata, component visibility, navigation labels, and footer copy are configured in config.yml. Theme selection uses edgepress theme.

Plugins and backend requests

The guides now cover consent-gated tracking, statistics, advertising, and human-verification providers, alongside trusted build-time plugins. A generic Worker proxy can forward /api/v1/* requests through a Service Binding or an HTTPS URL and a Worker secret. The backend must still validate and authorize every request.

Live preview and review report

edgepress server watches source files, rebuilds the site, refreshes the browser, and updates the accessibility and agent-friendliness report. edgepress check also captures desktop and mobile screenshots and writes tools/page-check.pdf with Markdown and JSON summaries.

The automated report checks generated markup and metadata. It does not establish legal compliance or replace manual keyboard, contrast, or assistive-technology review.

EdgePress September 2026 update

2026/09/edgepress-release-2026-9-1/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress



Home



Guides



Quick start



Posts



Search

English



EdgePress September 2026 update

September 24, 2026 · By toewpq

This is the first requested release update for September 2026.

Editable page layouts

Pages now use an outside-in layout model. Set a row's column count, add one cell for each column, choose element types inside each cell, and write the element content in that page's localized Markdown front matter. Posts continue to use Markdown rendering.

New elements pair images or captioned video with text, and provide display typography styles. Theme stylesheets own colors and

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 10

September 27, 2026 · By toewpq

This is the tenth requested EdgePress update for September 2026.

Keep privacy choices when changing languages

Privacy choices now use a locale-independent configuration fingerprint, so switching page languages keeps the saved choice active. Existing choices from the previous locale-specific format migrate automatically. A change to notice dates or service configuration still asks visitors to choose again.

Link to pages in the current language

Page-block links can use `/[launge]/quick-start/`. The build replaces the marker with the current locale path and omits the locale segment for the default language. Links from the Chinese homepage now open the matching Chinese guides.

Improve article tags and search

Article pages show their tags as clear links to the matching tag pages. The search script loads only on search pages; tag navigation uses native links and works without JavaScript.

Redraw icons and simplify privacy wording

The settings and plug SVG icons have been redrawn. The privacy policy now explains in plain language that a visitor's choice stays on their device, without exposing an internal storage key.

Tags: [release](#) [internationalization](#) [privacy](#) [themes](#)

[Privacy policy](#) [Atom feed](#)



EdgePress



[Home](#)



[Guides](#)



[Quick start](#)



[Posts](#)



[Search](#)

English



EdgePress September 2026 update: request 10

September 27, 2026 · By toewpq

This is the tenth requested EdgePress update for September 2026.

Keep privacy choices when changing languages

Privacy choices now use a locale-independent configuration fingerprint, so switching page languages keeps the saved choice active. Existing choices from the previous locale-specific format migrate automatically. A change to notice dates or service configuration still asks visitors to choose

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 2

September 25, 2026 · By toewpq

This is the second requested EdgePress update for September 2026.

Mobile layouts and language selection

Themes now keep long article content, tables, code blocks, navigation, and page elements within narrow screens. The audit captures mobile views and compares the measured document width with the viewport. The header's language links are now a compact, keyboard-operable dropdown that opens the same route in the selected language.

Markdown guide and local article search

The first post is now a bilingual, rendered guide to EdgePress posts and the supported CommonMark and GFM syntax. It covers nested lists and quotes, task markers, tables, code, links, images, sanitized inline HTML, and unsupported extensions. The report checks those rendered features in both language versions.

Visitors can search article titles and full post text using the generated local search index. Search runs in the browser and filters posts only.

Accessible content report

The report now includes individual post results and screenshots for posts and pages. Its HTML uses headings, landmarks, labeled tables, linkable sections, image descriptions, and a tagged PDF with a document outline when the installed browser supports it. Mobile viewport and document widths appear beside each screenshot.

Run `edgepress check` to rebuild the site, review the report, and inspect the generated Markdown syntax checks and responsive evidence.

Tags: [release](#) [responsive design](#) [Markdown](#)

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress September 2026 update: request 2

September 25, 2026 · By toewpq

This is the second requested EdgePress update for September 2026.

Mobile layouts and language selection

Themes now keep long article content, tables, code blocks, navigation, and page elements within narrow screens. The audit captures mobile views and compares the measured document width with the viewport. The header's language links are now a compact, keyboard-operable dropdown that opens the same route in the selected language.

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 3

September 25, 2026 · By toewpq

This is the third requested EdgePress update for September 2026.

Install EdgePress from npm

EdgePress is published as the `edgepress` package. Start a site by installing the package, initializing an empty folder, installing the generated site dependencies, then opening the local preview:

```
npm install edgepress
edgepress init
npm install
edgepress server
```

Copy

The initializer keeps an existing `package.json` name and scripts, then adds the EdgePress commands and runtime dependencies.

Install or create themes

Install a theme package with `edgepress theme install <npm-package>[@version]`. EdgePress copies the theme into `themes/` and skips package install scripts. Switch among installed themes with `edgepress theme list` and `edgepress theme use <name>`.

Run `edgepress theme create my-theme` to generate a blank npm-ready custom theme package. It includes a shared HTML shell, editable head, header, navigation and footer partials, a required accessible structure, and an empty stylesheet for the theme's colors and responsive design.

Deploy from GitHub or upload static files

The quick-start guide explains how to push the source to GitHub and connect it to Cloudflare Workers Builds. The package's build and deploy scripts let

 **EdgePress**

 Home

 Guides

 Quick start

 Posts

 Search

English ▾

EdgePress September 2026 update: request 3

September 25, 2026 · By toewpq

This is the third requested EdgePress update for September 2026.

Install EdgePress from npm

EdgePress is published as the `edgepress` package. Start a site by installing the package, initializing an empty folder, installing the generated site dependencies, then opening the local preview:

Copy

```
npm install edgepress
edgepress init
```

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 4

September 25, 2026 · By toewpq

This is the fourth requested EdgePress update for September 2026.

Keep the audit report in one PDF

edgepress check and edgepress server now persist only tools/page-check.pdf. Desktop and mobile screenshots are embedded in the PDF; temporary HTML and screenshot files are removed after generation.

Remove the templates directory

edgepress init now writes its generated README and .gitignore directly from the CLI package. The source and npm package no longer include a templates/ directory.

Cloudflare Workers Builds setup

The quick-start guide records the repository settings: root directory /, build command npm run build, deploy command npx wrangler deploy, and no required build variables. It also explains that a build stuck at Initializing build environment has not run the project build command yet; reconnect the GitHub integration or replace a stale Cloudflare build API token before retrying.

Wrangler requires compatibility_date for this Worker, so the project pins it to the first day of the month: 2026-09-01.

Tags: [release](#) [reports](#) [cloudflare](#)

[Privacy policy](#) [Atom feed](#)



EdgePress



[Home](#)



[Guides](#)



[Quick start](#)



[Posts](#)



[Search](#)

English



EdgePress September 2026 update: request 4

September 25, 2026 · By toewpq

This is the fourth requested EdgePress update for September 2026.

Keep the audit report in one PDF

`edgepress_check` and `edgepress_server` now persist only `tools/page-check.pdf`. Desktop and mobile screenshots are embedded in the PDF; temporary HTML and screenshot files are removed after generation.

Remove the templates directory

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 5

September 25, 2026 · By toewpq

This is the fifth requested EdgePress update for September 2026.

Clarify Cloudflare one-click deployment

The README and bilingual quick-start guides now explain that Cloudflare's Deploy button creates a new GitHub repository copy and a new Worker. Choose unused names for both during setup. The button does not connect to or update an existing Worker; use the existing repository's Workers Builds connection to publish updates.

The release notes and project compatibility history are updated as version 2026.9.5.

Tags: [release](#) [cloudflare](#)

[Privacy policy](#) [Atom feed](#)



EdgePress



[Home](#)



[Guides](#)



[Quick start](#)



[Posts](#)



[Search](#)

English



EdgePress September 2026 update: request 5

September 25, 2026 · By toewpq

This is the fifth requested EdgePress update for September 2026.

Clarify Cloudflare one-click deployment

The README and bilingual quick-start guides now explain that Cloudflare's Deploy button creates a new GitHub repository copy and a new Worker. Choose unused names for both during setup. The button does not connect to or update an existing Worker; use the existing repository's Workers Builds connection to publish updates.

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 6

September 25, 2026 · By toewpq

This is the sixth requested EdgePress update for September 2026.

Navigation and article reading

The shared navigation now includes a localized Posts link to the article archive. Markdown post pages generate a linked contents list from their headings.

Code blocks and small screens

Generated code blocks now have an accessible copy button. Theme styles wrap long command lines so the full command remains readable on narrow screens without horizontal dragging. The theme development guide describes the shared behavior.

The project compatibility history is updated to version 2026.9.6.

Theme palettes

The bundled themes have refreshed, higher-contrast palettes.

A clearer visual identity and reading path

The site now shares a local set of 22 SVG icons across theme navigation and feature cards. A page-shaped project mark, folded-paper sparrow mascot, and Open Graph image give the project a consistent preview on the homepage and when shared. Latest-post lists link into older archive pages, and localized post metadata now names each article's author.

Tags: [release](#) [themes](#)



EdgePress



[Home](#)



[Guides](#)



[Quick start](#)



[Posts](#)



[Search](#)

English



EdgePress September 2026 update: request 6

September 25, 2026 · By toewpq

This is the sixth requested EdgePress update for September 2026.

Navigation and article reading

The shared navigation now includes a localized Posts link to the article archive. Markdown post pages generate a linked contents list from their headings.

Code blocks and small screens

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 7

September 26, 2026 · By toewpq

This is the seventh requested EdgePress update for September 2026.

Consent and privacy disclosures

Cloudflare Web Analytics is configured as a statistics service and remains behind the visitor's explicit consent. Browser service groups now live under `plugins.consent` in `config.yml`. The privacy policy lists each enabled service's provider, category, purpose, and retention period when the site is built.

Images and article lists

The homepage uses smaller responsive mascot images. Article archives are sorted newest-first across all available languages, while homepage latest-post lists stay in the current language. Post excerpts now remove Markdown syntax before display.

Mobile controls and maintenance

The consent panel has a responsive mobile layout, clearer service details, and larger touch targets. The unused integrations directory and obsolete cleanup paths for retired audit files have been removed.

Tags: [release](#) [performance](#) [privacy](#)

[Privacy policy](#) [Atom feed](#)



 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 8

September 26, 2026 · By toewpq

This is the eighth requested EdgePress update for September 2026.

Date-based consent and localized disclosures

Consent settings use a required `proposedDate` and an optional `effectiveDate` instead of a version counter. The generated privacy policy displays these dates and lists configured services with localized names, purposes, data categories, recipients, and retention details. Accept and reject controls have equal prominence, optional services start unchecked, and visitors can expand the panel to make a granular choice. The consent component has scoped theme styles and its own viewport checks and screenshots, separate from page-content layout checks.

Video in Markdown posts

Posts can insert direct MP4, WebM, OGV, and OGG files using image-shaped Markdown syntax. The renderer creates an accessible native player with controls and `preload="none"`.

Post lists and summaries

Archives now choose one language version per post and sort equal-date release notes by their numeric sequence. The homepage continues to show the latest posts in the current language. Archive, tag, and homepage cards render Markdown formatting in summaries.

Tags: [release](#) [privacy](#) [Markdown](#)

[Privacy policy](#) [Atom feed](#)

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress September 2026 update: request 8

September 26, 2026 · By toewpq

This is the eighth requested EdgePress update for September 2026.

Date-based consent and localized disclosures

Consent settings use a required `proposedDate` and an optional `effectiveDate` instead of a version counter. The generated privacy policy displays these dates and lists configured services with localized names, purposes, data categories, recipients, and retention details. Accept and reject controls have equal prominence, optional services start

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress September 2026 update: request 9

September 26, 2026 · By toewpq

This is the ninth requested EdgePress update for September 2026.

Floating article contents

Long articles now reveal a compact table-of-contents control after the reader scrolls. It opens and closes on demand, supports keyboard dismissal, and moves to the lower-left corner on mobile screens.

A clearer consent interface

The consent panel now keeps the service purpose and choice visible while placing data categories, recipients, retention, and the supplier's privacy page in expandable details. Accept and reject remain equally prominent. The configured site operator and privacy contact share a compact line in the policy.

Each configured browser service requires an `HTTPS privacyUrl`. The consent panel and generated privacy policy link to that page, and the privacy policy refreshes its provider list and consent dates from the current configuration at build time.

Bilingual privacy disclosures

The English and Chinese policy pages describe request data, processing purposes and legal bases, visitor rights, consent withdrawal, configured retention, and cross-border processing information. They also state that the browser-only consent choice is not a server-side receipt.

Page-content layout and consent-interface checks remain separate in the audit report.

Tags: [release](#) [privacy](#) [accessibility](#)

[Privacy policy](#) [Atom feed](#)

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress September 2026 update: request 9

September 26, 2026 · By toewpq

This is the ninth requested EdgePress update for September 2026.

Floating article contents

Long articles now reveal a compact table-of-contents control after the reader scrolls. It opens and closes on demand, supports keyboard dismissal, and moves to the lower-left corner on mobile screens.

A clearer consent interface

The consent panel now keeps the service purpose and choice visible while placing data

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress and Markdown: a complete writing guide

September 23, 2026 · By toewpq

EdgePress keeps **pages** and **posts** deliberately different. Pages use ordered, editable element blocks from their Markdown front matter. Posts use the Markdown renderer, so this article is also a working reference: every example below is rendered from a real post.

The post renderer uses CommonMark with GitHub Flavored Markdown (GFM), then sanitizes the generated HTML. Use a blank line between block elements. Inline syntax can be combined inside paragraphs, list items, quotes, and table cells.

Headings and paragraphs

Markdown has six heading levels. A post already gets its page-level `<h1>` from its front matter title; use `##` through `#####` in the body so the page keeps one clear `<h1>`.

```
# Heading level 1
## Heading level 2
### Heading level 3
#### Heading level 4
##### Heading level 5
##### Heading level 6
```

CommonMark also has Setext headings. A line of `=` characters makes a level-one heading, and a line of `-` characters makes a level-two heading. Keep the level-one form in a code sample when the post already has its page title as `<h1>`:

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▼

EdgePress and Markdown: a complete writing guide

September 23, 2026 · By toewpq

EdgePress keeps **pages** and **posts** deliberately different. Pages use ordered, editable element blocks from their Markdown front matter. Posts use the Markdown renderer, so this article is also a working reference: every example below is rendered from a real post.

The post renderer uses CommonMark with GitHub Flavored Markdown (GFM), then sanitizes the generated HTML. Use a blank line between block elements. Inline syntax can be combined inside paragraphs, list items, quotes, and table cells.

 EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

EdgePress October 2026 update

October 1, 2026 · By toewpq

This release starts the October 2026 update series.

Publish page media from content/assets

Files under `content/assets/` are now published at matching site-root paths. For example, `content/assets/images/diagram.svg` becomes `/images/diagram.svg`. Shared theme CSS and JavaScript remain in each theme's `assets/` directory.

Update build dependencies

Wrangler is updated to 4.144.0 along with its Cloudflare runtime dependencies. Dependabot now checks npm packages and GitHub Actions weekly, and a scheduled workflow runs `npm audit` and the project build.

Scan version builds

The Codex Security workflow can scan a version build when manually started or when an enabled version tag is pushed. Completed findings are uploaded to GitHub Code Scanning. Tag scans require the `CODEX_SECURITY_ENABLED` repository variable, and every scan requires the `OPENAI_API_KEY` Actions secret.

Tags: [release](#) [assets](#) [security](#)

[Privacy policy](#) [Atom feed](#)



EdgePress

[🏠 首页](#) [📖 项目指南](#) [🔗 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文

EdgePress 2026 年 9 月更新

2026年9月24日 · 作者: toewpq

这是 2026 年 9 月针对本次需求的第一次更新。

可编辑页面布局

页面现在采用由外向内的布局模式：先设置每行栏数，为每栏添加一个单元格，再在单元格内选择元素类型，并在该语言页面的 Markdown 前置数据中填写元素内容。文章继续使用 Markdown 渲染。

新增的元素支持图片或带字幕的视频搭配文字，以及多种艺术字样式。颜色和视觉表现由主题样式表负责。

共享站点组件

所有页面都复用所选主题的 head、导航和页脚局部模板。相同布局也会生成本地化 403 和 404 页面。站点元数据、组件显示状态、导航标签和页脚文案在 config.yml 中配置。使用 edgepress theme 切换主题。

插件与后端请求

开发指南现已涵盖遵循同意设置的跟踪、统计、广告、人机验证服务，以及可信构建插件。通用 Worker 代理可以通过 Service Binding，或 HTTPS URL 加 Worker 密钥转发 /api/v1/* 请求。后端仍需验证每项请求并执行授权。

实时预览与审核报告

edgepress server 会监视源文件、重新构建网站、刷新浏览器，并更新无障碍化和 agent 友好度报告。edgepress check 还会捕获桌面与移动页面截图，并生成 tools/page-check.pdf，以及 Markdown 和 JSON 摘要。

自动报告检查生成的标记和元数据，但不能证明符合特定法律，也不能取代键盘、对比度或辅助技术的人工审核。

标签: [发布](#) [页面构建器](#) [无障碍](#)



EdgePress



首页



项目指南



快速入门



文章



搜索

简体中文



EdgePress 2026 年 9 月更新

2026年9月24日 · 作者: toewpq

这是 2026 年 9 月针对本次需求的第一次更新。

可编辑页面布局

页面现在采用由外向内的布局模式：先设置每行栏数，为每栏添加一个单元格，再在单元格内选择元素类型，并在该语言页面的 Markdown 前置数据中填写元素内容。文章继续使用 Markdown 渲染。

新增的元素支持图片或带字幕的视频搭配文字，以及多种艺术字样式。颜色和视觉表现由主题样式表负责。

共享站点组件

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚪 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 10 次需求

2026年9月27日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 10 次需求的更新。

切换语言后保留隐私选择

隐私选择现在使用跨语言一致的配置校验，切换页面语言时会继续生效。现有的旧版选择会自动迁移；当告知日期或服务配置变化时，仍会重新征求选择。

按当前语言生成站内链接

页面块链接可使用 `/[launge]/quick-start/`。生成页面时，这个标记会替换为当前语言路径；默认语言会省略语言段。中文首页的指南链接现在会打开对应的中文页面。

改进文章标签和搜索

文章底部会以清楚可见的链接显示标签，并可打开对应的标签页。搜索脚本只在搜索页面加载，标签使用原生链接，无需 JavaScript。

重绘图标并简化隐私说明

重绘了设置和插头 SVG 图标。隐私政策以日常用语说明选择保存在访查设备上，不再显示内部存储键名称。

标签: [发布](#) [多语言](#) [隐私](#) [主题](#)

[🛡️ 隐私政策](#) [📡 Atom 订阅](#)



EdgePress



首页



项目指南



快速入门



文章



搜索

简体中文



EdgePress 2026 年 9 月更新：第 10 次需求

2026年9月27日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 10 次需求的更新。

切换语言后保留隐私选择

隐私选择现在使用跨语言一致的配置校验，切换页面语言时会继续生效。现有的旧版选择会自动迁移；当告知日期或服务配置变化时，仍会重新征求选择。

按当前语言生成站内链接

页面块链接可使用 `/[launge]/quick-start/`。生成页面时，这个标记会替换为当前语言路径；默认语言会省略语言段。中文首页的指南链接现在会

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🔗 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 2 次需求

2026年9月25日 · 作者: toewpq

这是 EdgePress 在 2026 年 9 月针对第 2 次需求的更新。

移动布局与语言选择

主题现在会让较长的文章内容、表格、代码块、导航和页面元素适应窄屏幕。审核工具会捕获移动视图，并比较页面文档宽度与视口宽度。页头语言链接改为紧凑的下拉菜单，可以使用键盘操作，并在切换语言时前往当前页面的对应语言版本。

Markdown 指南与本地文章搜索

第一篇文章现为双语指南，逐项展示 EdgePress 文章支持的 CommonMark 和 GFM 语法。内容包括嵌套列表与引用、任务标记、表格、代码、链接、图片、经过清理的行内 HTML，以及未启用的扩展。报告会检查两种语言页面的实际渲染结果。

访客可以使用本地生成的搜索索引查询文章标题和全文。搜索在浏览器中运行，只会匹配文章。

无障碍报告

报告现在逐篇列出文章结果，并附上文章与页面截图。报告 HTML 使用标题、页面地标、有表头的表格、可跳转章节和图片说明；若浏览器支持，也会生成带文档大纲的标签 PDF。每张移动截图旁会列出视口与页面文档宽度。

运行 `edgepress check` 可构建网站、查看报告、检查 Markdown 语法结果和响应式截图。

标签: [发布](#) [移动端适配](#) [Markdown](#)

[🔒 隐私政策](#) [📡 Atom 订阅](#)

 **EdgePress**

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

EdgePress 2026 年 9 月更新：第 2 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 2 次需求的更新。

移动布局与语言选择

主题现在会让较长的文章内容、表格、代码块、导航和页面元素适应窄屏幕。审核工具会捕获移动视图，并比较页面文档宽度与视口宽度。页头语言链接改为紧凑的下拉菜单，可以使用键盘操作，并在切换语言时前往当前页面的对应语言版本。

Markdown 指南与本地文章搜索

第一篇文章现为双语指南，逐项展示 EdgePress 文章支持的 CommonMark 和 GFM 语法。内容

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 3 次需求

2026年9月25日 · 作者: toewpq

这是 EdgePress 在 2026 年 9 月针对第 3 次需求的更新。

从 npm 安装 EdgePress

EdgePress 已发布为 `edgepress` 包。安装包后，在空目录中初始化项目，再安装生成的网站依赖并启动本地预览：

```
npm install edgepress
edgepress init
npm install
edgepress server
```

复制

初始化器会保留现有 `package.json` 中的项目名称和脚本，并补入 EdgePress 命令与运行依赖。

安装或创建主题

使用 `edgepress theme install <npm-package>[@version]` 安装 npm 主题包。EdgePress 会将主题复制到 `themes/`，且不会运行包的安装脚本。使用 `edgepress theme list` 查看已安装主题，再用 `edgepress theme use <name>` 切换。

运行 `edgepress theme create my-theme` 可生成可发布到 npm 的空白自定义主题包，包含共享 HTML 外壳、可编辑的 `head`、`header`、导航和 `footer` 局部模板、必要的无障碍结构，以及用于自定义配色和响应式设计的空白样式表。

从 GitHub 部署或上传静态文件

快速入门指南现已说明如何将源代码推送到 GitHub 并连接 Cloudflare Workers Builds。Cloudflare 会使用项目的 `build` 与 `deploy` 脚本，在推送到生产分支时生成静态文件并发布 Worker。本地部署可运行 `edgepress deploy`。

EdgePress

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

EdgePress 2026 年 9 月更新：第 3 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 3 次需求的更新。

从 npm 安装 EdgePress

EdgePress 已发布为 `edgepress` 包。安装包后，在空目录中初始化项目，再安装生成的网站依赖并启动本地预览：

复制

```
npm install edgepress
edgepress init
npm install
edgepress server
```

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 4 次需求

2026年9月25日 · 作者: toewpq

这是 EdgePress 在 2026 年 9 月针对第 4 次需求的更新。

审核报告只保留 PDF

edgepress check 和 edgepress server 现在只在 tools/page-check.pdf 保存报告。桌面和移动端截图会嵌入 PDF，临时 HTML 和截图文件会在生成后清理。

移除 templates 目录

edgepress init 现在由 CLI 包直接写入新项目的 README 和 .gitignore。源码与 npm 包不再包含 templates/ 目录。

Cloudflare Workers Builds 设置

快速入门指南现已记录本仓库设置：根目录 /、构建命令 npm run build、部署命令 npx wrangler deploy，且无需配置构建变量。指南也说明，构建若停留在 Initializing build environment，表示项目构建命令还未运行；应重新连接 GitHub 集成，或替换失效的 Cloudflare 构建 API Token 后再试。

Wrangler 要求此 Worker 设置 compatibility_date，因此项目将其固定为本月第一天：2026-09-01。

标签: [发布](#) [报告](#) [Cloudflare](#)

[🔒 隐私政策](#) [📧 Atom 订阅](#)



EdgePress



首页



项目指南



快速入门



文章



搜索

简体中文



EdgePress 2026 年 9 月更新：第 4 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 4 次需求的更新。

审核报告只保留 PDF

`edgepress check` 和 `edgepress server` 现在只在 `tools/page-check.pdf` 保存报告。桌面和移动端截图会嵌入 PDF，临时 HTML 和截图文件会在生成后清理。

移除 templates 目录

`edgepress init` 现在由 CLI 包直接写入新项目的 README 和 `.gitignore`。源码与 npm 包不再包含 `templates/` 目录。

EdgePress 2026 年 9 月更新：第 4 次需求

zh-CN/2026/09/edgepress-release-2026-9-4/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🔗 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▾

EdgePress 2026 年 9 月更新：第 5 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 5 次需求的更新。

说明 Cloudflare 一键部署的行为

README 和中英文快速入门现已说明，Cloudflare 一键部署按钮会创建新的 GitHub 仓库副本和新的 Worker。设置时需要为两者选择未占用的名称。按钮不会连接或更新已有 Worker；更新已有项目应使用原仓库连接的 Workers Builds。

发布说明和项目兼容性历史已更新至 2026.9.5。

标签: [发布](#) [Cloudflare](#)

[🔒 隐私政策](#) [📧 Atom 订阅](#)



EdgePress



首页



项目指南



快速入门



文章



搜索

简体中文



EdgePress 2026 年 9 月更新：第 5 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 5 次需求的更新。

说明 Cloudflare 一键部署的行为

README 和中英文快速入门现已说明，Cloudflare 一键部署按钮会创建新的 GitHub 仓库副本和新的 Worker。设置时需要为两者选择未占用的名称。按钮不会连接或更新已有 Worker；更新已有项目应使用原仓库连接的 Workers Builds。

发布说明和项目兼容性历史已更新至 2026.9.5。

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚪 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 6 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 6 次需求的更新。

导航和文章阅读

全站导航新增本地化的文章入口，指向文章归档页。Markdown 文章页会根据标题生成可跳转的目录。

代码块和小屏显示

生成的代码块新增无障碍复制按钮。主题样式会自动折行显示较长命令，窄屏下无需左右拖动即可阅读完整内容。主题开发指南也已补充对应说明。

项目兼容性历史已更新至 2026.9.6。

主题配色

内置主题已换成对比度更清晰、视觉更鲜明的新配色。

更清晰的视觉识别与阅读路径

网站现在使用一组本地 22 枚 SVG 图标，为主题导航和功能卡片提供一致的图形语言。页面式项目图标、折页纸鸟吉祥物和 OG 分享图让首页与链接预览拥有统一的识别形象。首页文章列表可继续翻看旧文章，本地化文章元数据也会标明作者。

标签: [发布](#) [主题](#)

[🔒 隐私政策](#) [📧 Atom 订阅](#)

EdgePress

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

EdgePress 2026 年 9 月更新：第 6 次需求

2026年9月25日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 6 次需求的更新。

导航和文章阅读

全站导航新增本地化的文章入口，指向文章归档页。Markdown 文章页会根据标题生成可跳转的目录。

代码块和小屏显示

生成的代码块新增无障碍复制按钮。主题样式会自动折行显示较长命令，窄屏下无需左右拖动即可阅读完整内容。主题开发指南也已补充对应说明。

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🔗 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 7 次需求

2026年9月26日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 7 次需求的更新。

同意管理和隐私披露

Cloudflare Web Analytics 已作为统计服务接入，并继续等待访客明确同意后才会加载。`config.yml` 中的浏览器服务组现在统一放在 `plugins.consent` 下。每次构建时，隐私政策都会列出已启用服务的供应商、类别、用途和保留期限。

图片和文章列表

首页现在使用较小的自适应吉祥物图片。文章归档会跨语言按发布时间从新到旧排列；首页最新文章列表仍按当前语言显示。文章摘要在显示前会去除 Markdown 标记。

移动端控件和维护

同意面板改进了移动端布局和服务说明，并扩大了按钮触控区域。未使用的 `integrations` 空目录和已废弃审计文件清理路径也已移除。

标签: [发布](#) [性能](#) [隐私](#)

[🔒 隐私政策](#) [📧 Atom 订阅](#)

 **EdgePress**

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

EdgePress 2026 年 9 月更新：第 7 次需求

2026年9月26日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 7 次需求的更新。

同意管理和隐私披露

Cloudflare Web Analytics 已作为统计服务接入，并继续等待访客明确同意后才会加载。
`config.yml` 中的浏览器服务组现在统一放在 `plugins.consent` 下。每次构建时，隐私政策都会列出已启用服务的供应商、类别、用途和保留期限。

图片和文章列表

首页现在使用较小的自适应吉祥物图片。文章归档

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🔗 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 8 次需求

2026年9月26日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 8 次需求的更新。

日期化同意配置与多语言披露

同意设置使用必填的 `proposedDate` 拟定日期和可选的 `effectiveDate` 生效日期，取代版本计数。生成的隐私政策会显示这两个日期，并列出已配置服务的多语言名称、用途、数据类别、接收方和保留期限。接受与拒绝按钮具有同等醒目程度，可选服务默认不勾选；访客可以展开面板逐项设置。组件样式限定在同意管理器内，其视口检查和截图也与页面内容布局检测分开。

Markdown 文章中的视频

文章可使用图片形状的 Markdown 语法插入 MP4、WebM、OGV 和 OGG 直接视频文件。渲染器会生成带控制按钮的原生播放器，并设置 `preload="none"`。

文章列表和摘要

归档现在会为每篇文章选择一个语言版本，并在日期相同时按数字序号从新到旧排列发布记录。首页仍按当前语言显示最新文章。归档、标签和首页卡片的摘要都会渲染 Markdown 格式。

标签: [发布](#) [隐私](#) [Markdown](#)

[🔒 隐私政策](#) [📧 Atom 订阅](#)

 **EdgePress**

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

EdgePress 2026 年 9 月更新：第 8 次需求

2026年9月26日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 8 次需求的更新。

日期化同意配置与多语言披露

同意设置使用必填的 `proposedDate` 拟定日期和可选的 `effectiveDate` 生效日期，取代版本计数。生成的隐私政策会显示这两个日期，并列出具配置服务的多语言名称、用途、数据类别、接收方和保留期限。接受与拒绝按钮具有同等醒目程度，可选服务默认不勾选；访客可以展开面板逐项设置。组件样式限定在同意管理器内，其视口检查和截图也与页面内容布局检测分开。

Markdown 文章中的视频

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚪 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 9 月更新：第 9 次需求

2026年9月26日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 9 次需求的更新。

浮动文章目录

长文章会在读者向下滚动后显示精简的目录入口。目录可按需展开和收起，支持键盘关闭；移动端入口位于左下方。

更清楚的同意界面

同意面板会直接显示服务用途和选择开关，将数据类别、接收方、保留期限及供应商隐私页面放入可展开详情。接受和拒绝保持同等醒目。隐私政策中的网站运营者和隐私联系方式采用紧凑的并排布局。

每项浏览器服务都必须配置 HTTPS privacyUrl。同意面板和自动生成的隐私政策都会链接到该页面；隐私政策中的供应商列表和同意日期会在构建时根据当前配置更新。

双语隐私披露

中英文政策现已说明请求数据、处理目的与法律依据、访客权利、撤回同意、已配置的保留期限及跨境处理信息，并明确说明同意选择只保存在访客浏览器，不会作为回传传回服务器。

页面内容布局和同意界面仍由审核工具分别检查。

标签: [发布](#) [隐私](#) [无障碍](#)

[🔒 隐私政策](#) [📧 Atom 订阅](#)

EdgePress

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

EdgePress 2026 年 9 月更新：第 9 次需求

2026年9月26日 · 作者：toewpq

这是 EdgePress 在 2026 年 9 月针对第 9 次需求的更新。

浮动文章目录

长文章会在读者向下滚动后显示精简的目录入口。目录可按需展开和收起，支持键盘关闭；移动端入口位于左下方。

更清楚的同意界面

同意面板会直接显示服务用途和选择开关，将数据类别、接收方、保留期限及供应商隐私页面放入可展开详情。接受和拒绝保持同等醒目。隐私政策中的网站运营者和隐私联系方式采用紧凑的并排布

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🔗 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文

EdgePress 与 Markdown：完整写作指南

2026年9月23日 · 作者: toewpq

EdgePress 对 **pages (页面)** 和 **posts (文章)** 采用不同的编辑方式。页面在 Markdown 前置资料中配置有序、可编辑的元素块；文章则使用 Markdown 渲染器。本文本身就是一篇实际渲染的文章，可作为语法参考。

文章渲染器使用 CommonMark 与 GitHub Flavored Markdown (GFM)，随后会清理生成的 HTML。块级内容之间留一个空行；行内语法可以组合在段落、列表、引用和表格单元格中。

标题与段落

Markdown 有六级标题。文章页面的 `<h1>` 已由前置资料中的标题生成；正文使用 `##` 到 `#####`，让页面始终只有一个明确的 `<h1>`。

复制

```
# 一级标题
## 二级标题
### 三级标题
#### 四级标题
##### 五级标题
##### 六级标题
```

CommonMark 还支持 Setext 标题：在标题下一行写 `=` 可以生成一级标题，写 `-` 可以生成二级标题。如果文章标题已经生成 `<h1>`，请只在正文使用二级形式；一级写法留在代码示例中。

复制

```
一级 Setext 标题
=====
```

 **EdgePress**

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

EdgePress 与 Markdown：完整写作指南

2026年9月23日 · 作者：toewpq

EdgePress 对 **pages** (页面) 和 **posts** (文章) 采用不同的编辑方式。页面在 Markdown 前置资料中配置有序、可编辑的元素块；文章则使用 Markdown 渲染器。本文本身就是一篇实际渲染的文章，可作为语法参考。

文章渲染器使用 CommonMark 与 GitHub Flavored Markdown (GFM) ，随后会清理生成的 HTML。块级内容之间留一个空行；行内语法可以组合在段落、列表、引用和表格单元格中。

标题与段落

Markdown 有六级标题。文章页面的 `<h1>` 已由

 EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚪 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文 ▼

EdgePress 2026 年 10 月更新

2026年10月1日 · 作者: toewpq

本次更新开启 EdgePress 2026 年 10 月更新系列。

从 content/assets 发布页面资源

现在, `content/assets/` 中的文件会按相同路径发布到站点根目录。例如, `content/assets/images/diagram.svg` 会生成 `/images/diagram.svg`。共享主题 CSS 和 JavaScript 仍放在各主题的 `assets/` 目录中。

更新构建依赖

Wrangler 更新至 4.144.0, 并同步更新 Cloudflare 运行时依赖。Dependabot 现在每周检查 npm 包和 GitHub Actions; 定时工作流会运行 npm audit 和项目构建。

扫描版本构建

手动启动或推送已启用的版本标签时, Codex Security 工作流可以扫描版本构建, 并将完成的发现上传到 GitHub Code Scanning。标签扫描需要仓库变量 CODEX_SECURITY_ENABLED, 所有扫描都需要 Actions 密钥 OPENAI_API_KEY。

标签: [发布](#) [资源](#) [安全](#)

[🛡️ 隐私政策](#) [📧 Atom 订阅](#)



EdgePress



[首页](#)



[项目指南](#)



[快速入门](#)



[文章](#)



[搜索](#)

简体中文



EdgePress 2026 年 10 月更新

2026年10月1日 · 作者: toewpq

本次更新开启 EdgePress 2026 年 10 月更新系列。


从 content/assets 发布页面资源

现在, `content/assets/` 中的文件会按相同路径发布到站点根目录。例如, `content/assets/images/diagram.svg` 会生成 `/images/diagram.svg`。共享主题 CSS 和 JavaScript 仍放在各主题的 `assets/` 目录中。

更新构建依赖

Pages screenshots

Plugin development · mobile



Plugin development

plugin-development/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden

EdgePress

[Home](#) [Guides](#) [Quick start](#) [Posts](#) [Search](#)

English

Privacy policy

Controller and contact

Controller: toewpq · **Privacy contact:** toewpq@gmail.com

Confirm that the configured name identifies the responsible person or legal entity. Add a postal address, EU representative, or data protection officer contact here when applicable to the operator.

Site requests and legal bases

This site publishes pages and posts and provides client-side search. It has no visitor accounts, comments, or contact form in this build.

To deliver and protect the site, the hosting and network providers receive request data such as IP address, requested path, request time, and browser or device headers. Where GDPR applies, the operator relies on legitimate interests in serving a secure and reliable site (Article 6(1)(f)); the operator must document the balancing assessment and confirm actual hosting logs and retention in the deployment account.

Optional browser services listed below load only after an affirmative choice. Where their processing includes personal data and consent is the chosen legal basis, it is based on consent (Article 6(1)(a)). Refusing optional services does not prevent access to the site.

Optional browser services

This list is generated from enabled services in config.yml. It identifies each purpose, data category, recipient, retention period, and the supplier's own privacy information.

Statistics • Cloudflare Web Analytics

Purpose: Measure page views and page-load performance after consent.

Data used: Performance timing and page-view metrics; dimensions can include path, referrer, device, browser, operating system, and country. Cloudflare receives the beacon request's source IP and says it discards it at the end of the session.

Privacy policy

 **EdgePress**

[Home](#) [Guides](#) [Quick start](#)

[Posts](#) [Search](#)

English ▾

Privacy policy


Controller and contact

Controller: toewpq ·

Privacy contact: toewpq@gmail.com


Confirm that the configured name identifies the responsible person or legal entity. Add a postal address, EU representative, or data protection officer contact here when applicable to the operator.

Site requests and legal bases




Project introduction

project-introduction/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden



Quick start

quick-start/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden



Theme development

theme-development/index.html · mobile viewport · 390 CSS pixels wide; page content width 390 CSS pixels with consent hidden

 **EdgePress**

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

插件开发

扩展指南

连接可信构建代码、浏览器供应商和后端服务。

构建插件在 Node 中运行。浏览器集成需等待访客同意。运行时后端请求由 Worker 转发。

构建插件

plugins/ 中的本地 JavaScript 模块可以转

EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚪 快速入门](#) [📄 文章](#) [🔍 搜索](#)

简体中文

隐私政策

个人信息处理者与联系

处理者: toewpq · 隐私联系: toewpq@gmail.com

请确认上方名称能识别负责的个人或法律实体。若运营者情形适用，还应在本政策中补充邮寄地址、欧盟代表或数据保护官的联系方式。

网站请求与处理依据

本网站发布页面和文章，并提供在访客浏览器中运行的站内搜索。本构建版本没有访客账户、评论或联系表单。

为传送和保护网站，托管及网络服务商会收到请求数据，例如 IP 地址、请求路径、请求时间以及浏览器或设备请求头。在 GDPR 适用时，运营者以提供安全、可靠网站服务的合法利益为依据（第 6 条第 1 款 (f) 项）；运营者应记录利益衡量，并在部署账户中确认实际日志内容与保留期限。

下方列出的可选浏览器服务只有在访客主动选择后才加载。若相关处理涉及个人数据且以同意为法律依据，则依据第 6 条第 1 款 (a) 项处理。拒绝可选服务不会阻止访问网站基本页面。

可选浏览器服务

此列表根据 config.yml 中启用的服务生成，列明处理目的、数据类别、接收方、保留期限及供应商自己的隐私说明。

统计 · Cloudflare 网站分析

用途: 经访客同意后衡量页面浏览量和页面加载性能。

涉及的数据: 性能计时和页面浏览指标，维度可能包括页面路径、来源页、设备、浏览器、操作系统和国家或地区。Cloudflare 会在信标请求中接收来源 IP，并表示会在最近的数据中心将其丢弃，不保存到核心数据库或日志中。

接收方: Cloudflare, Inc.

隐私政策

zh-CN/privacy-policy/index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文 ▼

隐私政策

个人信息处理者与联系

处理者: toewpq ·

隐私联系: toewpq@gmail.com

请确认上方名称能识别负责的个人或法律实体。若运营者情形适用，还应在本政策中补充邮寄地址、欧盟代表或数据保护官的联系方式。

网站请求与处理依据

本网站发布页面和文章，并提供在访客浏览器中运行的站内搜索。本构建版本没有访客账户、评论或联系表单。



 **EdgePress**

 [首页](#)

 [项目指南](#)

 [快速入门](#)

 [文章](#)



简体中文

▼

快速入门

从这里开始

配置项目并打开实时预览。

安装项目依赖后使用 `edgepress` 命令。本地预览会在源文件变更后自动构建，并刷新无障碍化和 agent 友好度 PDF 报告。


环境要求与初始命令

支持基线




Homepages screenshots

Build a fast website from clear, editable source files. · desktop



Build a fast website from clear, editable source files.

index.html · desktop viewport · 1440 CSS pixels wide; page content width 1425 CSS pixels with consent hidden



EdgePress

🏠 首页

📖 项目指南

🚀 快速入门

📄 文章

🔍 搜索

简体中文

为边缘网络构建

用清晰、可编辑的源文件构建快速网站。

EdgePress 将 Markdown 文章、页面布局、主题和遵循同意状态的集成构建为由 Cloudflare Workers 提供服务的静态网站。

从快速入门开始



在本地化 Markdown 前置数据中编辑页面

使用 Markdown 撰写文章

复用布局，配色由主题定义

网站各部分各有清晰位置



[页面使用可编辑元素](#)

先设置栏数，再选择元素类型，并在各页面文件中编辑对应内容。



[文章使用 Markdown](#)

使用 Markdown 撰写长文，由内置渲染器进行清理和排版。



[主题负责视觉设计](#)

使用 HTML 局部模板构建布局，并将各主题的配色保留在样式表中。



[集成遵循用户同意](#)

配置跟踪、统计、广告或人机验证服务及其供应商信息。

 **EdgePress**

[🏠 首页](#) [📖 项目指南](#) [🚀 快速入门](#) [📄 文章](#)

[🔍 搜索](#)

简体中文

▼

为边缘网络构建

用清晰、可编辑的源文件构建快速网站。


EdgePress 将 Markdown 文章、
页面布局、主题和遵循同意状态的
集成构建为由 Cloudflare Workers
提供服务的静态网站。

从快速入门开始



Consent interface screenshots

Privacy choices · desktop



Privacy choices

index.html · desktop viewport · Consent component 448 by 474 CSS pixels; within viewport: true

Privacy choices

Optional services stay off until you choose.

Cloudflare Web Analytics

Statistics

Measure page views and page-load performance after consent.

Details

Reject optional

Allow all

Save choices

Choice saved on this device for up to 180 days.

Operator: toewpq · Contact: toewpq@gmail.com

[Privacy policy](#)

Privacy settings

Privacy choices

index.html · mobile viewport · Consent component 366 by 469 CSS pixels; within viewport: true

隐私选择

×

可选服务仅在你选择后启用。

Cloudflare 网站分析

统计

经访客同意后衡量页面浏览量和页面加载性能。

▶ 详情

×

拒绝可选服务

✓

全部允许

→

保存选择

选择保存在此设备，最长 180 天。

运营者: toewpq · 联系邮箱: toewpq@gmail.com

[隐私政策](#)

⚙️

隐私设置

隐私选择

×

可选服务仅在你选择后启用。

Cloudflare 网站分析

统计

经访客同意后衡量页面浏览量和页面加载性能。

▶ 详情

×

拒绝可选服务

✓

全部允许

→

保存选择

选择保存在此设备，最长 180 天。

运营者: toewpq · 联系邮箱: toewpq@gmail.com[隐私政策](#)

⚙

隐私设置

Privacy choices

Optional services stay off until you choose.

Cloudflare Web Analytics

Statistics

Measure page views and page-load performance after consent.

Details

Reject optional

Allow all

Save choices

Choice saved on this device for up to 180 days.

Operator: toewpq · Contact: toewpq@gmail.com

[Privacy policy](#)

e path, referrer, device, browser,
country. Cloudflare receives the

Privacy settings

Privacy choices

Optional services stay off until you choose.

Cloudflare Web Analytics

Statistics

Measure page views and page-load performance after consent.

Details

Reject optional

Allow all

Save choices

Choice saved on this device for up to 180 days.

Operator: toewpq · Contact: toewpq@gmail.com

[Privacy policy](#)

bases

Privacy settings

Privacy choices

privacy-policy/index.html · mobile viewport · Consent component 366 by 469 CSS pixels; within viewport: true

隐私选择

×

可选服务仅在你选择后启用。

Cloudflare 网站分析

统计

经访客同意后衡量页面浏览量和页面加载性能。

▶ 详情

×

拒绝可选服务

✓

全部允许

→

保存选择

选择保存在此设备，最长 180 天。

运营者: toewpq · 联系邮箱: toewpq@gmail.com

[隐私政策](#)

显示。

⚙️

隐私设置



Privacy choices
zh-CN/privacy-policy/index.html · mobile viewport · Consent component 366 by 469 CSS pixels; within viewport: true

Scope and limits

- Accessibility checks inspect generated HTML and CSS. They do not measure color contrast, screen-reader behavior, keyboard interactions in a browser, or dynamic vendor widgets.
- Page layout is measured with the consent manager hidden. The consent manager has separate component checks and screenshots, so its size does not change the page-content overflow result.
- Agent-friendliness checks inspect metadata, structured data, internal links, robots.txt, sitemap.xml, and llms.txt. They do not guarantee crawler indexing or answer quality.
- This automated report is not a legal-compliance assessment or a substitute for manual review.
- Screenshots capture generated local pages at desktop and mobile viewports. They do not replace manual keyboard, zoom, contrast, or assistive-technology review.